




KAN-therm
MULTISYSTEM

> 35 | years of experience
in the
installation market






























Catalogue

WATER INSTALLATION
HEATING AND COOLING

Install the **future**






Complete multipurpose installation system consisting of modern, mutually complementary technical solutions for pipe water distribution, heating and cooling installations, as well as technological and fire extinguishing ones.




COLOUR SYSTEM						
						
SYSTEM NAME		ultra LINE	ultra PRESS	PP	Steel	Inox
DIAMETER RANGE [mm]		14-32	16-63	16-110	12-108	12-168,3
INSTALLATIONS TYPE						
	TAP WATER	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	HEATING	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	TECHNOLOGICAL HEAT	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	SOLAR	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	COOLING	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	COMPRESSED AIR	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	TECHNICAL GASES	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	FLAMMABLE GAS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	TECHNICAL OILS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	INDUSTRIAL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	BALNEOLOGICAL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	SPRINKLER FIRE-FIGHTING	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	HYDRANT FIRE-FIGHTING	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	UNDERFLOOR HEATING AND COOLING	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	WALL HEATING AND COOLING	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	CEILING HEATING AND COOLING	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	EXTERNAL SURFACES HEATING AND COOLING	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

In untypical cases, it is necessary to check the conditions of using KAN-therm parts with technical and information materials or opinions of the KAN Technical Department. Use the form – Inquiry about the possibility to use KAN-therm elements – to send basic parameters of an installation operation. Based on the data sent, the Technical Department will assess the fitness of the system to the particular installation. The form can be found on the website.





		
Copper	Surface heating and cooling	Cabinets, manifolds
12-108	12-25	–
●		○
●	●	●
		○
●	○	○
○		
○		
○		
	●	●
	●	●
	●	●
	●	●

		
Copper Gas	Steel XPress Sprinkler	Inox XPress Sprinkler
15-54	22-108	22-108
		○
○	○	○
○	○	○
●		
	●	●
	●	●


● standard range of applications
 ○ possible use – confirm the conditions with the KAN Technical Department.

Contents

SYSTEM KAN-therm ultraLINE pipes and fittings with sliding sleeve for heating and potable water systems	5
SYSTEM KAN-therm ultraPRESS pipes and fittings with crimping sleeve for heating and potable water systems	23
SYSTEM KAN-therm PP welded pipes and fittings for heating and potable water systems	55
SYSTEM KAN-therm Steel carbon steel pipes and fittings for heating systems	73
SYSTEM KAN-therm Inox stainless steel pipes and fittings for heating and potable water systems	101
SYSTEM KAN-therm Copper copper fittings for heating and potable water system	127
The surface heating and cooling of the SYSTEM KAN-therm solutions for low-temperature surface heating and cooling systems	149
SYSTEM KAN-therm manifolds, cabinets and supplementary elements	197
Index	225

EXPLANATION OF CODE SYSTEM

Pipes	29	Fittings	09
-------	----	----------	----



ultraLINE	25	Surface heating and cooling	18
ultraPRESS	10	Cabinets	14
PP	12	Manifolds	13
Steel	15	Screw fittings and supp. elements	17
Inox	16	Tools	19
Copper	22	Others	21

This commercial information is effective as of 01.05.2026 r. Availability of goods according to individual arrangements. The photographs presenting the offered goods are for reference only. Actual colour and design details of the elements may differ from those presented in the photographs. When the new catalogue is released, the information contained in the earlier version of the catalogue will be updated. KAN Sp. z o.o. reserves the right to supplement, change or replace commercial and technical information at any time. © KAN Sp. z o.o. copyrights All rights reserved. Text, images, graphics and their layout in KAN Sp. z o.o. publications are covered by copyrights.



**KAN-therm
MULTISYSTEM**

> 35 | years of experience
on the installation
market



KAN-therm

ultraLINE

**MANY POSSIBILITIES,
ONE CHOICE**

Install the **future**

Table of contents

SYSTEM **KAN-therm** ultraLINE



Pipes	7
Connectors	9
Accessories	16
Tools	19

SYSTEM KAN-therm ultraLINE

Pipes

PERTAL² pipe - coil

GROUP: U2

Size [mm]	*	Code			UM
14×2,0		2529334001	200	3000	m
16×2,2		2529334003	200	3000	m
20×2,8		2529334005	100	1500	m
25×2,5		2529334007	50	750	m
32×3,0		2529334028	50	600	m



Note:

Application class (acc. to ISO 10508) 1-5; 10 bar.



PERTAL² pipe in red insulation 6 mm - coil

GROUP: U2

Size [mm]	*	Code			UM
14×2,0		2529333010	50	750	m
16×2,2		2529333011	50	750	m
20×2,8		2529333012	50	750	m
25×2,5		2529333013	50	450	m
32×3,0		2529333014	50	350	m



Note:

Application class (acc. to ISO 10508) 1-5; 10 bar.




PERTAL² pipe in blue insulation 6 mm - coil

GROUP: U2

Size [mm]	*	Code			UM
14×2,0		2529333015	50	750	m
16×2,2		2529333016	50	750	m
20×2,8		2529333017	50	750	m
25×2,5		2529333018	50	450	m
32×3,0		2529333019	50	350	m



Note:

Application class (acc. to ISO 10508) 1-5; 10 bar.



PERTAL² pipe - bar

GROUP: U2

Size [mm]	*	Code			UM
20×2,8 - 5 m		2529334004	70	3220	m
25×2,5 - 5 m		2529334006	40	1840	m
32×3,0 - 5 m		2529334008	50	1800	m

Note:

Application class (acc. to ISO 10508) 1-5; 10 bar.





 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



PEXC pipe - coil

GROUP: U2



Size [mm]	*	Code			UM
14x2,0		2529200000	200	3000	m
16x2,2		2529200001	200	3000	m
20x2,8		2529200002	100	1500	m

Note:
Application class (acc. to ISO 10508) 1-5; 10 bar.



PERT² pipe - coil

GROUP: U2

Size [mm]	*	Code			UM
14x2,0		2529198000	200	3000	m
16x2,2		2529198001	200	3000	m
20x2,8		2529198002	100	1500	m

Note:
Application class (acc. to ISO 10508) 1-5; 10 bar.



 coil  bar  pipes in tube  bag  carton box  pallet **N** new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Connectors

Brass female connector



GROUP: U1

Size [mm]	*	Code			UM
14 Rp $\frac{1}{2}$ "		2509044000	10	150	pc.
16 Rp $\frac{1}{2}$ "		2509044001	10	150	pc.
20 Rp $\frac{1}{2}$ "		2509044002	10	150	pc.
20 Rp $\frac{3}{4}$ "		2509044003	10	120	pc.
25 Rp $\frac{3}{4}$ "		2509044004	5	70	pc.
32 Rp1"		2509044005	5	50	pc.



Brass male connector



GROUP: U1

Size [mm]	*	Code			UM
14 R $\frac{1}{2}$ "		2509045000	10	150	pc.
16 R $\frac{1}{2}$ "		2509045001	10	150	pc.
20 R $\frac{1}{2}$ "		2509045002	10	150	pc.
20 R $\frac{3}{4}$ "		2509045003	10	150	pc.
25 R $\frac{3}{4}$ "		2509045005	5	80	pc.
25 R1"		2509045004	5	70	pc.
32 R1"		2509045006	5	50	pc.



Brass coupling



GROUP: U1

Size [mm]	*	Code			UM
14		2509042000	10	160	pc.
16		2509042001	5	80	pc.
20		2509042002	5	80	pc.
25		2509042003	5	80	pc.



PPSU coupling



GROUP: U1

Size [mm]	*	Code			UM
14		2566042000	10	160	pc.
16		2566042001	10	160	pc.
20		2566042002	10	160	pc.
25		2566042003	5	80	pc.
32		2566042004	5	60	pc.



Brass reducing coupling

GROUP: U1

Size [mm]	*	Code			UM
16 / 14		2509046006	10	160	pc.
20 / 14		2509046007	10	160	pc.
20 / 16		2509046008	10	160	pc.
25 / 16		2509046005	5	80	pc.
25 / 20		2509046009	5	80	pc.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



PPSU reducing coupling

GROUP: U1

Size [mm]	*	Code			UM
16 / 14		2566046002	10	160	pc.
20 / 14		2566046003	10	160	pc.
20 / 16		2566046004	10	160	pc.
25 / 16		2566046005	5	80	pc.
25 / 20		2566046000	5	80	pc.
32 / 25		2566046001	5	70	pc.



Brass coupling ultraLINE/Push

GROUP: U1

Size [mm]	*	Code			UM
14x2,0 / 14x2,0	***	2509042010	1	40	pc.
16x2,2 / 14x2,0	***	2509042011	1	40	pc.
16x2,2 / 18x2,5	***	2509042012	1	40	pc.
16x2,2 / 18x2,0	***	2509042013	1	40	pc.
20x2,8 / 18x2,5	***	2509042014	1	30	pc.
20x2,8 / 18x2,0	***	2509042015	1	30	pc.
25x2,5 / 25x3,5	***	2509042016	1	20	pc.
32x3,0 / 32x4,4	***	2509042017	1	15	pc.

Note:

Set includes: brass coupling, ultraLINE PVDF sliding sleeve and Push brass ring.



Brass tee

GROUP: U1

Size [mm]	*	Code			UM
14		2509257000	10	100	pc.
16		2509257001	10	80	pc.
20		2509257002	10	80	pc.
25		2509257003	5	40	pc.
32		2509257004	2	20	pc.





PPSU tee

GROUP: U1

Size [mm]	*	Code			UM
14		2566257000	10	100	pc.
16		2566257001	10	80	pc.
20		2566257002	10	80	pc.
25		2566257003	5	40	pc.
32		2566257004	2	20	pc.

Brass reducing tee



GROUP: U1

Size [mm]	*	Code			UM
16 / 20 / 16		2509260004	10	80	pc.
20 / 16 / 16		2509260008	10	80	pc.
20 / 16 / 20		2509260009	10	80	pc.
20 / 20 / 16		2509260010	10	80	pc.
20 / 25 / 20		2509260011	5	40	pc.
25 / 16 / 16		2509260014	5	40	pc.
25 / 16 / 20		2509260015	5	40	pc.
25 / 16 / 25		2509260016	5	40	pc.
25 / 20 / 16		2509260026	5	40	pc.
25 / 20 / 20		2509260017	5	40	pc.
25 / 20 / 25		2509260018	5	40	pc.
32 / 16 / 25		2509260020	2	20	pc.
32 / 16 / 32		2509260021	2	20	pc.
32 / 20 / 25		2509260022	2	20	pc.
32 / 20 / 32		2509260023	2	20	pc.
32 / 25 / 25		2509260024	2	20	pc.
32 / 25 / 32		2509260025	2	20	pc.



PPSU reducing tee

GROUP: U1

Size [mm]	*	Code			UM
14 / 16 / 14		2566260000	10	120	pc.
16 / 14 / 14		2566260001	10	80	pc.
16 / 14 / 16		2566260002	10	80	pc.
16 / 16 / 14		2566260003	10	80	pc.
16 / 20 / 16		2566260004	5	40	pc.
20 / 14 / 14		2566260005	10	80	pc.
20 / 14 / 16		2566260006	5	40	pc.
20 / 14 / 20		2566260007	5	40	pc.
20 / 16 / 16		2566260008	5	40	pc.
20 / 16 / 20		2566260009	5	40	pc.
20 / 20 / 16		2566260010	10	80	pc.
20 / 25 / 20		2566260011	5	40	pc.
25 / 14 / 20		2566260012	5	40	pc.
25 / 14 / 25		2566260013	5	40	pc.
25 / 16 / 16		2566260014	5	40	pc.
25 / 16 / 20		2566260015	5	40	pc.
25 / 16 / 25		2566260016	5	40	pc.
25 / 20 / 16		2566260026	5	40	pc.
25 / 20 / 20		2566260017	5	40	pc.
25 / 20 / 25		2566260018	5	40	pc.
25 / 32 / 25		2566260019	2	20	pc.
32 / 16 / 25		2566260020	2	20	pc.
32 / 16 / 32		2566260021	2	20	pc.
32 / 20 / 25		2566260022	2	20	pc.
32 / 20 / 32		2566260023	2	20	pc.
32 / 25 / 20		2566260027	2	20	pc.
32 / 25 / 25		2566260024	2	20	pc.
32 / 25 / 32		2566260025	2	20	pc.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Brass elbow 90°

GROUP: U1

Size [mm]	*	Code			UM
16		2509302001	10	180	pc.
20		2509302002	10	120	pc.
25		2509302003	5	60	pc.
32		2509302004	5	30	pc.



PPSU elbow 90°

GROUP: U1

Size [mm]	*	Code			UM
14		2566302000	10	180	pc.
16		2566302001	10	120	pc.
20		2566302002	10	120	pc.
25		2566302003	5	60	pc.
32		2566302004	5	30	pc.



Brass nipple coupling

GROUP: U1

Size [mm]	*	Code			UM
14 / 15	***	2509046000	20	160	pc.
16 / 15	***	2509046001	20	160	pc.
20 / 18	***	2509046002	10	120	pc.
25 / 22	***	2509046003	5	60	pc.
32 / 28	***	2509046004	5	60	pc.

Note:

The coupling can work with metal press systems such as KAN-therm Steel, KAN-therm Inox or KAN-therm Copper.





Brass female tee

GROUP: U1

Size [mm]	*	Code			UM
16 Rp½"		2509258001	5	60	pc.
20 Rp½"		2509258002	5	50	pc.
20 Rp¾"		2509258003	5	50	pc.
25 Rp½"		2509258004	2	30	pc.
25 Rp¾"		2509258005	2	30	pc.
32 Rp½"		2509258007	2	20	pc.

Brass female elbow 90°



GROUP: U1

Size [mm]	*	Code			UM
14 Rp½"		2509069000	10	120	pc.
14 Rp¾"		2509069001	10	100	pc.
16 Rp½"		2509069002	10	120	pc.
16 Rp¾"		2509069003	5	60	pc.
20 Rp½"		2509069006	10	100	pc.
20 Rp¾"		2509069007	5	40	pc.
25 Rp¾"		2509069004	5	30	pc.
32 Rp1"		2509069005	2	30	pc.



Brass male elbow 90°

GROUP: U1

Size [mm]	*	Code			UM
14 R½"		2509070000	10	120	pc.
16 R½"		2509070001	10	120	pc.
20 R½"		2509070002	10	120	pc.
20 R¾"		2509070003	10	100	pc.
25 R¾"		2509070004	5	40	pc.



Eurocone adapter for Cu Ø15 pipe

GROUP: A

Size [mm]	*	Code			UM
15 G¾"		1709043005	15	150	pc.



Note:

The adapter is compatible with fittings for union connections with male threads and radiator combined valves.



Eurocone adapter with ring for Cu Ø15 pipe

GROUP: A

Size [mm]	*	Code			UM
15 G½"		1709043003	20	300	pc.



Note:

The adapter is compatible with nipples and fittings for union connections.



Universal eurocone adapter for Ø15 pipes

GROUP: A

Size [mm]	*	Code			UM
15 G¾"		1709043010	15	150	pc.

Note:

Universal adapter, enabling connection of metal pipes (e.g. copper, nickel-plated copper, KAN-therm Steel and Inox system pipes) with a diameter of 15 mm. The construction of the adapter allows for its multiple use.





Compression for Cu Ø15 pipes

GROUP: A

Size [mm]	*	Code			UM
15 G½"		1709043011	20	300	pc.

Note:
The compression fitting is compatible with 1709040000.



Nickel-plated male/female connection body for Ø15 pipe

GROUP: A

Size [mm]	*	Code			UM
15 G½"		1709040000	20	200	pc.

Note:
To be used together with a compression for Cu Ø15 mm pipe (1709043011) when connecting radiators with female ½" thread using fittings with nickel-plated Cu Ø15 mm pipes.



Brass stop end

GROUP: U1

Size [mm]	*	Code			UM
14		2509250000	10	350	pc.
16		2509250001	10	200	pc.
20		2509250002	10	150	pc.
25		2509250003	5	150	pc.
32		2509250004	5	60	pc.



PVDF sliding sleeve

GROUP: U1

Size [mm]	*	Code			UM
14		2509335000	50	700	pc.
16		2509335001	50	500	pc.
20		2509335002	30	300	pc.
25		2509335003	20	200	pc.
32		2509335004	10	100	pc.



Brass threaded connector

GROUP: U1

Size [mm]	*	Code			UM
16		2510042001	10	120	pc.
20		2510042002	10	120	pc.

Note:
ultraLINE PERTAL² pipes require calibration and chamfering before connecting with fitting.



Brass female threaded connector



GROUP: U1

Size [mm]	*	Code			UM
16 Rp½"		2510044001	10	150	pc.
20 Rp½"		2510044002	10	150	pc.

Note:
ultraLINE PERTAL² pipes require calibration and chamfering before connecting with fitting.

Brass male threaded connector

GROUP: U1

Size [mm]	*	Code			UM
14 G½"		2510045000	10	150	pc.
16 G½"		2510045001	10	150	pc.
20 G½"		2510045002	10	150	pc.
N 25 G¾"		2509045007	5	80	pc.

Note:

ultraLINE PERTAL² pipes require calibration and chamfering before connecting with fitting.

½" threads are equipped with O-Ring seal.

Connectors with ½" threads are adapted for direct screwing into the manifold beam - sealing of the connection is done by means of an O-Ring seal.



Brass Eurocone adapter



GROUP: U1

Size [mm]	*	Code			UM
16 G¾"		2510271001	10	120	pc.



Brass female half union with flat seal

GROUP: U1

Size [mm]	*	Code			UM
16 G½"		2510105002	10	120	pc.
16 G¾"		2510105003	10	120	pc.
20 G½"		2510105004	10	80	pc.
20 G¾"		2510105005	10	80	pc.
25 G¾"		2510105007	5	60	pc.
25 G1"		2510105006	5	60	pc.
32 G1"		2510105009	5	50	pc.
32 G1¼"		2510105008	5	40	pc.



Eurocone adapter

GROUP: U1


Size [mm]	*	Code			UM
14 G¾"		2510271002	10	150	pc.
16 G¾"		2510271003	10	150	pc.
20 G¾"		2510271004	10	150	pc.

Note:

ultraLINE PERTAL² pipes require calibration and chamfering before fitting the adapter.



Accessories



Metal bent mounting plate for dry screed wallplate elbows


GROUP: A

Spacing (L) [mm]	*	Code		UM
80, 100, 150		1700210025	30	pc.

Plate total length 436 mm, width 60 mm, bend 42 mm.

Note:

It allows wall elbows and wall tees to be installed with a bracket on the wall, in wall grooves and drywall. The plate is sold with a set of screws (6 pcs.) for fixing elbows and wall tees.




Bent mounting plate

GROUP: A

Spacing (L) [mm]	*	Code		UM
100		1700210027	1 30	pc.

Plate total length 383 mm, width 60 mm, bend 42 mm.

The plate is sold with a set of screws (6 pcs.) for fixing elbows and wall tees.



Double metal mounting plate

GROUP: A

Spacing (L) [mm]	*	Code		UM
80, 150		1700210014	1 42	pc.

Plate total length 210 mm, width 55 mm, depth 9 mm.

Note:

It allows wall elbows and wall tees with a nut or mounting bolt to be installed on the wall, in wall grooves and drywall. Screws for mounting tap connections included (6 pcs.).



Brass female wallplate elbow - L = 41 mm

GROUP: U1

Size [mm]	*	Code		UM
14 Rp½"		2509286004	5 50	pc.
16 Rp½"		2509286007	5 50	pc.
20 Rp½"		2509286010	5 50	pc.

Note:

Height without plastic stop end. Stop end is intended for leak test only.



Brass female wallplate elbow - L = 52.5 mm

GROUP: U1

Size [mm]	*	Code		UM
14 Rp½"		2509286003	5 40	pc.
16 Rp½"		2509286006	5 40	pc.
20 Rp½"		2509286009	5 40	pc.

Note:


Height without plastic stop end. Stop end is intended for leak test only.


coil bar pipes in tube bag carton box pallet **N** new available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Brass female wallplate elbow for dry screed - L = 78 mm

GROUP: U1

Size [mm]	*	Code			UM
16 Rp½"		2509286008	2	20	pc.



Brass female wallplate elbow U-type - L = 41 mm

GROUP: U1

Size [mm]	*	Code			UM
16 Rp½"		2509286001	5	45	pc.
20 Rp½"		2509286002	5	45	pc.



Note:

Height without plastic stop end.
Stop end is intended for leak test only.

Brass elbow with Cu Ø15 pipe - L = 300 mm

GROUP: U1

Size [mm]	*	Code		UM
14		2509071000	50	pc.
16		2509071002	50	pc.

Note:

Variants of connecting fittings with nickel-plated pipes with all kinds of appliances are described in the "Designer and Contractor Guidebook".



Brass elbow with Cu Ø15 pipe - L = 750 mm

GROUP: U1

Size [mm]	*	Code		UM
16		2509071003	25	pc.


Note:

Variants of connecting fittings with nickel-plated pipes with all kinds of appliances are described in the "Designer and Contractor Guidebook".



Brass double elbow with Cu Ø15 pipe - L = 300 mm

GROUP: U1

Size [mm]	*	Code		UM
14		2509071006	10	pc.
16		2509071007	10	pc.

Note:

Variants of connecting fittings with nickel-plated pipes with all kinds of appliances are described in the "Designer and Contractor Guidebook".





Brass tee with Cu Ø15 pipe - L = 300 mm

GROUP: U1

Size [mm]	*	Code	 UM
16		2509261002	50 pc.

Note:

Variants of connecting fittings with nickel-plated pipes with all kinds of appliances are described in the "Designer and Contractor Guidebook".

 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Tools

Battery tool set - expander and sliding-sleeve tool + ultraLINE AL 16-25 heads

GROUP: K

Range [mm]	*	Code		UM
16-25		1967267031	1	pc.


Each set includes:

- expanding tool,
- 1967267051 - battery RAML1225 Li-Ion 10,8 V 2,5 Ah - 3 pcs.,
- 1967267024 - charger for battery-powered tools,
- 1967267025 - battery expander,
- 1941267096 - expander lubricant,
- 1967113004 - ultraLINE AL - 16x2,2 expanding head,
- 1967113005 - ultraLINE AL - 20x2,8 expanding head,
- 1967113006 - ultraLINE AL - 25x2,5 expanding head,
- 1967267004 - set of forks for sliding sleeve - 16,
- 1967267005 - set of forks for sliding sleeve - 20,
- 1967267006 - set of forks for sliding sleeve - 25,
- 1967267000 - pipe cutter 14-25,
- 1967267021 - calibrator - 14-16-20,
- tool case.



Battery tool set - expander and sliding sleeve tool + ultraLINE PE 16-20 and ultraLINE AL 25 heads

GROUP: K

Range [mm]	*	Code		UM
16-25		1967267032	1	pc.

Each set includes:

- expanding tool,
- 1967267051 - battery RAML1225 Li-Ion 10,8 V 2,5 Ah - 3 pcs.,
- 1967267024 - charger for battery-powered tools,
- 1967267025 - battery expander,
- 1941267096 - expander lubricant,
- 1967113001 - ultraLINE PE - 16x2,2 expanding head,
- 1967113002 - ultraLINE PE - 20x2,8 expanding head,
- 1967113006 - ultraLINE AL - 25x2,5 expanding head,
- 1967267004 - set of forks for sliding sleeve - 16,
- 1967267005 - set of forks for sliding sleeve - 20,
- 1967267006 - set of forks for sliding sleeve - 25,
- 1967267000 - pipe cutter 14-25,
- tool case.



Battery tool set - expander and sliding sleeve tool

GROUP: K

Range [mm]	*	Code		UM
14-32		1967267026	1	pc.

Each set includes:

- expanding tool,
- 1967267051 - battery RAML1225 Li-Ion 10,8 V 2,5 Ah - 3 pcs.,
- 1967267024 - charger for battery-powered tools,
- 1967267025 - battery expander,
- 1941267096 - expander lubricant,
- 1967267000 - pipe shears 14-25,
- 1933267029 - pipe shears 14-32,
- tool case.

Expanding heads and forks must be completed separately.



Tool set - expander and battery sliding sleeve sleeve tool

GROUP: K

Range [mm]	*	Code		UM
14-32		1967267012	1	pc.

Each set includes:

- expanding tool,
- 1967267051 - battery RAML1225 Li-Ion 10,8 V 2,5 Ah - 3 pcs.,
- 1967267024 - charger for battery-powered tools,
- 1967267002 - expander,
- 1941267096 - expander lubricant,
- 1967267000 - pipe cutter 14-25,
- 1933267029 - pipe cutter 14-32,
- tool case.

Expanding heads and forks must be completed separately.





Charger for battery tools

GROUP: K

Version	*	Code		UM
LGML1 ~230 V / 10,8V DC		1967267024	1	pc.



Battery for battery tools

GROUP: K

Version	*	Code		UM
N RAML1225 Li-Ion 10,8V 2,5Ah		1967267051	1	pc.



Manual tool set - expander and chain sliding sleeve tool

GROUP: K

Range [mm]	*	Code		UM
14-32		1967267016	1	pc.

Each set includes:

- 1938267085 - chain sliding sleeve tool,
- 1967267002 - expander,
- 1941267096 - expander lubricant,
- 1967267000 - pipe cutter 14-25,
- 1933267029 - pipe cutter 14-32,
- tool case.

Expanding heads and forks must be completed separately.



Manual tool set - expander and adapter

GROUP: K

Range [mm]	*	Code		UM
14-32	***	1967267017	1	pc.

Each set includes:

- 1967267015 - adapter for radial press tools,
- 1967267002 - expander,
- 1941267096 - expander lubricant,
- 1967267000 - pipe cutter 14-25,
- 1933267029 - pipe cutter 14-32,
- tool case.

Expanding heads and forks must be completed separately.



Expanding head PE

GROUP: K



Size [mm]	*	Code			UM
14×2,0		1967113000	1	18	pc.
16×2,2		1967113001	1	18	pc.
20×2,8		1967113002	1	18	pc.

coil bar pipes in tube bag carton box pallet **N** new available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Expanding head AL



GROUP: K

Size [mm]	*	Code			UM
14x2,0		1967113003	1	18	pc.
16x2,2		1967113004	1	18	pc.
20x2,8		1967113005	1	18	pc.
25x2,5		1967113006	1	18	pc.
32x3,0		1967113007	1	18	pc.



Set of forks for sliding sleeve

GROUP: K

Size [mm]	*	Code			UM
14x2,0		1967267003	1	40	pc.
16x2,2		1967267004	1	40	pc.
20x2,8		1967267005	1	40	pc.
25x2,5		1967267006	1	40	pc.
32x3,0		1967267007	1	40	pc.



Set of double forks for hydraulic sliding sleeve tool

GROUP: K

Range [mm]	*	Code			UM
14-16		1967267008	1	10	set
16-20		1967267009	1	10	set
25-32		1967267010	1	50	set

Note:

Double forks enable conversion of Push hydraulic foot push tools for working with ultraLINE elements. The set includes a long and short fork.



Locking pin for double forks

GROUP: K

	*	Code			UM
		1967267050	1	150	pc.



Note:

To retool a Push hydraulic foot push tool use one protective pin for double push forks.



Set of double forks for battery crimping tool Push/ultraLINE

GROUP: K

Range [mm]	*	Code			UM
14-16		1967267052	1	12	pc.
16-20		1967267053	1	12	pc.
25-32		1967267054	1	12	pc.

Note:

The set enable conversion of Push battery press for working with ultraLINE elements. The set includes a long and short fork.





Locking pin for double forks for the press tool Push/ultraLINE battery press

GROUP: K

Range [mm]	*	Code			UM
14-32		1967267055	1	150	pc.



Cutter for pipes Virax PC 42

GROUP: K

Range [mm]	*	Code			UM
16-40		1933267029	1	6	pc.



Cutter for pipes KAN-therm

GROUP: K

Range [mm]	*	Code			UM
14-25		1967267000	1	5	pc.



Cutter blade for pipes PE and AL

GROUP: K

	*	Code			UM
		1967267019	1	25	pc.

Note:
Cutter service element 1967267000.



Pipe calibrator

GROUP: K

Size [mm]	*	Code			UM
14-16-20		1967267021	1	25	pc.



External spring for bending pipes

GROUP: K

Size [mm]	*	Code			UM
14	*	1936267079	1	60	pc.
16		1936267081	1	60	pc.
20		1936267086	1	40	pc.
25-26		1936267088	1	25	pc.

Note:
The external spring works with PERTAL² and PERTAL pipes.

coil bar pipes in tube bag carton box pallet **N** new available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



**KAN-therm
MULTISYSTEM**

> 35 | years of experience
on the installation
market



KAN-therm

ultra**PRESS**

**INNOVATIVENESS AND UNIQUENESS
- ONE SYSTEM, SIX FUNCTIONS**

Install the **future**

Table of contents

SYSTEM **KAN-therm** ultraPRESS



Pipes	25
Connectors	27
Accessories	42
Tools	44

SYSTEM KAN-therm ultraPRESS

Pipes

PERTAL pipe - coil

GROUP: B

Size [mm]	*	Code			UM
16×2,0		1029196031	600	2400	m
16×2,0		1029196123	200	3000	m
20×2,0		1029196092	100	1500	m
25×2,5		1029196081	50	750	m
26×3,0		1029196106	50	750	m
32×3,0		1029196115	50	600	m
40×3,5		1029196119	25	300	m



Note:

Application class (acc. to ISO 10508) 1-5; 10 bar.



PERTAL pipe - bar

GROUP: B

Size [mm]	*	Code			UM
16×2,0		1029196210	50	3850	m
20×2,0		1029196211	35	2695	m
25×2,5		1029196212	40	1840	m
32×3,0		1029196071	40	1200	m
40×3,5		1029196078	25	750	m
50×4,0		1029196274	15	450	m
63×4,5		1029196275	5	385	m

Note:

Application class (acc. to ISO 10508) 1-5; 10 bar.



PERTAL pipe in red insulation 6 mm - coil

GROUP: B

Size [mm]	*	Code			UM
16×2,0		1029195010	50	750	m
N 16×2,0		1029196208	100	900	m
20×2,0		1029195000	50	750	m
25×2,5		1029195002	25	375	m
32×3,0		1029196114	50	300	m

Note:

Application class (acc. to ISO 10508) 1-5; 10 bar.




 coil  bar  pipes in tube  bag  carton box  pallet **N** new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



PERTAL pipe in blue insulation 6 mm - coil

GROUP: B

Size [mm]	*	Code			UM
16×2,0		1029195011	50	750	m
N 16×2,0		1029196209	100	900	m
20×2,0		1029195001	50	750	m
25×2,5		1029195003	25	375	m
32×3,0		1029196067	50	300	m

Note:

Application class (acc. to ISO 10508) 1-5; 10 bar.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
 N new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Connectors

Brass female connector



GROUP: F

Size [mm]	*	Code			UM
16 Rp1/2"		1009044002	10	120	pc.
20 Rp1/2"		1009042120	10	120	pc.
20 Rp3/4"		1009044003	10	80	pc.
25 Rp3/4"		1009044024	5	50	pc.
25 Rp1"		1009044005	5	40	pc.
26 Rp3/4"		1009044029	5	50	pc.
26 Rp1"		1009044006	5	40	pc.
32 Rp1"		1009044040	5	40	pc.
32 Rp1 1/4"		1009044008	5	40	pc.
40 Rp1"		1009044051	2	20	pc.
40 Rp1 1/4"		1009044050	2	20	pc.
40 Rp1 1/2"		1009044009	2	20	pc.



Brass male connector



GROUP: F

Size [mm]	*	Code			UM
16 R1/2"		1009045005	10	150	pc.
20 R1/2"		1009045009	10	120	pc.
20 R3/4"		1009042128	10	120	pc.
25 R1/2"		1009042132	5	50	pc.
25 R3/4"		1009045014	5	50	pc.
25 R1"		1009045013	5	50	pc.
26 R1/2"		1009042134	5	50	pc.
26 R3/4"		1009045043	5	50	pc.
26 R1"		1009045015	5	50	pc.
32 R1"		1009045017	5	40	pc.
32 R1 1/4"		1009045016	5	40	pc.
40 R1"		1009045061	2	20	pc.
40 R1 1/4"		1009045019	2	20	pc.
40 R1 1/2"		1009045018	2	20	pc.
50 R1 1/2"		1009045020	2	20	pc.
63 R2"		1009045003	1	10	pc.



PPSU female connector

GROUP: F

Size [mm]	*	Code			UM
16 Rp1/2"	***	1009044030	10	120	pc.



 coil  bar  pipes in tube  bag  carton box  pallet  new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Brass connector Compression

GROUP: F

Size [mm]	*	Code			UM
16 / 15		1009042077	10	150	pc.
20 / 22		1009042079	10	80	pc.
25 / 22		1009042082	5	50	pc.

Note:

The coupling can work with metal press systems such as KAN-therm Steel, KAN-therm Inox or KAN-therm Copper.



Brass elbow Compression

GROUP: F

Size [mm]	*	Code			UM
16 / 15	*	1009068018	10	120	pc.

Note:

The coupling can work with metal press systems such as KAN-therm Steel, KAN-therm Inox or KAN-therm Copper.



Brass coupling ultraPRESS/Push

GROUP: F

Size [mm]	*	Code			UM
16 / 14×2,0		1009042146	10	150	pc.
16 / 18×2,0		1009042149	10	150	pc.
16 / 18×2,5		1009042145	10	150	pc.



Brass coupling ultraPRESS/ultraLINE

GROUP: F

Size [mm]	*	Code			UM
N 16×2,0/16×2,2		1009042215	10	150	pc.
N 16×2,0/20×2,8		1009042216	10	150	pc.





Brass coupling

GROUP: F

Size [mm]	*	Code			UM
16		1009042042	10	150	pc.
20		1009042049	10	120	pc.
25		1009042055	5	70	pc.
32		1009042003	5	40	pc.
40		1009042004	2	20	pc.
50		1009042005	2	20	pc.
63		1009042022	1	5	pc.

PPSU coupling



GROUP: F

Size [mm]	*	Code			UM
16		1009042013	10	160	pc.
20		1009042015	10	150	pc.
25		1009042017	5	60	pc.
26		1009042039	5	60	pc.



Brass reducing coupling



GROUP: F

Size [mm]	*	Code			UM
20 / 16		1009042105	10	120	pc.
25 / 16		1009042111	5	70	pc.
25 / 20		1009042117	5	70	pc.
32 / 16		1009046075	5	40	pc.
32 / 20		1009046072	5	40	pc.
32 / 25		1009046018	5	40	pc.
32 / 26		1009046046	5	40	pc.
40 / 20		1009046047	2	30	pc.
40 / 25		1009046052	2	30	pc.
40 / 26		1009046054	2	30	pc.
40 / 32		1009046048	2	20	pc.
50 / 32		1009046002	2	20	pc.
50 / 40		1009046004	2	20	pc.
63 / 40		1009046007	1	10	pc.
63 / 50		1009046008	1	10	pc.



PPSU reducing coupling



GROUP: F

Size [mm]	*	Code			UM
20 / 16		1009046026	10	120	pc.
25 / 16		1009046029	5	70	pc.
25 / 20		1009046032	5	70	pc.
26 / 16		1009046040	5	70	pc.
26 / 20		1009046045	5	70	pc.
26 / 25		1009042035	5	60	pc.



Brass female tee

GROUP: F

Size [mm]	*	Code			UM
16 Rp $\frac{1}{2}$ "		1009258000	5	60	pc.
20 Rp $\frac{1}{2}$ "		1009258001	5	50	pc.
20 Rp $\frac{3}{4}$ "		1009258011	5	50	pc.
25 Rp $\frac{1}{2}$ "		1009258029	2	30	pc.
25 Rp $\frac{3}{4}$ "		1009258002	2	30	pc.
26 Rp $\frac{1}{2}$ "		1009258034	2	30	pc.
26 Rp $\frac{3}{4}$ "		1009258036	2	30	pc.
32 Rp $\frac{1}{2}$ "		1009257279	2	20	pc.
32 Rp $\frac{3}{4}$ "		1009257262	2	20	pc.



 coil  bar  pipes in tube  bag  carton box  pallet **N** new **!** available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Brass male tee

GROUP: F

Size [mm]	*	Code			UM
16 R1/2"		1009259000	5	60	pc.
20 R1/2"		1009259027	5	50	pc.
20 R3/4"		1009259001	5	50	pc.
25 R3/4"		1009259037	2	30	pc.
25 R1"		1009259002	2	30	pc.
26 R3/4"		1009259043	2	30	pc.
26 R1"		1009259040	2	30	pc.
32 R1"		1009259046	2	20	pc.
40 R1"		1009259003	1	10	pc.
50 G1"	**	1009259006	1	12	pc.
63 G1"	**	1009259010	1	5	pc.



Brass tee

GROUP: F

Size [mm]	*	Code			UM
16		1009257129	10	80	pc.
20		1009257144	5	50	pc.
25		1009257152	2	30	pc.
32		1009257305	2	20	pc.



PPSU tee

GROUP: F



Size [mm]	*	Code			UM
16		1009257007	10	80	pc.
20		1009257009	5	50	pc.
25		1009257010	2	30	pc.
26		1009257016	2	30	pc.
32		1009257020	2	20	pc.
40		1009257023	1	10	pc.
50		1009257027	1	6	pc.
63		1009257029	1	3	pc.

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Brass reducing tee

GROUP: F

Size [mm]	*	Code			UM
20 / 16 / 16		1009257205	5	60	pc.
20 / 16 / 20		1009260167	5	50	pc.
20 / 20 / 16		1009257217	5	50	pc.
20 / 25 / 20		1009260164	2	30	pc.
25 / 16 / 20		1009260160	5	50	pc.
25 / 16 / 25		1009260161	2	30	pc.
25 / 20 / 16		1009260166	5	50	pc.
25 / 20 / 20		1009260162	2	30	pc.
25 / 20 / 25		1009260163	2	30	pc.
25 / 25 / 20		1009260165	2	30	pc.
32 / 20 / 32		1009260294	2	20	pc.
32 / 25 / 25		1009260296	2	20	pc.
32 / 25 / 32		1009260295	2	20	pc.
50 / 20 / 50		1009260168	1	10	pc.
50 / 25 / 40		1009260172	1	10	pc.
50 / 25 / 50		1009260169	1	10	pc.
50 / 26 / 40		1009260182	1	10	pc.
50 / 26 / 50		1009260069	1	10	pc.
50 / 32 / 40		1009260170	1	10	pc.
50 / 32 / 50		1009260171	1	10	pc.
50 / 40 / 40		1009260174	1	10	pc.
50 / 40 / 50		1009260173	1	8	pc.
63 / 20 / 63		1009260175	1	5	pc.
63 / 25 / 63		1009260176	1	5	pc.
63 / 26 / 63		1009260183	1	5	pc.
63 / 32 / 50		1009260177	1	5	pc.
63 / 32 / 63		1009260178	1	5	pc.
63 / 40 / 50		1009260179	1	5	pc.
63 / 40 / 63		1009260097	1	5	pc.
63 / 50 / 50		1009260181	1	5	pc.
63 / 50 / 63		1009260180	1	5	pc.





 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



PPSU reducing tee

GROUP: F


Size [mm]	*	Code			UM
16 / 20 / 16		1009260189	5	60	pc.
20 / 16 / 16		1009260184	5	60	pc.
20 / 16 / 20		1009260185	5	50	pc.
20 / 20 / 16		1009260188	5	50	pc.
20 / 25 / 20		1009260190	2	30	pc.
20 / 26 / 20		1009260007	2	30	pc.
25 / 16 / 20		1009260186	5	50	pc.
25 / 16 / 25		1009260187	2	30	pc.
25 / 20 / 16		1009257106	5	50	pc.
25 / 20 / 20		1009260010	2	30	pc.
25 / 20 / 25		1009260000	2	30	pc.
25 / 25 / 20		1009260009	2	30	pc.
25 / 32 / 25		1009257063	2	20	pc.
26 / 16 / 20		1009257014	5	50	pc.
26 / 16 / 26		1009257015	2	30	pc.
26 / 20 / 16		1009257113	5	50	pc.
26 / 20 / 20		1009260019	2	30	pc.
26 / 20 / 26		1009260022	2	30	pc.
26 / 26 / 20		1009260026	2	30	pc.
26 / 32 / 26		1009257066	2	20	pc.
32 / 16 / 32		1009260191	2	20	pc.
32 / 20 / 25		1009260027	2	20	pc.
32 / 20 / 26		1009257021	2	20	pc.
32 / 20 / 32		1009260192	2	20	pc.
32 / 25 / 25		1009260032	2	20	pc.
32 / 25 / 32		1009260035	2	20	pc.
32 / 26 / 26		1009260038	2	20	pc.
32 / 26 / 32		1009260129	2	20	pc.
32 / 32 / 20		1009260102	2	20	pc.
32 / 32 / 25		1009257073	2	20	pc.
32 / 32 / 26		1009257076	2	20	pc.
40 / 20 / 32		1009260041	1	12	pc.
40 / 20 / 40		1009260042	2	12	pc.
40 / 25 / 32		1009260043	2	12	pc.
40 / 25 / 40		1009260044	2	12	pc.
40 / 26 / 32		1009260001	2	12	pc.
40 / 26 / 40		1009260045	2	12	pc.
40 / 32 / 32		1009260048	2	12	pc.
40 / 32 / 40		1009260193	1	10	pc.
40 / 40 / 32		1009260049	1	10	pc.

 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Nickel-plated brass crossover tee

GROUP: F

Size [mm]	*	Code			UM
16		1009257043	1	4	pc.
20		1009257045	1	4	pc.



Note:

Press brass crossover tee - nickel-plated version.
Styrofoam box dimensions: height = 150 mm, length = 190 mm, width = 40 mm.




Nickel-plated brass crossover reducing tee

GROUP: F

Size [mm]	*	Code			UM
16 / 16 / 20		1009257048	1	4	pc.
20 / 16 / 16		1009257044	1	4	pc.
20 / 16 / 20		1009257051	1	4	pc.



Note:

Press brass crossover tee - nickel-plated version.
Styrofoam box dimensions: height = 150 mm, length = 190 mm, width = 40 mm.



Brass elbow 90°



GROUP: F

Size [mm]	*	Code			UM
16		1009068054	10	120	pc.
20		1009068060	10	80	pc.
25		1009068066	5	40	pc.
32		1009068112	2	30	pc.



PPSU elbow 90°

GROUP: F

Size [mm]	*	Code			UM
16		1009068007	10	120	pc.
20		1009068010	10	80	pc.
25		1009068030	5	40	pc.
26		1009068034	5	40	pc.
32		1009068020	2	30	pc.
40		1009068011	2	20	pc.
50		1009068048	2	10	pc.
63		1009068050	1	4	pc.





Brass female elbow 90°

GROUP: F

Size [mm]	*	Code			UM
16 Rp1/2"		1009069005	10	120	pc.
20 Rp1/2"		1009069008	10	100	pc.
20 Rp3/4"		1009069011	5	60	pc.
25 Rp3/4"		1009068029	5	30	pc.
25 Rp1"		1009069016	5	30	pc.
26 Rp3/4"		1009069018	5	30	pc.
26 Rp1"		1009069020	5	30	pc.
32 Rp1"		1009069022	2	30	pc.
40 Rp1 1/4"		1009069012	2	20	pc.



Brass male elbow 90°

GROUP: F


Size [mm]	*	Code			UM
16 R1/2"		1009068000	10	120	pc.
20 R1/2"		1009070010	10	100	pc.
20 R3/4"		1009070013	10	100	pc.
25 R3/4"		1009070005	5	40	pc.
25 R1"		1009070022	5	40	pc.
26 R3/4"		1009070026	5	40	pc.
26 R1"		1009070016	5	40	pc.
32 R1"		1009070018	2	30	pc.
40 R1 1/4"		1009070029	2	20	pc.



PPSU elbow 45°

GROUP: F

Size [mm]	*	Code			UM
32		1009068003	2	30	pc.
40		1009068028	2	20	pc.
50		1009068040	1	10	pc.
63		1009068041	1	4	pc.



Brass female directly fixed U type wallplate tee - L = 41 mm

GROUP: F

Size [mm]	*	Code			UM
16 Rp1/2"		1009285101	5	25	pc.
20 Rp1/2"		1009285102	5	25	pc.

Note:

Size B = 20,5 mm. Size C = 50 mm.

The plastic stop end is intended only for the leak test of the installation.




Acoustic guard for U type wallplate tee

GROUP: F

Size [mm]	*	Code			UM
16-20		1009183004	5	25	pc.

PPSU female wallplate elbow - L = 40 mm


GROUP: F

Size [mm]	*	Code			UM
16 Rp $\frac{1}{2}$ "		1009285005	5	50	pc.
20 Rp $\frac{1}{2}$ "		1009285013	5	50	pc.

Size B = 24 mm.



Note:

The wallplate elbow is sold in a set with M8 nut and plastic stop end.
The stop end is intended only for the leak test of the installation.
Aggressive chemicals must not be used to seal threads in PPSU fittings.
Use only tow with the addition of sealing pastes. Do not use in drywall.



PPSU female directly fixed wallplate elbow - L = 40,5 mm

GROUP: F

Size [mm]	*	Code			UM
16 Rp $\frac{1}{2}$ "		1009286021	5	50	pc.

Size B = 24 mm


Note:

The wallplate elbow is sold in a set with plastic stop end.
The plastic stop end is intended only for the leak test of the installation.
Aggressive chemicals must not be used to seal threads in PPSU fittings.
Use only tow with the addition of sealing pastes.




Brass female/male directly fixed wallplate elbow with flange for drywall - L = 78 mm

GROUP: F



Size [mm]	*	Code			UM
16 Rp $\frac{1}{2}$ "		1009285029	2	20	pc.

Size B = 57 mm.




Brass female/male directly fixed wallplate elbow for drywall - L = 78 mm

GROUP: F



Size [mm]	*	Code			UM
16 G $\frac{1}{2}$ " / G $\frac{3}{4}$ "		1009285055	2	20	pc.

Size B = 57 mm.



Brass female wallplate elbow - L = 52,5 mm


GROUP: F


Size [mm]	*	Code			UM
16 Rp $\frac{1}{2}$ "		1009285009	5	40	pc.
20 Rp $\frac{1}{2}$ "		1009285001	5	40	pc.

Note:

Size B = 31,5 mm.

The wallplate elbow is sold in a set with a mounting bolt and plastic stop end.
The stop end is intended only for the leak test of the installation.
It can be used in drywall with metal plates.






Brass angular female wallplate tee - L = 41 mm

GROUP: F

Size [mm]	*	Code			UM
16 Rp $\frac{1}{2}$ "		1009285017	5	40	pc.
20 Rp $\frac{1}{2}$ "		1009285040	5	40	pc.

Note:

Size B = 20 mm.
The wallplate elbow is sold in a set with a mounting bolt and plastic stop end.
The stop end is intended only for the leak test of the installation.
It can be used in drywall with metal plates.



Brass female directly fixed angular wallplate tee - L = 41 mm

GROUP: F

Size [mm]	*	Code			UM
16 Rp $\frac{1}{2}$ "		1009285077	5	50	pc.
20 Rp $\frac{1}{2}$ "		1009285082	5	40	pc.

Note:

Size B = 20 mm.
The angular wallplate tee is sold in a set with a mounting bolt and plastic stop end.
The plastic stop end is intended only for the leak test of the installation.




Brass female directly fixed wallplate elbow - L = 41 mm

GROUP: F

Size [mm]	*	Code			UM
16 Rp $\frac{1}{2}$ "		1009285059	5	50	pc.
20 Rp $\frac{1}{2}$ "		1009285062	5	50	pc.

Note:

Size B = 20 mm.
The wallplate elbow is sold in a set with a plastic stop end.
The plastic stop end is intended only for the leak test of the installation.



Brass female directly fixed wallplate elbow - L = 54 mm

GROUP: F

Size [mm]	*	Code			UM
20 Rp $\frac{3}{4}$ "		1009285032	5	50	pc.
25 Rp $\frac{3}{4}$ "	***	1009285050	2	30	pc.
26 Rp $\frac{3}{4}$ "		1009285053	2	30	pc.

Note:

Size B = 30 mm.
Wallplate elbow is sold without the plastic stop end.



Acoustic guard for wallplate elbows

GROUP: F

Size [mm]	*	Code			UM
16-20		1009183002	5	25	pc.

Note:

Use only with wallplate elbows and tees with a bracket:
 1009285059,
 1009285062,
 1009285032.


Brass female straight wallplate tee - L = 41 mm

GROUP: F

Size [mm]	*	Code			UM
20 Rp $\frac{1}{2}$ "		1009285056	5	50	pc.

Note:

Size B = 20 mm.
The straight wallplate tee is sold in a set with a mounting bolt and plastic stop end.
The plastic stop end is intended only for the leak test of the installation.
It can be used in drywall with metal plates.



Brass female directly fixed straight wallplate tee - L = 41 mm

GROUP: F

Size [mm]	*	Code			UM
20 Rp $\frac{1}{2}$ "		1009285057	5	40	pc.



Note:

Size B = 20 mm.
The straight wallplate tee is sold in a set with a mounting bolt and plastic stop end.
The plastic stop end is intended only for the leak test of the installation.



Brass female drywall tee - L = 62 mm

GROUP: F

Size [mm]	*	Code			UM
16 Rp $\frac{1}{2}$ "		1009258012	2	20	pc.
20 Rp $\frac{1}{2}$ "		1009258018	2	20	pc.



Note:

Size B = 53 mm, size C = 24 mm.




Brass female drywall reducing tee - L = 62 mm

GROUP: F

Size [mm]	*	Code			UM
20 / 16 Rp $\frac{1}{2}$ "		1009258017	2	20	pc.



Note:

Size B = 53 mm.
Size C = 24 mm.



Brass female wallplate elbow set on mouting plate - L = 44 mm

GROUP: F

Size [mm]	*	Code			UM
16 Rp $\frac{1}{2}$ "		1009285000	1	10	pc.

Note:

Plate length = 210 mm. Size C = 153 mm.
Wallplate elbows are sold in a set with a mounting bolt, plastic stop end and metal plate with crossover.
The plastic stop end is intended only for the leak test of the installation.
Option to use in drywall.





Brass nipple coupling

GROUP: F

Size [mm]	*	Code			UM
16 / 12	*	1009042063	20	160	pc.
16 / 15		1009042061	20	160	pc.
20 / 18		1009042214	10	120	pc.
20 / 22		1009042064	10	120	pc.
25 / 22		1009042065	5	60	pc.
25 / 28		1009042139	5	60	pc.
26 / 22		1009042141	5	60	pc.
26 / 28		1009042143	5	60	pc.
32 / 28		1009042202	5	40	pc.

Note:

The coupling can work with metal press systems such as KAN-therm Steel, KAN-therm Inox or KAN-therm Copper.



Brass tee with Cu Ø15 pipe - L = 300 mm

GROUP: F

Size [mm]	*	Code		UM
16		1009257115	40	pc.
20		1009261004	30	pc.

Note:

When connecting radiators via a straight tee, use a set of two tees. Variants of connecting fittings with nickel-plated pipes with all kinds of appliances are described in the "Designer and Contractor Guidebook".



Brass elbow with Cu Ø15 pipe - L = 210 mm

GROUP: F

Size [mm]	*	Code		UM
16		1009068001	40	pc.

Note:

Variants of connecting fittings with nickel-plated pipes with all kinds of appliances are described in the "Designer and Contractor Guidebook".




Brass elbow with Cu Ø15 pipe - L = 300 mm

GROUP: F

Size [mm]	*	Code		UM
16		1009071006	40	pc.

Note:

Variants of connecting fittings with nickel-plated pipes with all kinds of appliances are described in the "Designer and Contractor Guidebook".



Brass elbow with Cu Ø15 pipe - L = 750 mm

GROUP: F

Size [mm]	*	Code		UM
16		1009071009	25	pc.

Note:

Variants of connecting fittings with nickel-plated pipes with all kinds of appliances are described in the "Designer and Contractor Guidebook".

Brass double elbow with Cu Ø15 pipe - L = 200 mm

GROUP: F

Size [mm]	*	Code		UM
16		1009068002	15	pc.

Note:


RA = 50 mm.

Variants of connecting fittings with nickel-plated pipes with all kinds of appliances are described in the "Designer and Contractor Guidebook".



Brass double elbow with Cu Ø15 pipe - L = 300 mm

GROUP: F

Size [mm]	*	Code		UM
16		1009071014	10	pc.

Note:



RA = 50 mm.

Variants of connecting fittings with nickel-plated pipes with all kinds of appliances are described in the "Designer and Contractor Guidebook".




Brass female half union with flat sealing

GROUP: F

Size [mm]	*	Code			UM
16 G½"		1009105000	10	120	pc.
16 G¾"		1009105002	10	120	pc.
20 G¾"		1009105006	10	80	pc.
20 G1"		1009105004	5	60	pc.
25 G¾"		1009105011	5	60	pc.
25 G1"		1009105009	5	60	pc.
25 G1¼"		1009105008	5	50	pc.
26 G¾"		1009105016	5	60	pc.
26 G1"		1009105014	5	60	pc.
26 G1¼"		1009105013	5	50	pc.
32 G1"		1009105021	5	50	pc.
32 G1¼"		1009105019	5	40	pc.
32 G1½"		1009105018	5	40	pc.
40 G1½"		1009271000	2	30	pc.
40 G2"		1009271002	2	30	pc.



Note:

Do not use for connections with manifold nipples.



Brass female Eurocone adapter

GROUP: F

Size [mm]	*	Code			UM
16 G¾"		1009271013	10	120	pc.
32 G1"		1009271009	5	50	pc.





Brass stop end

GROUP: F

Size [mm]	*	Code			UM
16		1009250001	10	200	pc.
20		1009250002	10	140	pc.
25		1009250003	5	100	pc.
26		1009250004	5	100	pc.
32		1009250005	5	50	pc.



PPSU female universal eurocone adapter

GROUP: A

Size [mm]	*	Code			UM
16 G $\frac{3}{4}$ "		1010271005	10	150	pc.

Note:

The adapter works with PEXC, PERT, PERTAL, bluePERT, bluePERTAL pipes.



Brass female universal eurocone adapter

GROUP: A

Size [mm]	*	Code			UM
16 G $\frac{1}{2}$ "		1010271001	10	160	pc.
16 G $\frac{3}{4}$ "		1010271002	10	150	pc.
20 G $\frac{3}{4}$ "		1010271008	10	120	pc.

Note:

Adapters are compatible with fittings for adapter connections, manifolds through manifold nipples.
The adapter works with KAN-therm pipes: PEXC, PERT, PERTAL, bluePERT, bluePERTAL.



Brass female inlet connection for PERTAL pipes

GROUP: A



Size [mm]	*	Code			UM
16 G $\frac{1}{2}$ "		1010040003	10	160	pc.
16 G $\frac{3}{4}$ "		1010040006	10	120	pc.
20 G $\frac{3}{4}$ "		1010040011	10	120	pc.
20 G1"	***	1010040008	5	80	pc.
25 G1"		1010040013	10	80	pc.
26 G1"	***	1010040015	5	80	pc.

Note:

The above elements are available as nickel-plated on special request (delivery time - 2 weeks).

Threaded male brass connector for PERTAL pipes

GROUP: A

Size [mm]	*	Code			UM
16x2 G1/2"		1010045000	10	150	pc.
16x2 G3/4"		1010045001	10	150	pc.

Note:

This fitting is adapted for direct screwing into the manifold beam - sealing of the connection in the manifold is done by means of an O-Ring seal.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Accessories



Single plastic mounting plate

GROUP: A

* Code	📄	📦	UM
1700210011	10	160	pc.

Note:

Total length 59 mm, width 43 mm, depth 8 mm.
It makes it possible to install wallplate elbows and tees with a bolt or nut on a wall or in wall grooves.
Do not use in drywall.



Double plastic mounting plate


GROUP: A

Spacing (L) [mm]	* Code	📄	📦	UM
50	1700210008	10	120	pc.
80	1700210010	10	100	pc.
150	1700210006	10	70	pc.

Plate 50 mm - total length 84 mm, width 43 mm, depth 8 mm.
Plate 80 mm - total length 114 mm, width 43 mm, depth 8 mm.
Plate 150 mm - total length 184 mm, width 43 mm, depth 8 mm.

Note:

It makes it possible to install wallplate elbows and tees with a bolt or nut on a wall or in wall grooves.
Do not use in drywall.



Double metal mounting plate

GROUP: A

Spacing (L) [mm]	* Code	📄	📦	UM
80, 150	1700210014	1	42	pc.

Plate total length 210 mm, width 55 mm, depth 9 mm.

Note:

It allows wall elbows and wall tees with a nut or mounting bolt to be installed on the wall, in wall grooves and drywall.
Screws for mounting tap connections included (6 pcs.).



Double metal bent mounting plate


GROUP: A

Spacing (L) [mm]	* Code	📄	📦	UM
50, 80, 150	1700210002	10	20	pc.
50	1700210013	10	80	pc.

Plate 50, 80, 150 mm - total length 290 mm, width 40 mm, depth 28 mm.
Plate 50 mm - total length 190 mm, width 40 mm, depth 28 mm.

Note:

It makes it possible to install wallplate elbows and tees with a bolt or nut on a wall, in wall grooves and drywall.



Metal bent mounting plate for dry screed wallplate elbows

GROUP: A

Spacing (L) [mm]	* Code	📄	📦	UM
80, 100, 150	1700210025		30	pc.

Plate total length 436 mm, width 60 mm, bend 42 mm.

Note:

It allows wall elbows and wall tees to be installed with a bracket on the wall, in wall grooves and drywall.
The plate is sold with a set of screws (6 pcs.) for fixing elbows and wall tees.

Bent mounting plate

GROUP: A




Spacing (L) [mm]	*	Code			UM
100		1700210027	1	30	pc.

Plate total length 383 mm, width 60 mm, bend 42 mm.
The plate is sold with a set of screws (6 pcs.) for fixing elbows and wall tees.



 coil  bar  pipes in tube  bag  carton box  pallet **N** new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Tools



Pipe cutter for PERTAL pipes

GROUP: K

Range [mm]	*	Code			UM
14-32		1936267054	1	20	pc.



Pipe cutter blade for PERTAL pipe

GROUP: K

Range [mm]	*	Code			UM
14-32		1936267059	1	50	pc.



Roller cutter for PERTAL pipes REMS RAS P

GROUP: K

Range [mm]	*	Code			UM
16-63		1936267056	1	4	pc.



Cutting wheel for PERTAL pipes REMS RAS P

GROUP: K

Range [mm]	*	Code			UM
16-63		1941267039	1	10	pc.



Calibrator for PERTAL pipes

GROUP: K


Size [mm]	*	Code			UM
16		1936267026	1	60	pc.
20		1936267028	1	60	pc.
25 / 26		1936267030	1	60	pc.

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Universal calibrator for PERTAL pipes

GROUP: K

Size [mm]	*	Code			UM
16 / 20 / 25 / 26		1936267044	1	40	pc.
25 / 26 / 32 / 40		1936267039	1	25	pc.
50 / 63	*	1936267046	1	25	pc.



Tool set - KAN-therm Mini battery press tool + "U" profile jaws

GROUP: K

Range [mm]	*	Code		UM
16-32		1936055010	1	pc.


Each set includes:

- 1936055008 - KAN-therm Mini battery press tool - 1 pc.,
- 1936267273 - jaws U16 - 1 pc.,
- 1936267274 - jaws U20 - 1 pc.,
- 1936267275 - jaws U25 - 1 pc.,
- 1936267277 - jaws U32 - 1 pc.,
- 1967267051 - battery RAML1225 Li-Ion 10,8 V 2,5 Ah - 2 pcs.,
- 1967267024 - charger LGML1 ~230 V 35 W - 1 pc.,
- case - 1 pc.



Tool set - KAN-therm Mini battery press tool + "TH" profile jaws

GROUP: K

Range [mm]	*	Code		UM
16-32		1936055012	1	pc.


Each set includes:

- 1936055008 - KAN-therm Mini battery press tool - 1 pc.,
- 1936055015 - jaws TH16 - 1 pc.,
- 1936055016 - jaws TH20 - 1 pc.,
- 1936055014 - jaws TH26 - 1 pc.,
- 1936055017 - jaws TH32 - 1 pc.,
- 1967267051 - battery RAML1225 Li-Ion 10,8 V 2,5 Ah - 2 pcs.,
- 1967267024 - charger LGML1 ~230 V 35 W - 1 pc.,
- case - 1 pc.



KAN-therm Mini SBM "TH" profile press jaws


GROUP: K

Size [mm]	*	Code		UM
16		1936055015	1	pc.
20		1936055016	1	pc.
26		1936055014	1	pc.
32		1936055017	1	pc.



KAN-therm Mini SBM "U" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
16		1936267273	1	pc.
20		1936267274	1	pc.
25		1936267275	1	pc.
26		1936267276	1	pc.
32		1936267277	1	pc.





KAN-therm AC 3000 electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-54		1936267239	1	pc.

Note:
The press tool is sold in a case.



KAN-therm DC 4000 battery press tool

GROUP: K

Range [mm]	*	Code		UM
12-54		1936267238	1	pc.

Note:
The press tool is sold with a battery, charger and case.



Charger for KAN-therm DC 4000 battery press tool

GROUP: K

Version	*	Code		UM
10,8-36 V		1936267267	1	pc.



Battery for KAN-therm DC 4000 press tool

GROUP: K

Version	*	Code		UM
18 V / 4 Ah		1936267266	1	pc.



KAN-therm "U" profile press jaws


GROUP: K

Size [mm]	*	Code		UM
N 16		1936267257	1	pc.
N 20		1936267258	1	pc.
N 25		1936267259	1	pc.
N 32		1936267260	1	pc.
N 40		1936267261	1	pc.

Note:
The jaws work with KAN-therm: AC 3000, DC 4000 drives.

KAN-therm "TH" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
16		1936267241	1	pc.
20		1936267242	1	pc.
25		1936267271	1	pc.
26		1936267243	1	pc.
32		1936267244	1	pc.
40		1936267272	1	pc.


Note:

The jaws work with KAN-therm: AC 3000, DC 4000 drives.



KAN-therm "C" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
26		1936267245	1	pc.


Note:

The jaws work with KAN-therm: AC 3000, DC 4000 drives.



REMS Eco-Press press tool

GROUP: K

Range [mm]	*	Code		UM
14-26		1936267174	1	pc.


Note:

Manual press tool is intended for making pipe connections of Ø14, Ø16, Ø20, Ø25, Ø26 mm in diameter.



REMS "U" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
14	*	1936267220	1	pc.
16		1936267122	1	pc.
20		1936267125	1	pc.
25		1936267127	1	pc.
26		1936267130	1	pc.
32		1936267137	1	pc.
40		1936267139	1	pc.

Note:

The jaws work with Power-Press SE, Akku-Press, Power-Press ACC, Eco-Press (14-26 mm) drives.





REMS "TH" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
14	*	1948267107	1	pc.
16	*	1948267109	1	pc.
20	*	1948267114	1	pc.
25	*	1948267116	1	pc.
26	*	1936267101	1	pc.
32	*	1936267103	1	pc.
40	*	1936267105	1	pc.

Note:

The jaws work with Power-Press SE, Akku-Press, Power-Press ACC, Eco-Press (14-26 mm) drives.



REMS "TH" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
50	*	1936267134	1	pc.
63	*	1936267136	1	pc.

Note:

The jaws work with Power-Press SE, Akku-Press, Power-Press ACC drives.



Case for press tool REMS Eco-Press

GROUP: K

	*	Code		UM
	*	1941267135	1	pc.



Tool set

GROUP: K

Range [mm]	*	Code		UM
16-26		1936267217	1	set

Note:

The press tool is sold with a case.

Each set includes:

- 1936267174 - manual press tool, separated, for Press connectors with a pressed sleeve,
- 1936267122 - jaws U16 for a press tool,
- 1936267125 - jaws U20 for a press tool,
- 1936267130 - jaws U26 for a press tool,
- 1936267054 - pipe cutter for PERTAL pipes,
- 1936267044 - calibrator for PERTAL pipes Ø16/Ø20/Ø25-26,
- 1941267135 - case for press tool REMS Eco-Press.

Tool set

GROUP: K

Range [mm]	*	Code		UM
16-25		1938267158	1	set

Note:

The press tool is sold with a case.

Each set includes:

- 1936267174 - manual press tool, separated, for Press connectors with a pressed sleeve,
- 1936267122 - jaws U16 for a press tool,
- 1936267125 - jaws U20 for a press tool,
- 1936267127 - jaws U25 for a press tool,
- 1936267054 - pipe cutter for PERTAL pipes,
- 1936267044 - calibrator for PERTAL pipes Ø16/Ø20/Ø25-26,
- 1941267135 - case for press tool REMS Eco-Press.



Tool set LIGHT

GROUP: K

Range [mm]	*	Code		UM
16-20		1936267218	1	pc.

Note:

The press tool is sold with a case (1941267135).


Each set includes:

- 1936267174 - manual press tool, separated, for Press connectors with a pressed sleeve,
 - 1936267122 - jaws U16 for a press tool,
 - 1936267125 - jaws U20 for a press tool,
 - 1936267026 - calibrator for PERTAL pipes Ø16,
 - 1936267028 - calibrator for PERTAL pipes Ø20,
- The set covers diameters 16-20 mm.



Case for additional tools


GROUP: K

*	Code		UM
	1941267129	1	pc.



Set of additional tools

GROUP: K

Range [mm]	*	Code		UM
16-63		1936267216	1	set


Each set includes:

- 1936267044 - calibrator for PERTAL pipes Ø16, Ø20, Ø25-26 - 1 pc.,
- 1936267039 - calibrator for PERTAL pipes Ø25-26, Ø32, Ø40 - 1 pc.,
- 1936267046 - calibrator for PERTAL pipes Ø50, Ø63 - 1 pc.,
- 1936267056 - cutter for PERTAL pipes Ø16-63 - 1 pc.,
- 1936267054 - shears for PERTAL pipes Ø14-32 - 1 pc.,
- 1941267129 - case - 1 pc.



Set of REMS "TH" profile press jaws

GROUP: K

Range [mm]	*	Code		UM
50-63		1936267215	1	set

Each set includes:

- 1936267134 - jaws TH50 for press tool - 1 pc.,
- 1936267136 - jaws TH63 for press tool - 1 pc.,
- case - 1 pc.

The jaws work with Power-Press SE, Akku-Press, Power-Press ACC drives.





REMS Power-Press SE "U" profile press tool set

GROUP: K

Range [mm]	*	Code		UM
16-40		1936267167	1	set

Each set includes:

- 1936267160 - electric press tool - 1 pc.,
- 1936267122 - jaws U16 for press tool - 1 pc.,
- 1936267125 - jaws U20 for press tool - 1 pc.,
- 1936267127 - jaws U25 for press tool - 1 pc.,
- 1936267137 - jaws U32 for press tool - 1 pc.,
- 1936267139 - jaws U40 for press tool - 1 pc.,
- case - 1 pc.



REMS Power-Press ACC electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1936267219	1	pc.

Note:

The press tool is sold with a case.
The set does not include jaws.



REMS Power-Press SE Basic Pack electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1936267160	1	pc.

Note:

The press tool is sold with a case.
The set does not include jaws.



REMS Akku Press battery press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1936267152	1	pc.

Note:

The press tool is sold with a battery, charger and case.
The set does not include jaws.



Tool set - Novopress ACO103 BT press tool + "U" profile jaws

GROUP: K

Range [mm]	*	Code		UM
16-32		1936055004	1	pc.

Each set includes:

- battery press tool ACO103 - 1 pc.,
- 1936267113 - jaws U16 for press tool - 1 pc.,
- 1936267114 - jaws U20 for press tool - 1 pc.,
- 1936267115 - jaws U25 for press tool - 1 pc.,
- 1936267116 - jaws U32 for press tool - 1 pc.,
- 1938267047 - charger - 1 pc.,
- 1938267002 - battery 2 Ah - 2 pcs.,
- case.

Tool set - Novopress ACO103 BT press tool + "TH" profile jaws GROUP: K


Range [mm]	*	Code		UM
16-32	*	1936055005	1	pc.

Each set includes:

- battery press tool ACO103 - 1 pc.,
- 1936267108 - jaws TH16 for press tool - 1 pc.,
- 1936267109 - jaws TH20 for press tool - 1 pc.,
- 1936121003 - jaws TH25 for press tool - 1 pc.,
- 1936267111 - jaws TH32 for press tool - 1 pc.,
- 1938267047 - charger - 1 pc.,
- 1938267002 - battery 2 Ah - 2 pcs.,
- case.



Novopress EFP203 electric press tool GROUP: K


Range [mm]	*	Code		UM
12-63		1948267210	1	pc.

Note:

The press tool is sold with a plastic case.



Novopress ACO203XL BT press tool GROUP: K

Range [mm]	*	Code		UM
12-108		1948267181	1	pc.

Each set includes:

- battery press tool - 1 pc.,
- battery 18 V / 5.0 Ah Li-Ion Milwaukee - 2 pcs.,
- charger - 1 pc.,
- lubricant - 1 pc.,
- plastic case.



Novopress PB2 "U" profile press jaws GROUP: K

Size [mm]	*	Code		UM
14	*	1936267231	1	pc.
16		1936267232	1	pc.
20		1936267233	1	pc.
25		1936267234	1	pc.
32		1936267235	1	pc.
40		1936267236	1	pc.

Note:

The jaws work with EFP203 and ACO203XL drives.





Novopress PB2 "TH" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
14	*	1936267222	1	pc.
16		1936267223	1	pc.
20		1936267224	1	pc.
25		1936267225	1	pc.
26		1936267226	1	pc.
32		1936267227	1	pc.
40		1936267228	1	pc.

Note:
The jaws work with EFP203 and ACO203XL drives.



Novopress "TH" profile collar

GROUP: K

Size [mm]	*	Code		UM
50		1936267229	1	pc.
63		1936267230	1	pc.

Note:
The jaws work with EFP203 and ACO203XL drives.
Use with ZB203 adapter.



Novopress ZB203 adapter

GROUP: K

Range [mm]	*	Code		UM
35-63		1948267000	1	pc.

Note:
Adapter for EFP203 and ACO203XL drives.
ultraPRESS: 50-63 mm.
Steel & Inox: 35-54 mm.
Copper: 42-54 mm.



External spring for bending pipes



GROUP: K

Size [mm]	*	Code			UM
16		1936267081	1	60	pc.
20		1936267086	1	40	pc.
25-26		1936267088	1	25	pc.

Note:
The external spring works with PERTAL² and PERTAL pipes.

Internal spring for pipes bending

GROUP: K

Size [mm]	*	Code			UM
16		1936267075	1	10	pc.
20		1936267077	1	10	pc.
25-26		1936267071	1	10	pc.



Note:

1936267075 is compatible with PERTAL² and PERTAL pipes.
1936267077 and 1936267071 are compatible with PERTAL pipes.



Combination wrench for G^{3/4}" eurocone adapters

GROUP: K

Size [mm]	*	Code			UM
30	*	1938267035	1	15	pc.

Note:


The wrench is intended for assembling G^{3/4}" Eurocone adapters.





**KAN-therm
MULTISYSTEM**

> 35 | years of experience
on the installation
market



KAN-therm
PP

**HIGH QUALITY
FOR REASONABLE PRICE**

Install the **future**

Table of contents

SYSTEM **KAN-therm** PP



Pipes	57
Connectors	59
Accessories	69
Tools	70

SYSTEM KAN-therm PP

Pipes

Pipe PPR SDR7.4 PN16 - bar

GROUP: L

Size [mm]	*	Code			UM
20×2,8 - 4 m		1229203001	160	4000	m
25×3,5 - 4 m		1229203003	100	2500	m
32×4,4 - 4 m		1229203005	60	1500	m
40×5,5 - 4 m		1229203008	40	1000	m
50×6,9 - 4 m		1229203010	28	700	m
63×8,6 - 4 m		1229203012	16	400	m
75×10,3 - 4 m		1229203014	12	300	m
90×12,3 - 4 m		1229203016	8	200	m
110×15,1 - 4 m		1229203000	4	132	m



Note:

Application class 1; 8 bar.
 Application class 2; 6 bar.
 Application class 4; 10 bar.
 Application class 5; 6 bar.




Pipe PPR stabiGLASS SDR7.4 PN16 - bar

GROUP: M

Size [mm]	*	Code			UM
20×2,8 - 4 m		1229204002	100	3300	m
25×3,5 - 4 m		1229204003	80	2640	m
32×4,4 - 4 m		1229204004	40	1320	m
40×5,5 - 4 m		1229204005	28	924	m
50×6,9 - 4 m		1229204006	20	660	m
63×8,6 - 4 m		1229204007	12	396	m
75×10,3 - 4 m		1229204008	8	264	m
90×12,3 - 4 m		1229204009	8	200	m
110×15,1 - 4 m		1229204000	4	132	m

Note:

Application class 1; 8 bar.
 Application class 2; 6 bar.
 Application class 4; 10 bar.
 Application class 5; 6 bar.





 coil  bar  pipes in tube  bag  carton box  pallet  new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Pipe PPR SDR6 PN20 - bar

GROUP: L

Size [mm]	*	Code			UM
16x2,7 - 4 m		1229206031	200	5000	m
20x3,4 - 4 m		1229206033	160	4000	m
25x4,2 - 4 m		1229206035	100	2500	m
32x5,4 - 4 m		1229206037	60	1500	m
40x6,7 - 4 m		1229206039	40	1000	m
50x8,3 - 4 m		1229206041	28	700	m
63x10,5 - 4 m		1229206043	16	400	m
75x12,5 - 4 m		1229206045	12	300	m
90x15,0 - 4 m		1229206047	8	200	m
110x18,3 - 4 m		1229206029	4	132	m


Note:

Application class 1; 10 bar.
 Application class 2; 8 bar.
 Application class 4; 10 bar.
 Application class 5; 6 bar.



Pipe PPR stabiGLASS SDR6 PN20 - bar

GROUP: M

Size [mm]	*	Code			UM
20x3,4 - 4 m		1229205025	100	3300	m
25x4,2 - 4 m		1229205026	80	2640	m
32x5,4 - 4 m		1229205027	40	1320	m
40x6,7 - 4 m		1229205011	28	924	m
50x8,3 - 4 m		1229205014	20	660	m
63x10,5 - 4 m		1229205017	12	396	m
75x12,5 - 4 m		1229205020	8	264	m
90x15,0 - 4 m		1229205024	8	200	m
110x18,3 - 4 m		1229205001	4	132	m


Note:

Application class 1; 10 bar.
 Application class 2; 8 bar.
 Application class 4; 10 bar.
 Application class 5; 6 bar.

Connectors

Saddle fitting PP/Push

GROUP: N

Size [mm]	*	Code			UM
63 / 18x2,0		1209238010	20	160	pc.
75 / 18x2,0		1209238011	20	160	pc.
90 / 18x2,0		1209238012	20	160	pc.
110 / 18x2,0		1209238009	20	160	pc.



Note:

The external diameter of PP pipe is given to which the saddle is welded, as well as the connection pipe diameter.



Female saddle fitting

GROUP: N

Size [mm]	*	Code			UM
40 Rp½"		1209238022	20	160	pc.
50 Rp½"		1209238023	20	160	pc.
63 Rp½"		1209230007	20	160	pc.
75 Rp½"		1209230009	20	160	pc.
90 Rp½"		1209230011	20	160	pc.
110 Rp½"		1209230003	20	160	pc.

Note:

The external diameter of PP pipe is given to which the saddle is welded, as well as the diameter and type of thread.



Compensation loop

GROUP: N

Size [mm]	*	Code		UM
16		1209036000	20	pc.
20		1209036002	20	pc.
25		1209036003	15	pc.
32		1209036004	10	pc.


Note:

Loop diameter Ø150, length 370 mm.



Crossover

GROUP: N

Size [mm]	*	Code		UM
16		1209269000	200	pc.
20		1209269001	200	pc.
25		1209269002	130	pc.
32		1209269003	75	pc.





Coupling

GROUP: N

Size [mm]	*	Code							UM
16		1209245001	80				1360		pc.
20		1209245002	100				700		pc.
25		1209245003	50				550		pc.
32		1209245004	40				280		pc.
40		1209245005	30				180		pc.
50		1209245006	-				110		pc.
63		1209245007	-				60		pc.
75		1209245008	-				45		pc.
90		1209245009	-				24		pc.
110		1209245000	-				16		pc.



Coupling reducer

GROUP: N

Size [mm]	*	Code							UM
25 / 20	N	1209220021	50				550		pc.
32 / 25	N	1209220022	40				280		pc.



Nipple reducer

GROUP: N


Size [mm]	*	Code							UM
20 / 16		1209220004	100				1200		pc.
25 / 16		1209220005	50				1100		pc.
25 / 20		1209220006	100				900		pc.
32 / 20		1209220007	80				640		pc.
32 / 25		1209220008	80				560		pc.
40 / 20		1209220009	50				400		pc.
40 / 25		1209220010	50				350		pc.
40 / 32		1209220011	50				300		pc.
50 / 32		1209220000	30				180		pc.
50 / 40		1209220012	30				150		pc.
63 / 32		1209220013	-				100		pc.
63 / 40		1209220014	-				100		pc.
63 / 50		1209220015	-				100		pc.
75 / 50		1209220016	-				80		pc.
75 / 63		1209220017	-				50		pc.
90 / 50		1209220018	-				48		pc.
90 / 63		1209220019	-				45		pc.
90 / 75		1209220020	-				45		pc.
110 / 63		1209220001	-				27		pc.
110 / 75		1209220002	-				27		pc.
110 / 90		1209220003	-				27		pc.

Note:

Nipple reducers are intended for direct welding into the fitting socket from the bigger diameter side. The smaller diameter is intended for direct connection with the pipe.

Female connector

GROUP: N

Size [mm]	*	Code			UM
16 Rp½"		1209050002	20	200	pc.
20 Rp½"		1209050003	20	180	pc.
20 Rp¾"		1209050004	30	150	pc.
25 Rp½"		1209050005	20	160	pc.
25 Rp¾"		1209050006	30	150	pc.
25 Rp1"		1209245020	-	100	pc.
32 Rp¾"		1209050008	-	100	pc.
32 Rp1"		1209050007	-	100	pc.
40 Rp1¼"		1209050009	-	60	pc.
50 Rp1½"		1209050011	-	35	pc.
63 Rp2"		1209050012	-	18	pc.
75 Rp2½"		1209050013	-	12	pc.
90 Rp3"		1209050014	-	8	pc.



Note:

Elements with 1" thread and bigger have a polygon for a wrench.



Male connector

GROUP: N

Size [mm]	*	Code			UM
16 R½"		1209051003	20	160	pc.
20 R½"		1209051004	20	140	pc.
20 R¾"		1209051005	30	120	pc.
25 R½"		1209051006	20	140	pc.
25 R¾"		1209051007	20	120	pc.
25 R1"		1209245018	-	80	pc.
32 R¾"		1209051009	-	80	pc.
32 R1"		1209051008	-	80	pc.
32 R1¼"		1209245019	-	50	pc.
40 R1¼"		1209051010	-	50	pc.
50 R1½"		1209051012	-	36	pc.
63 R2"		1209051013	-	18	pc.
75 R2½"		1209051014	-	10	pc.
90 R3"		1209051015	-	6	pc.

Note:



Elements with 1" thread and bigger have a polygon for a wrench.





Elbow 90°


GROUP: N

Size [mm]	*	Code			UM
16		1209068010	50	900	pc.
20		1209068011	100	500	pc.
25		1209068012	50	350	pc.
32		1209068013	20	200	pc.
40		1209068014	20	100	pc.
50		1209068015	-	60	pc.
63		1209068016	-	32	pc.
75		1209068017	-	20	pc.
90		1209068018	-	12	pc.
110		1209068009	-	8	pc.



Nipple elbow 90°



GROUP: N

Size [mm]	*	Code			UM
16		1209068022	50	1000	pc.
20		1209068023	100	600	pc.
25		1209068024	50	400	pc.
32		1209068025	50	200	pc.



Elbow 45°



GROUP: N

Size [mm]	*	Code			UM
16		1209068000	50	950	pc.
20		1209068001	100	700	pc.
25		1209068002	50	400	pc.
32		1209068003	40	200	pc.
40		1209068004	20	140	pc.
50		1209068005	-	80	pc.
63		1209068006	-	40	pc.
75		1209068007	-	25	pc.
90		1209068008	-	14	pc.
110		1209068028	-	10	pc.



Nipple elbow 45°

GROUP: N

Size [mm]	*	Code			UM
16		1209068019	50	1050	pc.
20		1209068020	100	700	pc.
25		1209068021	50	450	pc.

 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Female directly fixed wallplate elbow - L = 45 mm

GROUP: N


Size [mm]	*	Code			UM
20 Rp½"		1209069007	20	140	pc.

Note:
B = 29 mm.



Female directly fixed wallplate elbow - L = 47 mm

GROUP: N


Size [mm]	*	Code			UM
16 Rp½"		1209069006	20	140	pc.

Note:
B = 35 mm.



Female directly fixed wallplate elbow - L = 57 mm

GROUP: N

Size [mm]	*	Code			UM
25 Rp½"		1209069008	20	120	pc.

Note:
B = 36 mm.



Double female directly fixed wallplate elbow 90° - L = 148,5 mm

GROUP: N

Size [mm]	*	Code			UM
20 Rp½"		1209285000	1	30	pc.
25 Rp½"		1209285001	1	30	pc.

Note:
20 Female thread ½ A = 45,5 mm.
25 Female thread ½ A = 50,7 mm.





Female elbow 90°

GROUP: N

Size [mm]	*	Code			UM
16 Rp1/2"		1209069000	20	180	pc.
20 Rp1/2"		1209069001	20	140	pc.
20 Rp3/4"		1209069002	30	120	pc.
25 Rp1/2"		1209069003	30	120	pc.
25 Rp3/4"		1209069004	30	120	pc.
25 Rp1"		1209069010	30	60	pc.
32 Rp3/4"		1209069005	30	90	pc.
32 Rp1"		1209069009	-	50	pc.

Note:

A fitting with 1" thread and bigger has a polygon for a wrench.



Male elbow 90°

GROUP: N

Size [mm]	*	Code			UM
16 R1/2"		1209070000	20	140	pc.
20 R1/2"		1209070001	30	90	pc.
20 R3/4"		1209070002	30	90	pc.
25 R1/2"		1209070003	20	120	pc.
25 R3/4"		1209070004	30	90	pc.
25 R1"		1209070007	30	60	pc.
32 R3/4"		1209070005	30	60	pc.
32 R1"		1209070006	-	50	pc.

Note:

A fitting with 1" thread and bigger has a polygon for a wrench.





Tee

GROUP: N

Size [mm]	*	Code			UM
16		1209257001	40	640	pc.
20		1209257002	80	400	pc.
25		1209257003	20	240	pc.
32		1209257004	20	140	pc.
40		1209257005	15	75	pc.
50		1209257006	-	50	pc.
63		1209257007	-	24	pc.
75		1209257008	-	15	pc.
90		1209257009	-	10	pc.
110		1209257000	-	6	pc.

Reducing tee

GROUP: N

Size [mm]	*	Code			UM
20 / 16 / 20		1209257011	20	180	pc.
25 / 16 / 25		1209257012	20	260	pc.
25 / 20 / 20		1209260012	20	140	pc.
25 / 20 / 25		1209257013	20	240	pc.
25 / 25 / 20		1209260014	20	140	pc.
32 / 16 / 32		1209257016	20	140	pc.
32 / 20 / 20		1209260013	20	140	pc.
32 / 20 / 32		1209257017	20	140	pc.
32 / 25 / 25		1209260015	20	140	pc.
32 / 25 / 32		1209257018	20	140	pc.
40 / 20 / 40		1209257019	20	80	pc.
40 / 25 / 40		1209257020	15	90	pc.
40 / 32 / 40		1209257021	15	90	pc.
50 / 20 / 50		1209257022	-	60	pc.
50 / 25 / 50		1209257023	-	65	pc.
50 / 32 / 50		1209257024	-	60	pc.
50 / 40 / 50		1209257025	-	50	pc.
63 / 32 / 63		1209257026	-	30	pc.
63 / 40 / 63		1209257027	-	22	pc.
63 / 50 / 63		1209257028	-	22	pc.
75 / 40 / 75		1209257029	-	17	pc.
90 / 50 / 90		1209257030	-	12	pc.
90 / 63 / 90		1209257031	-	10	pc.
90 / 75 / 90		1209257032	-	12	pc.
110 / 63 / 110		1209260011	-	8	pc.
110 / 75 / 110		1209260010	-	8	pc.
110 / 90 / 110		1209260009	-	8	pc.



Side outlet tee

GROUP: N

Size [mm]	*	Code			UM
20		1209257010	40	360	pc.



Cross

GROUP: N

Size [mm]	*	Code			UM
16		1209057000	80	480	pc.
20		1209057001	40	320	pc.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Female tee

GROUP: N

Size [mm]	*	Code			UM
16 Rp1/2"		1209258000	20	140	pc.
20 Rp1/2"		1209258002	20	120	pc.
20 Rp3/4"		1209258003	30	90	pc.
25 Rp1/2"		1209258004	20	180	pc.
25 Rp3/4"		1209258005	30	180	pc.
32 Rp3/4"		1209258006	15	60	pc.
32 Rp1"		1209258007	15	60	pc.

Note:

An element with 1" thread has a polygon for a wrench.



Male tee

GROUP: N

Size [mm]	*	Code			UM
20 R1/2"		1209259000	20	120	pc.
25 R1/2"		1209259005	30	90	pc.
25 R3/4"		1209259006	30	90	pc.
32 R3/4"		1209259003	20	120	pc.
32 R1"		1209259004	20	120	pc.



Union

GROUP: N

Size [mm]	*	Code			UM
20 G3/4"		1209065001	20	200	pc.



Female half union with flat sealing

GROUP: N

Size [mm]	*	Code			UM
16 G3/4"		1209105000	50	300	pc.
20 G3/4"		1209105001	50	400	pc.
25 G1"		1209105002	20	100	pc.
N 32 G1 1/4"		1209105003	10	100	pc.



Female half coupling with flat gasket

GROUP: N

Size [mm]	*	Code			UM
20 G1/2"		1209271006	20	200	pc.
20 G3/4"		1209271007	20	200	pc.
25 G3/4"		1209271008	20	200	pc.





Female union

GROUP: N

Size [mm]	*	Code			UM
20 G1/2"		1209271010	20	200	pc.
25 G3/4"		1209271011	20	100	pc.
32 G1"		1209271012	20	80	pc.

Male union



GROUP: N

Size [mm]	*	Code			UM
16 G½"		1209271000	20	200	pc.
20 G½"		1209271001	20	200	pc.
20 G¾"		1209271002	20	200	pc.
25 G¾"		1209271004	20	100	pc.
25 G1"		1209271003	20	100	pc.
32 G1"		1209272000	20	80	pc.



Flange adapter

GROUP: N

Size [mm]	*	Code			UM
40		1209091016	1	40	pc.
50		1209091017	1	30	pc.
63		1209091018	1	20	pc.
75		1209091019	1	15	pc.
90		1209091020	1	10	pc.
110		1209091015	1	6	pc.




Note:

The flange adapter is delivered with an EPDM seal.


Steel flange PN16

GROUP: N

Size [mm]	*	Code		UM
40 DN32		1209091002	1	pc.
50 DN40		1209091003	1	pc.
63 DN50		1209091004	1	pc.
75 DN65		1209091005	1	pc.
90 DN80		1209091006	1	pc.
110 DN100		1209091001	1	pc.



Code	D	d1	k	d0	q	N
1209091002	140	43	100	18	18	4
1209091003	150	53	110	18	18	4
1209091004	165	66	125	18	20	4
1209091005	185	78	145	18	20	8
1209091006	200	95	160	18	20	8
1209091001	220	114	180	18	22	8



 coil  bar  pipes in tube  bag  carton box  pallet **N** new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Stop end

GROUP: N

Size [mm]	*	Code			UM
16		1209025001	100	1000	pc.
20		1209025002	200	1000	pc.
25		1209025003	100	700	pc.
32		1209025004	50	500	pc.
40		1209025005	50	250	pc.
50		1209025006	-	170	pc.
63		1209025007	-	80	pc.
75		1209025008	-	50	pc.
90		1209025009	-	30	pc.
110		1209025000	-	20	pc.



Ball valve

GROUP: N

Size [mm]	*	Code			UM
20		1209278001	10	90	pc.
25		1209278002	10	50	pc.
32		1209278014	5	25	pc.
40		1209278003	5	15	pc.
50		1209278004	2	10	pc.
63		1209278005	2	8	pc.
75		1209278006	1	5	pc.



Globe valve

GROUP: N

Size [mm]	*	Code			UM
20		1209280000	1	30	pc.
25		1209280001	1	30	pc.
32		1209280002	1	30	pc.



Concealed globe valve with a knob

GROUP: N

Size [mm]	*	Code			UM
20		1209280006	1	30	pc.
25		1209280007	1	30	pc.
32		1209280008	1	30	pc.

Note:

The valves are delivered in a set with two plastic clips to mark hot (red) or cold (blue) water.



Concealed globe valve with masking



GROUP: N

Size [mm]	*	Code			UM
20		1209280003	1	30	pc.
25		1209280004	1	30	pc.
32		1209280005	1	30	pc.

Accessories

Pipe clip

GROUP: N

Size [mm]	*	Code			UM
16		1209107030	20	1000	pc.
20		1209107031	20	800	pc.
25		1209107032	20	700	pc.
32		1209107033	20	440	pc.
40		1209107034	20	300	pc.
50		1209107035	20	240	pc.
63		1209107036	20	120	pc.
75		1209107037	10	100	pc.
90		1209107038	10	60	pc.




Note:

Use only as sliding points.

Single pipe clamp with rubber insert

GROUP: A

Size [mm]	*	Code		UM
15-18		1700081025	100	pc.
20-23		1700081028	100	pc.
25-28		1700081029	100	pc.
32-36		1700081030	50	pc.
40-44		1700081031	50	pc.
47-52		1700081032	50	pc.
57-63		1700081034	50	pc.
74-78		1700081035	25	pc.
85-91		1700081036	25	pc.
108-112		1700081023	25	pc.



Note:

The clamp has a double-threaded screw with a collar (8x70) a plastic dowel (Ø12) in the set.

Double pipe clamp with rubber insert

GROUP: A

Size [mm]	*	Code		UM
15-18		1700081019	50	pc.
20-23		1700081020	50	pc.
25-28		1700081021	50	pc.
32-36		1700081022	50	pc.



Note:


The clamp has a double-threaded screw with a collar (8x70) a plastic dowel (Ø12) in the set.

Mounting plate

GROUP: N

Spacing (L) [mm]	*	Code			UM
150		1209210000	30	150	pc.

Mounting plate 150 mm - plate total length 215 mm, width 64 mm, depth 6 mm.



 coil  bar  pipes in tube  bag  carton box  pallet  new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Tools



Cutter for pipes Virax PC 42

GROUP: K

Range [mm]	*	Code			UM
16-40		1933267029	1	6	pc.



Roller cutter for PP pipes REMS RAS P

GROUP: K

Range [mm]	*	Code		UM
50-90		1933267032	1	pc.



Stationary welding device

GROUP: K

Range [mm], power [W]	*	Code		UM
63-110, 1600 W		1933267036	1	pc.

Each set includes:

- welding device PZ-125,
- welding machine 1600 W,
- 1933345003 - jaws PZ-125 for pipes Ø 63 mm,
- 1933345002 - jaws PZ-125 for pipes Ø 75 mm,
- 1933345001 - jaws PZ-125 for pipes Ø 90 mm,
- 1933345000 - jaws PZ-125 for pipes Ø 110 mm,
- case.

Note:

The set does not include heating sockets!



KAN-therm welding set

GROUP: K

Range [mm], power [W]	*	Code		UM
16-50, 800 W		1933267078	1	pc.
63-110, 1600 W		1933267079	1	pc.

Each set includes:

- electric welding machine 800 W or 1600 W,
- rack for the welding machine,
- bolt for fastening heating sockets,
- case,
- set of heating inserts 16-50 mm or 63-110 mm.

Note:

The set does not include heating sockets for saddle fittings!



Welding device RITMO PRISMA JIG

GROUP: K

Range [mm]	*	Code		UM
63-125		1933267081	1	pc.

Note:

Tool is sold in set with case.

Welding device SPIDER 125 McElroy

GROUP: K

Range [mm]	*	Code		UM
63-125		1933267082	1	pc.

Note:

Tool is sold in set with case.



Bolt for heating sockets - service part



GROUP: K

	*	Code			UM
	*	1933267037	50	300	pc.



Heating sockets for saddle fittings

GROUP: K

Size [mm]	*	Code			UM
40	**	1933267004	1	15	pc.
50	**	1933267005	1	15	pc.
63	**	1933267006	1	15	pc.
75	**	1933267007	1	15	pc.
90	**	1933267008	1	15	pc.
110	**	1933267002	1	15	pc.

Note:

The set includes a female and male socket and a mounting bolt (Allen).



Drill bit for mounting saddle fittings


GROUP: K

Size [mm]	*	Code			UM
25		1933267038	1	48	pc.



Heating sockets

GROUP: K

Size [mm]	*	Code		UM
16		1933267011	1	pc.
20		1933267013	1	pc.
25		1933267015	1	pc.
32		1933267017	1	pc.
40		1933267019	1	pc.
50		1933267021	1	pc.
63		1933267023	1	pc.
75		1933267025	1	pc.
90		1933267027	1	pc.
110		1933267009	1	pc.

Note:

The heating sockets are intended for electric welding machines.



 coil  bar  pipes in tube  bag  carton box  pallet  new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



KAN-therm
MULTISYSTEM

> 35 | years of experience
on the installation
market



KAN-therm
Steel

TRADITIONAL MATERIAL
IN MODERN TECHNOLOGY

Install the **future**

EN 26/05

Ø **12-108 mm**

Table of contents

SYSTEM **KAN-therm** Steel



Pipes	75
Connectors	76
Accessories	90
Tools	92

SYSTEM KAN-therm Steel

Pipes

Carbon steel pipe - bar

GROUP: J

Size [mm]	*	Code			UM
12×1,2	*	1530207027	6	624	m
15×1,2		1530207028	6	1290	m
18×1,2		1530207029	6	1524	m
22×1,5		1530207030	6	1290	m
28×1,5		1530207031	6	624	m
35×1,5		1530207032	6	402	m
42×1,5		1530207033	6	402	m
54×1,5		1530207034	6	402	m
66,7×1,5		1530207036	6	228	m
76,1×2,0		1530207037	6	234	m
88,9×2,0		1530207038	6	114	m
108×2,0		1530207026	6	114	m



Note:

Operating pressure depends on the type of transported medium, diameter range and tools used to make connections:

- 12-54 mm up to 25 bar (Novopress tools with jaws and collars with HP profile) - only in installations filled with water,
- 12-108 mm up to 16 bar (tools with jaws with M profile). Not applicable to compressed air systems - refer to the "Designer and Contractor Guidebook" for operating conditions.

 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Connectors



Male connector

GROUP: I

Size [mm]	*	Code							UM
12 R $\frac{3}{8}$ "	*	1509045002	10	200	pc.				
15 R $\frac{3}{8}$ "		1509045005	10	200	pc.				
15 R $\frac{1}{2}$ "		1509045003	10	200	pc.				
18 R $\frac{1}{2}$ "		1509045006	10	160	pc.				
18 R $\frac{3}{4}$ "		1509045007	10	100	pc.				
22 R $\frac{1}{2}$ "		1509045019	10	70	pc.				
22 R $\frac{3}{4}$ "		1509045009	10	100	pc.				
22 R1"		1509257031	10	60	pc.				
28 R $\frac{3}{4}$ "		1509042021	10	60	pc.				
28 R1"		1509045010	10	60	pc.				
35 R1"		1509045020	10	40	pc.				
35 R1 $\frac{1}{4}$ "		1509045012	5	40	pc.				
42 R1 $\frac{1}{2}$ "		1509045013	4	24	pc.				
54 R2"		1509045014	4	12	pc.				
66,7 R2 $\frac{1}{2}$ "		1509042022	2	8	pc.				
76,1 R2 $\frac{1}{2}$ "		1509045016	2	26	pc.				
88,9 R3"		1509045017	2	20	pc.				



Coupling Steel/Groove

GROUP: I

Size [mm]	*	Code							UM
28 / 33,7		1509044019	10	30	pc.				
35 / 42,4		1509044023	10	30	pc.				
42 / 48,3		1509042024	5	20	pc.				
54 / 60,3		1509042025	5	15	pc.				
76,1		1509042026	2	6	pc.				
88,9		1509042027	2	2	pc.				
108 / 114		1509042023	2	2	pc.				



Female slip connector

GROUP: I



Size [mm]	*	Code							UM
22 Rp $\frac{1}{2}$ "		1509080013	10	60	pc.				
22 Rp $\frac{3}{4}$ "	***	1509044020	10	60	pc.				
28 Rp $\frac{1}{2}$ "		1509044021	10	40	pc.				
28 Rp $\frac{3}{4}$ "		1509044022	10	40	pc.				

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Female union



GROUP: I

Size [mm]	*	Code			UM
15 Rp1/2"		1509050000	2	50	pc.
18 Rp1/2"		1509050004	2	60	pc.
22 Rp3/4"		1509050001	2	40	pc.
28 Rp1"		1509050002	2	30	pc.
35 Rp1 1/4"		1509050007	2	16	pc.
42 Rp1 1/2"		1509050008	2	12	pc.
54 Rp2"		1509050003	2	4	pc.



Male union

GROUP: I

Size [mm]	*	Code			UM
15 R1/2"		1509272000	2	50	pc.
18 R1/2"		1509272006	2	60	pc.
22 R3/4"		1509272001	2	40	pc.
28 R1"		1509272002	2	30	pc.
35 R1 1/4"		1509272003	2	16	pc.
42 R1 1/2"		1509272004	2	12	pc.
54 R2"		1509272005	2	4	pc.



Female Eurocone adapter



GROUP: I

Size [mm]	*	Code			UM
15 G3/4"		1509271000	10	100	pc.
18 G3/4"		1509271001	10	100	pc.



Female half union with flat sealing

GROUP: I

Size [mm]	*	Code			UM
15 G3/4"	*	1509106000	10	120	pc.
18 G3/4"	*	1509106001	10	100	pc.
22 G1"	*	1509106002	10	60	pc.
28 G1 1/4"	*	1509106003	10	40	pc.
35 G1 1/2"	*	1509106004	4	32	pc.
42 G1 3/4"	*	1509106005	4	12	pc.
54 G2 3/8"	*	1509106006	4	8	pc.





Female connector

GROUP: I

Size [mm]	*	Code			UM
12 Rp1/2"	*	1509044001	10	130	pc.
15 Rp1/2"		1509044003	10	130	pc.
18 Rp1/2"		1509044005	10	120	pc.
18 Rp3/4"		1509044006	10	80	pc.
22 Rp1/2"		1509044008	10	100	pc.
22 Rp3/4"		1509044010	10	100	pc.
22 Rp1"		1509044007	10	40	pc.
28 Rp1/2"		1509044015	10	60	pc.
28 Rp3/4"		1509044014	10	60	pc.
28 Rp1"		1509044011	10	60	pc.
35 Rp1/2"		1509042002	10	40	pc.
35 Rp3/4"		1509044017	10	40	pc.
35 Rp1"		1509044000	10	40	pc.
35 Rp1 1/4"		1509044016	10	30	pc.
42 Rp1 1/2"		1509044012	4	24	pc.
54 Rp2"		1509044013	4	12	pc.



Female connector with plain end

GROUP: I

Size [mm]	*	Code			UM
12 Rp3/8"	*	1509076002	10	150	pc.
12 Rp1/2"	*	1509076000	10	150	pc.
15 Rp1/2"		1509076003	10	150	pc.
18 Rp1/2"		1509076004	10	150	pc.
18 Rp3/4"		1509076005	10	100	pc.
22 Rp1/2"		1509076006	10	70	pc.
22 Rp3/4"		1509076007	10	100	pc.



Straight coupling

GROUP: I

Size [mm]	*	Code			UM
12		1509245002	10	140	pc.
15		1509245003	10	140	pc.
18		1509245004	10	140	pc.
22		1509245006	10	80	pc.
28		1509245007	10	60	pc.
35		1509245008	5	40	pc.
42		1509245009	4	24	pc.
54		1509245010	4	16	pc.
66,7		1509245000	2	4	pc.
76,1		1509245011	4	24	pc.
88,9		1509245012	4	16	pc.
108		1509245001	2	10	pc.

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Reducing coupling



GROUP: I

Size [mm]	*	Code			UM
22 / 15		1509052000	10	140	pc.



Slip coupling



GROUP: I

Size [mm]	*	Code			UM
12	*	1509080001	10	140	pc.
15		1509080003	10	140	pc.
18		1509080004	10	100	pc.
22		1509080005	10	60	pc.
28		1509080006	5	40	pc.
35		1509080007	5	20	pc.
42		1509080008	4	16	pc.
54		1509080009	2	8	pc.
66,7		1509080014	2	4	pc.
76,1		1509080011	2	16	pc.
88,9		1509080012	2	8	pc.
108		1509080000	2	6	pc.



Elbow 90°

GROUP: I

Size [mm]	*	Code			UM
12	*	1509068005	10	150	pc.
15		1509068037	10	150	pc.
18		1509068038	10	90	pc.
22		1509068039	10	60	pc.
28		1509068040	5	30	pc.
35		1509068041	5	20	pc.
42		1509068042	2	8	pc.
54		1509068043	2	8	pc.
66,7		1509068049	1	2	pc.
76,1		1509068045	2	10	pc.
88,9		1509068047	2	6	pc.
108		1509068036	2	4	pc.





Plain end elbow 90°

GROUP: I

Size [mm]	*	Code			UM
12	*	1509068052	10	120	pc.
15		1509068053	10	120	pc.
18		1509068054	10	80	pc.
22		1509068055	10	60	pc.
28		1509068056	5	30	pc.
35		1509068058	5	20	pc.
42		1509068059	2	8	pc.
54		1509068060	2	6	pc.
66,7		1509068066	1	2	pc.
76,1		1509068062	2	10	pc.
88,9		1509068064	2	6	pc.
108		1509068050	2	4	pc.



Elbow 45°

GROUP: I

Size [mm]	*	Code			UM
15		1509068006	10	150	pc.
18		1509068007	10	120	pc.
22		1509068008	10	70	pc.
28		1509068009	10	40	pc.
35		1509068010	5	25	pc.
42		1509068011	4	16	pc.
54		1509068012	2	8	pc.
66,7		1509068018	1	2	pc.
76,1		1509068014	2	16	pc.
88,9		1509068016	2	8	pc.
108		1509068004	2	6	pc.





Plain end elbow 45°

GROUP: I

Size [mm]	*	Code			UM
15		1509068023	10	150	pc.
18		1509068024	10	120	pc.
22		1509068025	10	60	pc.
28		1509068026	10	40	pc.
35		1509068027	5	25	pc.
42		1509068028	4	16	pc.
54		1509068029	2	8	pc.
66,7		1509068019	1	2	pc.
76,1		1509068031	2	14	pc.
88,9		1509068033	2	10	pc.
108		1509068021	2	6	pc.

Tee

GROUP: I

Size [mm]	*	Code			UM
12	*	1509257009	10	100	pc.
15		1509257010	10	80	pc.
18		1509257011	10	40	pc.
22		1509257012	10	40	pc.
28		1509257013	5	25	pc.
35		1509257014	5	15	pc.
42		1509257015	4	8	pc.
54		1509257016	2	6	pc.
66,7		1509257025	1	2	pc.
76,1		1509257018	2	8	pc.
88,9		1509257019	2	6	pc.
108		1509257008	2	2	pc.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Reducing tee

GROUP: I

Size [mm]	*	Code							UM
12 / 15 / 12	*	1509260007	10				100		pc.
15 / 12 / 15	*	1509260009	10				100		pc.
15 / 18 / 15		1509257027	10				60		pc.
15 / 22 / 15		1509257028	10				60		pc.
18 / 12 / 18	*	1509260010	10				70		pc.
18 / 15 / 18		1509260011	10				60		pc.
18 / 22 / 18		1509257029	10				50		pc.
22 / 12 / 22	*	1509260012	10				50		pc.
22 / 15 / 22		1509260014	10				50		pc.
22 / 18 / 22		1509260015	10				50		pc.
22 / 28 / 22		1509257030	5				30		pc.
28 / 15 / 28		1509260017	5				30		pc.
28 / 18 / 28		1509260018	5				30		pc.
28 / 22 / 28		1509260020	5				30		pc.
35 / 15 / 35		1509260021	5				20		pc.
35 / 18 / 35		1509260022	5				20		pc.
35 / 22 / 35		1509260024	5				20		pc.
35 / 28 / 35		1509260025	5				20		pc.
42 / 22 / 42		1509260026	4				12		pc.
42 / 28 / 42		1509260027	4				12		pc.
42 / 35 / 42		1509260028	4				12		pc.
54 / 22 / 54		1509260029	2				8		pc.
54 / 28 / 54		1509260030	2				8		pc.
54 / 35 / 54		1509260031	2				8		pc.
54 / 42 / 54		1509260032	2				8		pc.
66,7 / 28 / 66,7		1509260054	1				2		pc.
66,7 / 35 / 66,7		1509260037	1				2		pc.
66,7 / 42 / 66,7		1509260055	1				2		pc.
66,7 / 54 / 66,7		1509260056	1				2		pc.
76,1 / 22 / 76,1		1509260038	2				14		pc.
76,1 / 28 / 76,1		1509260039	2				14		pc.
76,1 / 35 / 76,1		1509260040	2				14		pc.
76,1 / 42 / 76,1		1509260041	2				12		pc.
76,1 / 54 / 76,1		1509260044	2				8		pc.
76,1 / 66,7 / 76,1		1509260057	1				1		pc.
88,9 / 22 / 88,9		1509260045	2				8		pc.
88,9 / 28 / 88,9		1509260046	2				8		pc.
88,9 / 35 / 88,9		1509260047	2				6		pc.
88,9 / 42 / 88,9		1509260048	2				8		pc.
88,9 / 54 / 88,9		1509260049	2				8		pc.
88,9 / 66,7 / 88,9		1509260058	1				8		pc.
88,9 / 76,1 / 88,9		1509260052	2				6		pc.
108 / 22 / 108		1509260000	2				6		pc.
108 / 28 / 108		1509260001	2				6		pc.
108 / 35 / 108		1509260002	2				6		pc.
108 / 42 / 108		1509260003	2				6		pc.
108 / 54 / 108		1509260004	2				6		pc.
108 / 76,1 / 108		1509260005	2				4		pc.
108 / 88,9 / 108		1509260006	2				4		pc.

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Reducing tee

GROUP: I

Size [mm]	*	Code			UM
22 / 15 / 15		1509260013	10	50	pc.
22 / 22 / 15		1509260016	10	50	pc.



Pass crossing



GROUP: I

Size [mm]	*	Code			UM
15		1509057002	5	40	pc.



Reducing pass crossing

GROUP: I

Size [mm]	*	Code			UM
18 / 15		1509057004	5	40	pc.
22 / 15		1509057005	10	30	pc.
22 / 18		1509057006	10	30	pc.
28 / 15		1509057007	5	15	pc.
28 / 18		1509057008	5	15	pc.
28 / 22		1509057009	5	20	pc.



Crossing

GROUP: I

Size [mm]	*	Code			UM
35	*	1509057025	2	8	pc.
42	*	1509057027	2	8	pc.
54	*	1509057029	2	4	pc.



Reducing crossing

GROUP: I

Size [mm]	*	Code			UM
35 / 28	*	1509057024	2	14	pc.
42 / 28	*	1509057026	2	8	pc.
54 / 28	*	1509057028	2	4	pc.



Crossing pair single

GROUP: I

Size [mm]	*	Code		UM
15		1509257003	10	pc.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Reducing crossing pair single

GROUP: I

Size (d1/d2) [mm]	*	Code		UM
18 / 12	*	1509257000	10	pc.
18 / 15		1509257004	10	pc.
22 / 12	*	1509257005	10	pc.
22 / 15		1509257006	10	pc.
28 / 12	*	1509257002	8	pc.
28 / 15		1509257007	8	pc.



Crossing pair double

GROUP: I

Size [mm]	*	Code		UM
12	*	1509057013	8	pc.
15		1509057017	8	pc.



Reducing crossing pair double

GROUP: I

Size (d1/d2) [mm]	*	Code		UM
15 / 12	*	1509057015	8	pc.
18 / 12	*	1509057000	8	pc.
18 / 15		1509057019	8	pc.
22 / 15		1509057021	6	pc.
28 / 12	*	1509057001	8	pc.
28 / 15		1509057022	6	pc.
35 / 15		1509057023	3	pc.



coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 N new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Plain end reducer

GROUP: I





Size [mm]	*	Code			UM
15 / 12	*	1509221019	10	200	pc.
18 / 12	*	1509221020	10	200	pc.
18 / 15		1509221021	10	200	pc.
22 / 12	*	1509221022	10	150	pc.
22 / 15		1509221023	10	140	pc.
22 / 18		1509221024	10	120	pc.
28 / 15		1509221025	10	70	pc.
28 / 18		1509221026	10	100	pc.
28 / 22		1509221027	10	80	pc.
35 / 22		1509221028	5	50	pc.
35 / 28		1509221029	5	60	pc.
42 / 22		1509221039	4	24	pc.
42 / 28		1509221040	4	24	pc.
42 / 35		1509221030	4	24	pc.
54 / 18		1509221031	4	16	pc.
54 / 22		1509221032	4	16	pc.
54 / 28		1509221033	4	16	pc.
54 / 35		1509221041	4	16	pc.
54 / 42		1509221034	4	16	pc.
66,7 / 28		1509221010	2	4	pc.
66,7 / 35		1509221011	2	4	pc.
66,7 / 42		1509221012	2	4	pc.
66,7 / 54		1509221013	2	4	pc.
76,1 / 42		1509221035	4	32	pc.
76,1 / 54		1509221036	4	40	pc.
76,1 / 66,7		1509221016	2	4	pc.
88,9 / 54		1509221037	4	32	pc.
88,9 / 66,7		1509221014	2	4	pc.
88,9 / 76,1		1509221038	4	16	pc.
108 / 66,7		1509221015	2	4	pc.
108 / 76,1		1509221017	2	10	pc.
108 / 88,9		1509221018	2	10	pc.

Female elbow 90°

GROUP: I



Size [mm]	*	Code			UM
15 Rp ³ / ₈ "		1509069005	10	150	pc.
15 Rp ¹ / ₂ "		1509069004	10	100	pc.
18 Rp ¹ / ₂ "		1509069006	10	60	pc.
22 Rp ¹ / ₂ "		1509068000	10	50	pc.
22 Rp ³ / ₄ "		1509068001	10	50	pc.
28 Rp ¹ / ₂ "		1509069007	5	30	pc.
28 Rp ³ / ₄ "		1509069008	5	30	pc.
28 Rp1"		1509069009	5	30	pc.
35 Rp ¹ / ₂ "		1509069010	5	10	pc.
35 Rp ³ / ₄ "		1509069011	5	10	pc.
35 Rp1"		1509068002	5	20	pc.

 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Female elbow 90°, short

GROUP: I

Size [mm]	*	Code			UM
22 Rp1/2"	*	1509069012	10	50	pc.
28 Rp1/2"	*	1509069013	5	30	pc.
35 Rp1/2"	*	1509069014	5	10	pc.



Male elbow 90°

GROUP: I

Size [mm]	*	Code			UM
12 R3/8"	*	1509070000	10	150	pc.
15 R3/8"		1509070003	10	150	pc.
15 R1/2"		1509070002	10	100	pc.
18 R1/2"		1509070004	10	60	pc.
22 R3/4"		1509070005	10	50	pc.
28 R1"		1509070006	5	30	pc.
35 R1 1/4"		1509070007	5	10	pc.
42 R1 1/2"		1509070008	2	12	pc.
54 R2"		1509070009	2	8	pc.





Male elbow 90°, short

GROUP: I

Size [mm]	*	Code			UM
12 R3/8"	*	1509070010	10	100	pc.
15 R3/8"		1509070013	10	100	pc.
15 R1/2"		1509070012	10	80	pc.
18 R1/2"		1509070014	10	80	pc.
22 R3/4"		1509070015	10	60	pc.

Female tee



GROUP: I

Size [mm]	*	Code			UM
15 Rp½"		1509258004	10	70	pc.
18 Rp½"		1509258005	10	50	pc.
18 Rp¾"		1509258006	10	50	pc.
22 Rp½"		1509258008	10	50	pc.
22 Rp¾"		1509258007	10	40	pc.
28 Rp½"		1509258009	5	30	pc.
28 Rp¾"		1509258010	5	30	pc.
28 Rp1"		1509257021	5	30	pc.
35 Rp½"		1509258011	5	20	pc.
35 Rp¾"		1509258012	5	20	pc.
35 Rp1"		1509257022	5	20	pc.
42 Rp½"		1509258014	4	16	pc.
42 Rp¾"		1509258015	4	12	pc.
42 Rp1"		1509257023	4	12	pc.
54 Rp½"		1509258016	2	8	pc.
54 Rp¾"		1509258018	2	8	pc.
54 Rp1"		1509258000	2	8	pc.
66,7 Rp¾"		1509257024	1	2	pc.
76,1 Rp¾"		1509258020	2	12	pc.
88,9 Rp¾"		1509258021	2	8	pc.
108 Rp¾"		1509258001	2	6	pc.



Crossover



GROUP: I

Size [mm]	*	Code			UM
12	*	1509178000	10	80	pc.
15		1509022005	10	70	pc.
18		1509022006	10	60	pc.
22		1509022007	10	40	pc.
28		1509022008	5	20	pc.



Bend 90°

GROUP: I

Size [mm]	*	Code			UM
12	*	1509011000	10	80	pc.
15		1509011002	10	70	pc.
18		1509011003	10	50	pc.
22		1509011004	10	30	pc.
28		1509011005	5	20	pc.
35		1509011007	2	8	pc.
42		1509011008	2	4	pc.
54		1509011009	2	10	pc.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Stop end

GROUP: I

Size [mm]	*	Code			UM
15		1509250002	20	80	pc.
18		1509250003	20	300	pc.
22		1509250004	10	150	pc.
28		1509250005	10	130	pc.
35		1509250006	5	75	pc.
42		1509250007	4	48	pc.
54		1509250008	4	32	pc.
66,7		1509250025	1	4	pc.
76,1		1509250010	2	24	pc.
88,9		1509250012	2	8	pc.
108		1509250001	2	4	pc.



Ball valve

GROUP: I

Size [mm]	*	Code			UM
15		1509278000	1	25	pc.
18		1509278001	1	25	pc.
22		1509278002	1	15	pc.
28		1509278003	1	10	pc.
35		1509278004	1	10	pc.
42		1509278005	1	7	pc.
54		1509278006	1	5	pc.

Ball made of brass CW617N.
Max operating pressure 16 bar.
5-year warranty.



Ball valve with half union with flat sealing



GROUP: I

Size [mm]	*	Code			UM
15 G¾"		1509278007	1	25	pc.
18 G¾"		1509278008	1	25	pc.
22 G¾"		1509278009	1	15	pc.
28 G1¼"		1509278010	1	10	pc.
35 G1½"		1509278011	1	10	pc.
42 G1¾"		1509278012	1	7	pc.
54 G2¼"		1509278013	1	5	pc.

Ball made of brass CW617N.
Max operating pressure 16 bar.
5-year warranty.

Flange PN16


GROUP: I

Size [mm]	*	Code			UM
35 DN32		1509091000	1	6	pc.
42 DN40		1509091001	1	4	pc.
54 DN50		1509091002	1	2	pc.
66,7 DN65		1509091005	1	2	pc.
76,1 DN65		1509091003	1	4	pc.
88,9 DN80		1509091004	1	2	pc.
108 DN100		1509091010	1	2	pc.

Note:

Complete the flat gasket yourself.

Code	d1	l1	l2	z1	k2	D2	d2-2	n2
1509091000	35	52	18	26	100	140	18	4
1509091001	42	59	18	29	110	150	18	4
1509091002	54	69	18	34	125	165	18	4
1509091005	66,7	71	18	21	145	185	18	4
1509091003	76,1	94	18	39	145	185	18	4
1509091004	88,9	98	20	35	160	200	18	8
1509091010	108	94	20	17	180	220	18	8



Accessories



Plastic plug for pipe transport

GROUP: I

Size [mm]	*	Code		UM
15		2141183000	2000	pc.
18		2141183001	2000	pc.
22		2141183002	2000	pc.
28		2141183003	2000	pc.
35		2141183004	2000	pc.
42		2141183005	1000	pc.
54		2141183006	500	pc.



O-Ring LBP EPDM Steel/Inox

GROUP: I

Size [mm]	*	Code			UM
12	*	1509182021	20	1000	pc.
15		1509182022	20	600	pc.
18		1509182023	20	500	pc.
22		1509182024	20	500	pc.
28		1509182025	20	400	pc.
35		1509182026	20	400	pc.
42		1509182027	20	300	pc.
54		1509182028	20	300	pc.

Note:

LBP EPDM O-Rings can be used in KAN-therm Steel and Inox systems.



O-Ring LBP FPM Viton Steel/Inox

GROUP: I

Size [mm]	*	Code			UM
15		1509182030	20	600	pc.
18		1509182029	20	500	pc.
22		1509182031	20	500	pc.
28		1509182032	20	400	pc.
35		1509182033	20	400	pc.
42		1509182034	20	300	pc.
54		1509182035	20	300	pc.

Note:

LBP FPM/Viton O-Rings can be used in KAN-therm Steel and Inox systems.
Do not use in hot water installations.



O-Ring EPDM Steel/Inox

GROUP: I

Size [mm]	*	Code			UM
66,7		1609182007	5	100	pc.
76,1		1609182023	5	100	pc.
88,9		1609182024	5	100	pc.
108		1609182025	5	50	pc.

Note:


EPDM O-Rings 76,1-108 can be used in KAN-therm Steel and Inox systems.
O-Ring 66,7 is used for KAN-therm Steel fittings only.

coil bar pipes in tube bag carton box pallet **N** new available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

O-Ring FPM Viton Steel/Inox

GROUP: I


Size [mm]	*	Code			UM
66,7		1609182015	5	100	pc.
76,1		1609182020	5	100	pc.
88,9		1609182021	5	100	pc.
108		1609182022	5	50	pc.

Note:

LBP EPDM O-Rings 76,1-108 can be used in KAN-therm Steel and Inox systems.



O-Ring 66,7 is only used for Steel connector.

Do not use in hot water installations.



Flat gasket FPM Viton Steel/Inox

GROUP: I

Size [mm]	*	Code			UM
15-18		1509237000	20	500	pc.
22		1509237001	20	500	pc.
28		1509237002	20	400	pc.
35		1509237003	20	400	pc.
42		1509237004	20	300	pc.
54		1509237005	20	300	pc.

Note:

Gasket for unions and half unions of KAN-therm Steel and Inox systems.

Do not use in hot water installations.



Tools



Roller cutter for pipes REMS RAS St

GROUP: K

Range [mm]	*	Code		UM
12-54		1948267025	1	pc.
35-108		1948267027	1	pc.



Cutting wheel for roller cutter REMS St

GROUP: K

Range [mm]	*	Code			UM
12-108		1941267037	1	10	pc.

Note:
Intended for roller cutters, codes: 1948267025, 1948267027.



Roller cutter for pipes REMS RAS Mini S

GROUP: K

Range [mm]	*	Code		UM
12-28		1900267003	1	pc.

Note:
The set includes a cutting wheel.



Roller cutter for pipes REMS RAS S

GROUP: K

Range [mm]	*	Code		UM
12-35		1900267001	1	pc.

Note:
The set includes a cutting wheel.



Cutting wheel for roller cutter REMS RAS

GROUP: K

Range [mm]	*	Code		UM
12-35		1900267002	1	pc.

Note:
Intended for roller cutters, codes: 1900267003, 1900267001.



Cordless pipe cutter REMS Akku-Nano

GROUP: K

Range [mm]	*	Code		UM
12-35		1948183003	1	pc.

Note:
The set includes a cutting wheel.

coil bar pipes in tube bag carton box pallet **N** new available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Cutting wheel for roller cutter REMS Nano

GROUP: K

Range [mm]	*	Code		UM
12-35		1978267000	1	pc.

Note:
Intended for cordless roller cutter code 1948183003.



Pipe cutting machine REMS Cento

GROUP: K

Range [mm]	*	Code		UM
22-108		1948183001	1	pc.

Note:
The set includes a cutting wheel.



Pipe cutting machine REMS DueCento

GROUP: K

Range [mm]	*	Code		UM
54-168,3		1948267034	1	pc.

Note:
The set does not include a cutting wheel.
In operating range 54-108, use additional guide rollers with code 1900267000.
Guide rollers must be purchased separately.



Cutting wheel for pipe cutting machine REMS Cento/DueCento

GROUP: K

Range [mm]	*	Code		UM
22-168,3		1941267041	1 50	pc.

Intended for pipe cutting machines, codes: 1948183001, 1948267034.



Guide roller insert for pipe cutting REMS DueCento

GROUP: K

Range [mm]	*	Code		UM
54-108		1900267000	1	pc.

Note:
Intended for pipe cutting machine, code: 1948267034.





Pipe support for cutting machine REMS Cento

GROUP: K

Range [mm]	*	Code		UM
		1948267029	1	pc.



Deburrer for metal pipes REMS REG

GROUP: K

Range [mm]	*	Code		UM
12-54		1948267015	1	6 pc.



Tool set - deburrer and roller cutter

GROUP: K

Range [mm]	*	Code		UM
12-54	*	1948267023	1	set

Each set includes:

- 1948267025 - roller cutter for pipes 12-54 mm,
- 1948267015 - deburrer for pipes 12-54 mm,
- 1941267129 - case.



Tool set - KAN-therm Mini battery press tool + "M" profile jaws

GROUP: K

Range [mm]	*	Code		UM
15-28		1936055009	1	pc.

Each set includes:

- 1936055008 - KAN-therm Mini press tool - 1 pc.,
- 1936267278 - jaws SBM M15 - 1 pc.,
- 1936267279 - jaws SBM M18 - 1 pc.,
- 1936267280 - jaws SBM M22 - 1 pc.,
- 1936267282 - jaws SBM M28 - 1 pc.,
- 1967267051 - battery RAML1225 Li-Ion 10,8 V 2,5 Ah - 2 pcs.,
- 1967267024 - charger LGML1 ~230 V 35 W - 1 pc.,
- case - 1 pc.



KAN-therm AC 3000 electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-54		1936267239	1	pc.

Note:

The press tool is sold in a case.



KAN-therm DC 4000 battery press tool

GROUP: K

Range [mm]	*	Code		UM
12-54		1936267238	1	pc.

Note:

The press tool is sold with a battery, charger and case.

Charger for KAN-therm DC 4000 battery press tool

GROUP: K

Version	*	Code			UM
10,8-36 V		1936267267	1	80	pc.



Battery for KAN-therm DC 4000 press tool

GROUP: K

Version	*	Code			UM
18 V / 4 Ah		1936267266	1	80	pc.



KAN-therm "M" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
15		1936267249	1	pc.
18		1936267250	1	pc.
22		1936267251	1	pc.
28		1936267252	1	pc.
35		1936267253	1	pc.



Note:

The jaws work with KAN-therm: AC 3000, DC 4000 drives.

KAN-therm "M" profile collar

GROUP: K

Size [mm]	*	Code		UM
42		1936267283	1	pc.
54		1936267284	1	pc.



Note:

Use KAN-therm "M" profile collar jaws with KAN-therm ZBS1 adapter for KAN-therm press tools, AC 3000, DC 4000.

ZBS1 adapter for KAN-therm "M" profile collar jaws

GROUP: K

Size [mm]	*	Code		UM
42 - 54		1936267285	1	pc.



Note:

Use KAN-therm "M" profile collar jaws with KAN-therm ZBS1 adapter for KAN-therm press tools: AC 3000, DC 4000.

REMS Power-Press ACC electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1936267219	1	pc.



Note:

The press tool is sold with a case.
The set does not include jaws.

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



REMS Power-Press SE Basic Pack electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1936267160	1	pc.

Note:

The press tool is sold with a case.
The set does not include jaws.



REMS Akku Press battery press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1936267152	1	pc.

Note:

The press tool is sold with a battery, charger and case.
The set does not include jaws.



REMS "M" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
12		1948267046	1	pc.
15		1948267048	1	pc.
18		1948267052	1	pc.
22		1948267056	1	pc.
28		1948267061	1	pc.
35		1948267065	1	pc.
42		1948267067	1	pc.
54		1948267069	1	pc.

Note:

The jaws work with Power-Press SE, Akku-Press, Power-Press ACC drives.



Set of REMS "M" profile press jaws

GROUP: K

Range [mm]	*	Code		UM
42-54		1948267130	1	set

Each set includes:

- 1948267067 - jaws "M" to diameter 42 mm,
- 1948267069 - jaws "M" to diameter 54 mm,
- case.

Jaws work with Power-Press SE, Akku-Press, Power-Press ACC drives.



REMS tool set - electric Power-Press SE press tool and "M" profile jaws

GROUP: K

Range [mm]	*	Code		UM
15-35		1948267033	1	set

Each set includes:

- 1936267160 - electric press tool REMS Power-Press SE,
- 1948267048 - jaws "M" to diameter 15 mm,
- 1948267052 - jaws "M" to diameter 18 mm,
- 1948267056 - jaws "M" to diameter 22 mm,
- 1948267061 - jaws "M" to diameter 28 mm,
- 1948267065 - jaws "M" to diameter 35 mm,
- case.

Novopress tool set - ACO103 BT battery press tool + "M" profile jaws

GROUP: K

Range [mm]	*	Code		UM
15-35	*	1948055008	1	pc.

Each set includes:

- battery press tool - 1 pc.,
- 1948267093 - jaws M15 for press tool - 1 pc.,
- 1948267095 - jaws M18 for press tool - 1 pc.,
- 1942121002 - jaws M22 for press tool - 1 pc.,
- 1948267097 - jaws M28 for press tool - 1 pc.,
- 1938267047 - charger - 1 pc.,
- 1938267002 - battery 2 Ah - 2 pcs.,
- case.



Novopress EFP203 electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1948267210	1	pc.

Note:

The press tool is sold with a plastic case.



Novopress ACO203XL BT press tool

GROUP: K

Range [mm]	*	Code		UM
12-108		1948267181	1	pc.


Each set includes:

- battery press tool - 1 pc.,
- battery 18 V / 5.0 Ah Li-Ion Milwaukee - 2 pcs.,
- charger - 1 pc.,
- lubricant - 1 pc.,
- plastic case.



Novopress PB2 "M" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
12		1948267134	1	pc.
15		1948267135	1	pc.
18		1948267137	1	pc.
22		1948267139	1	pc.
28		1948267141	1	pc.
35		1948267143	1	pc.

Note:

The jaws work with EFP203 and ACO203XL drives.





Novopress "M" profile Snap On collar

GROUP: K

Size [mm]	*	Code		UM
42		1948267119	1	pc.
54		1948267121	1	pc.
66,7	*	1948267089	1	pc.
76,1		1948267145	1	pc.
88,9		1948267044	1	pc.
108		1948267038	1	pc.

Note:

Use jaws for diameters 42 and 54 mm with adapter ZB203 for ACO203XL.
 Use jaws for diameters 66,7, 76,1 and 88,9 mm with adapter ZB221 for ACO203XL.
 Use the jaw with a diameter of 66,7 mm with adapter ZB323 for ECO301.
 Use the jaw with a diameter of 108 mm with adapter ZB221 and ZB222 for ACO203XL.



HP Snap On collar for Novopress ECO301, ACO203XL, EFP203

GROUP: K

Size [mm]	*	Code		UM
35	*	1948267124	1	pc.
42	*	1948267126	1	pc.
54	*	1948267128	1	pc.

Note:

Jaws for diameters 35-54 mm with ECO301 press tool use with ZB303 adapter.
 Jaws for diameters 35-54 mm with ACO203XL and EFP203 crimping tool use with ZB203 adapter.
 Do not use jaw 54 mm with the ACO203XL and EFP203 crimping tool to join KAN-therm Inox system pipes (1.4404 and 1.4521) with a diameter of 54 mm.



Novopress ZB203 adapter

GROUP: K

Range [mm]	*	Code		UM
35-63		1948267000	1	pc.

Note:

Adapter for EFP203 and ACO203XL drives.
 ultraPRESS: 50-63 mm.
 Steel & Inox: 35-54 mm.
 Copper: 42-54 mm.



Novopress ZB221 Adapter

GROUP: K

Range [mm]	*	Code		UM
66,7-108		1948267005	1	pc.

Note:

Adapter for ACO203XL drive.
 For a diameter of 108 mm, adapter ZB221 is used to make the first crimp, and adapter ZB222 for the second crimp.



Novopress ZB222 Adapter

GROUP: K

Range [mm]	*	Code		UM
108		1948267007	1	pc.

Note:

Adapter for ACO203XL drive.
 For a diameter of 108 mm, adapter ZB221 is used to make the first crimp, and adapter ZB222 for the second crimp.

Novopress ACO403 battery press tool

GROUP: K

Range [mm]	*	Code		UM
76,1-168,3		1948267209	1	pc.




Each set includes:

- battery press tool - 1 pc.,
- battery 18 V / 5.0 Ah Li-Ion Milwaukee - 2 pcs.,
- charger - 1 pc.,
- lubricant - 1 pc.,
- plastic case.

Novopress "M" profile HP collar

GROUP: K

Size [mm]	*	Code		UM
76,1	*	1948267100	1	pc.
88,9	*	1948267102	1	pc.
108	*	1948267098	1	pc.



Note:

The jaws work with ACO401 and ACO403 drives.



KAN-therm
MULTISYSTEM

> 35 | years of experience
on the installation
market



KAN-therm

Inox

NOBLE MATERIAL
GIGA POSSIBILITIES

Install the **future**

EN 26/05

Ø **12-168,3 mm**

Table of contents

SYSTEM **KAN-therm** Inox

Pipes	103
Connectors	104
Accessories	117
Tools	119

SYSTEM KAN-therm Inox

Pipes

Stainless steel pipe 1.4404 - bar

GROUP: H

Size [mm]	*	Code			UM
12x1,0	***	1629194065	6	1014	m
15x1,0		1629194001	6	762	m
18x1,0		1629194002	6	366	m
22x1,2		1629194003	6	366	m
28x1,2		1629194004	6	222	m
35x1,5		1629194005	6	222	m
42x1,5		1629194006	6	114	m
54x1,5		1629194007	6	114	m
76,1x2,0		1629194008	6	144	m
88,9x2,0		1629194009	6	96	m
108x2,0		1629194000	6	78	m
139,7x2,0	**	1629194035	6	60	m
168,3x2,0	**	1629194036	6	54	m



Note:

Operating pressure depends on the type of transported medium, diameter range, type of pipes and tools used to make connections:

- 12-168,3 mm up to 16 bar (tools with jaws with M profile). Not applicable to compressed air systems - refer to the "Designer and Contractor Guidebook" for operating conditions.

Stainless steel pipe 1.4521 - bar

GROUP: H

Size [mm]	*	Code			UM
15x1,0		1629194021	6	762	m
18x1,0		1629194023	6	396	m
22x1,2		1629194025	6	366	m
28x1,2		1629194027	6	222	m
35x1,5		1629194029	6	222	m
42x1,5		1629194031	6	114	m
54x1,5		1629194033	6	114	m
76,1x2,0		1629194066	6	144	m
88,9x2,0		1629194067	6	96	m
108x2,0		1629194068	6	78	m



Note:

Operating pressure depends on the type of transported medium, diameter range, type of pipes and tools used to make connections:

- 15-108 mm up to 16 bar (tools with jaws with M profile). Not applicable to compressed air systems - refer to the "Designer and Contractor Guidebook" for operating conditions.

 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Connectors



Female connector



GROUP: G

Size [mm]	*	Code			UM
12 Rp $\frac{3}{8}$ "	***	1609042026	10	50	pc.
12 Rp $\frac{1}{2}$ "	***	1609042025	10	50	pc.
15 Rp $\frac{1}{2}$ "		1609042000	10	130	pc.
15 Rp $\frac{3}{4}$ "		1609042001	10	90	pc.
18 Rp $\frac{1}{2}$ "		1609042002	10	120	pc.
18 Rp $\frac{3}{4}$ "		1609042003	10	80	pc.
22 Rp $\frac{1}{2}$ "		1609042005	10	100	pc.
22 Rp $\frac{3}{4}$ "		1609042006	10	100	pc.
22 Rp1"		1609042004	10	60	pc.
28 Rp $\frac{1}{2}$ "		1609042027	10	40	pc.
28 Rp $\frac{3}{4}$ "		1609042009	10	40	pc.
28 Rp1"		1609042007	10	60	pc.
28 Rp1 $\frac{1}{4}$ "		1609042008	10	30	pc.
35 Rp1"		1609042012	10	20	pc.
35 Rp1 $\frac{1}{4}$ "		1609042011	10	30	pc.
35 Rp1 $\frac{1}{2}$ "		1609042010	10	20	pc.
42 Rp1 $\frac{1}{4}$ "		1609042014	4	12	pc.
42 Rp1 $\frac{1}{2}$ "		1609042013	4	24	pc.
54 Rp1 $\frac{1}{2}$ "		1609042015	4	12	pc.
54 Rp2"		1609042016	4	12	pc.



Male connector

GROUP: G

Size [mm]	*	Code			UM
12 R $\frac{3}{8}$ "	***	1609045042	10	50	pc.
12 R $\frac{1}{2}$ "	***	1609045041	10	50	pc.
15 R $\frac{1}{2}$ "		1609045004	10	200	pc.
15 R $\frac{3}{4}$ "		1609045005	10	80	pc.
18 R $\frac{1}{2}$ "		1609045006	10	160	pc.
18 R $\frac{3}{4}$ "		1609045007	10	100	pc.
22 R $\frac{1}{2}$ "		1609045009	10	70	pc.
22 R $\frac{3}{4}$ "		1609045010	10	100	pc.
22 R1"		1609045008	10	60	pc.
28 R $\frac{3}{4}$ "		1609045013	10	50	pc.
28 R1"		1609045012	10	60	pc.
28 R1 $\frac{1}{4}$ "		1609045011	10	30	pc.
35 R1"		1609045015	10	40	pc.
35 R1 $\frac{1}{4}$ "		1609045016	5	40	pc.
35 R1 $\frac{1}{2}$ "		1609045014	10	20	pc.
42 R1 $\frac{1}{4}$ "		1609045018	4	12	pc.
42 R1 $\frac{1}{2}$ "		1609045017	4	24	pc.
54 R1 $\frac{1}{2}$ "		1609045019	4	16	pc.
54 R2"		1609045020	4	12	pc.
76,1 R2 $\frac{1}{2}$ "		1609045002	2	20	pc.
88,9 R3"		1609045003	2	20	pc.

 coil  bar  pipes in tube  bag  carton box  pallet **N** new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Coupling Inox/Groove



GROUP: G

Size [mm]	*	Code			UM
28 / 33,7		1609042030	10	30	pc.
35 / 42,4		1609042031	10	30	pc.
42 / 48,3		1609042032	5	20	pc.
54 / 60,3		1609042033	5	15	pc.
76,1		1609042034	2	30	pc.
88,9		1609042035	2	30	pc.
108 / 114		1609042028	1	10	pc.



Female slip connector

GROUP: G

Size [mm]	*	Code			UM
22 Rp $\frac{1}{2}$ "		1609042037	10	60	pc.
22 Rp $\frac{3}{4}$ "		1609042038	10	60	pc.
28 Rp $\frac{1}{2}$ "		1609042039	10	40	pc.
28 Rp $\frac{3}{4}$ "		1609042040	10	40	pc.



Female union

GROUP: G

Size [mm]	*	Code			UM
15 Rp $\frac{1}{2}$ "		1609271000	2	60	pc.
15 Rp $\frac{3}{4}$ "		1609271001	2	40	pc.
18 Rp $\frac{1}{2}$ "		1609271002	2	40	pc.
18 Rp $\frac{3}{4}$ "		1609271003	2	40	pc.
22 Rp $\frac{3}{4}$ "		1609271010	2	40	pc.
22 Rp1"		1609271004	2	30	pc.
28 Rp1"		1609271011	2	26	pc.
35 Rp1 $\frac{1}{4}$ "		1609271012	1	20	pc.
42 Rp1 $\frac{1}{2}$ "		1609271013	2	8	pc.
54 Rp2"		1609271009	2	4	pc.



Male union

GROUP: G

Size [mm]	*	Code			UM
15 R $\frac{1}{2}$ "		1609272000	2	50	pc.
15 R $\frac{3}{4}$ "		1609272011	2	60	pc.
18 R $\frac{1}{2}$ "		1609272012	2	60	pc.
18 R $\frac{3}{4}$ "		1609272003	2	60	pc.
22 R $\frac{1}{2}$ "		1609272005	2	40	pc.
22 R $\frac{3}{4}$ "		1609272013	2	40	pc.
22 R1"		1609272004	2	30	pc.
28 R1"		1609272014	2	30	pc.
35 R1 $\frac{1}{4}$ "		1609272015	2	16	pc.
42 R1 $\frac{1}{2}$ "		1609272009	2	12	pc.
54 R2"		1609272016	2	4	pc.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Union

GROUP: G

Size [mm]	*	Code							UM
15		1609271021	2	60	pc.				
18		1609271022	2	40	pc.				
22		1609271023	2	40	pc.				
28		1609271024	2	26	pc.				
35		1609271025	1	20	pc.				
42		1609271026	2	8	pc.				
54		1609271027	2	4	pc.				



Female half union with flat sealing

GROUP: G

Size [mm]	*	Code							UM
15 G3/4"		1609271014	10	120	pc.				
18 G3/4"		1609271015	10	100	pc.				
22 G1"		1609271016	10	60	pc.				
28 G1 1/4"		1609271017	10	40	pc.				
35 G1 1/2"		1609271018	4	32	pc.				
42 G1 3/4"		1609271019	4	12	pc.				
54 G2 3/8"		1609271020	4	8	pc.				





Straight coupling

GROUP: G

Size [mm]	*	Code							UM
12	***	1609245002	10	70	pc.				
15		1609245003	10	140	pc.				
18		1609245004	10	140	pc.				
22		1609245012	10	80	pc.				
28		1609245013	10	60	pc.				
35		1609245014	5	40	pc.				
42		1609245015	4	24	pc.				
54		1609245016	4	16	pc.				
76,1		1609245010	4	24	pc.				
88,9		1609245011	4	12	pc.				
108		1609245000	2	10	pc.				
139,7	**	1609245017	1	-	pc.				
168,3	**	1609245018	1	-	pc.				

Slip coupling

GROUP: G

Size [mm]	*	Code			UM
15		1609080001	10	140	pc.
18		1609080002	10	100	pc.
22		1609080003	10	60	pc.
28		1609080004	10	40	pc.
35		1609080005	5	20	pc.
42		1609080010	4	16	pc.
54		1609080007	2	8	pc.
76,1		1609080008	2	6	pc.
88,9		1609080009	2	10	pc.
108		1609080000	2	4	pc.



Elbow 90°

GROUP: G

Size [mm]	*	Code			UM
12	***	1609068149	10	70	pc.
15		1609068150	10	150	pc.
18		1609068151	10	90	pc.
22		1609068152	10	60	pc.
28		1609068115	5	30	pc.
35		1609068153	5	20	pc.
42		1609068154	2	8	pc.
54		1609068155	2	8	pc.
76,1		1609068125	2	10	pc.
88,9		1609068128	2	8	pc.
108		1609068107	2	4	pc.
139,7	**	1609068156	1	1	pc.
168,3	**	1609068157	1	1	pc.



Plain end elbow 90°

GROUP: G

Size [mm]	*	Code			UM
15		1609068143	10	120	pc.
18		1609068144	10	60	pc.
22		1609068133	5	60	pc.
28		1609068145	5	30	pc.
35		1609068146	5	10	pc.
42		1609068147	2	8	pc.
54		1609068148	2	6	pc.
76,1		1609068139	2	10	pc.
88,9		1609068141	2	8	pc.
108		1609068130	2	4	pc.
139,7	*	1609068194	-	1	pc.
168,3	*	1609068195	-	1	pc.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Elbow 45°

GROUP: G

Size [mm]	*	Code							UM
15		1609068079	10	150	pc.				
18		1609068080	10	120	pc.				
22		1609068051	10	70	pc.				
28		1609068052	10	40	pc.				
35		1609068081	5	25	pc.				
42		1609068082	2	16	pc.				
54		1609068083	2	8	pc.				
76,1		1609068057	2	6	pc.				
88,9		1609068059	2	8	pc.				
108		1609068048	2	6	pc.				
139,7	**	1609068084	-	1	pc.				
168,3	**	1609068085	1	1	pc.				



Plain end elbow 45°

GROUP: G

Size [mm]	*	Code							UM
15		1609068073	10	150	pc.				
18		1609068074	10	120	pc.				
22		1609068075	10	60	pc.				
28		1609068076	10	40	pc.				
35		1609068066	5	25	pc.				
42		1609068077	4	16	pc.				
54		1609068078	2	8	pc.				
76,1		1609068070	2	12	pc.				
88,9		1609068072	2	-	pc.				
108		1609068061	2	4	pc.				
139,7	*	1609068192	-	1	pc.				
168,3	*	1609068193	-	1	pc.				



Tee



GROUP: G

Size [mm]	*	Code							UM
12	***	1609257045	10	60	pc.				
15		1609257002	10	80	pc.				
18		1609257046	10	40	pc.				
22		1609257005	10	40	pc.				
28		1609257047	5	25	pc.				
35		1609257048	5	15	pc.				
42		1609257049	4	8	pc.				
54		1609257050	2	6	pc.				
76,1		1609257010	2	8	pc.				
88,9		1609257011	2	6	pc.				
108		1609257000	2	2	pc.				
139,7	**	1609257001	1	-	pc.				
168,3	**	1609257003	1	-	pc.				

Reducing tee

GROUP: G



Size [mm]	*	Code			UM
18 / 15 / 18		1609260014	10	60	pc.
22 / 15 / 22		1609260046	10	50	pc.
22 / 18 / 22		1609260047	10	50	pc.
28 / 15 / 28		1609260048	5	30	pc.
28 / 18 / 28		1609260049	10	30	pc.
28 / 22 / 28		1609260050	5	30	pc.
35 / 15 / 35		1609260020	5	20	pc.
35 / 18 / 35		1609260021	5	20	pc.
35 / 22 / 35		1609260022	5	20	pc.
35 / 28 / 35		1609260051	5	20	pc.
42 / 22 / 42		1609260024	4	12	pc.
42 / 28 / 42		1609260052	4	12	pc.
42 / 35 / 42		1609260053	4	12	pc.
54 / 22 / 54		1609260054	2	8	pc.
54 / 28 / 54		1609260030	2	8	pc.
54 / 35 / 54		1609260055	2	8	pc.
54 / 42 / 54		1609260032	2	8	pc.
76,1 / 22 / 76,1		1609260035	2	12	pc.
76,1 / 28 / 76,1		1609260036	2	12	pc.
76,1 / 35 / 76,1		1609260037	2	6	pc.
76,1 / 42 / 76,1		1609260038	2	12	pc.
76,1 / 54 / 76,1		1609260039	2	10	pc.
88,9 / 22 / 88,9		1609260040	2	10	pc.
88,9 / 28 / 88,9		1609260041	2	8	pc.
88,9 / 35 / 88,9		1609260042	2	8	pc.
88,9 / 42 / 88,9		1609260043	2	8	pc.
88,9 / 54 / 88,9		1609260044	2	8	pc.
88,9 / 76,1 / 88,9		1609260045	2	6	pc.
108 / 22 / 108		1609260000	2	4	pc.
108 / 28 / 108		1609260001	2	6	pc.
108 / 35 / 108		1609260002	2	6	pc.
108 / 42 / 108		1609260003	2	-	pc.
108 / 54 / 108		1609260004	2	4	pc.
108 / 76,1 / 108		1609260005	2	4	pc.
108 / 88,9 / 108		1609260006	2	4	pc.
139,7 / 76,1 / 139,7	**	1609260008	1	-	pc.
139,7 / 88,9 / 139,7	**	1609260009	1	1	pc.
139,7 / 108 / 139,7	**	1609260007	1	1	pc.
168,3 / 76,1 / 168,3	**	1609260012	1	1	pc.
168,3 / 88,9 / 168,3	**	1609260013	1	1	pc.
168,3 / 108 / 168,3	**	1609260010	1	1	pc.
168,3 / 139,7 / 168,3	**	1609260011	1	1	pc.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Plain end reducer

GROUP: G

Size [mm]	*	Code			UM
15 / 12	***	1609220000	10	200	pc.
18 / 15		1609221003	10	200	pc.
22 / 15		1609221023	10	140	pc.
22 / 18		1609221024	10	120	pc.
28 / 15		1609221025	10	70	pc.
28 / 18		1609221007	10	100	pc.
28 / 22		1609221026	10	80	pc.
35 / 15		1609221027	5	50	pc.
35 / 18		1609221028	5	50	pc.
35 / 22		1609221029	5	50	pc.
35 / 28		1609221030	5	60	pc.
42 / 15		1609221031	5	30	pc.
42 / 18		1609221032	5	30	pc.
42 / 22		1609221033	4	24	pc.
42 / 28		1609221034	4	24	pc.
42 / 35		1609221035	4	24	pc.
54 / 15		1609221036	4	16	pc.
54 / 18		1609221037	4	16	pc.
54 / 22		1609221015	4	16	pc.
54 / 28		1609221016	4	16	pc.
54 / 35		1609221038	4	16	pc.
54 / 42		1609221039	4	16	pc.
76,1 / 42		1609221019	4	12	pc.
76,1 / 54		1609221020	4	32	pc.
88,9 / 54		1609221021	4	24	pc.
88,9 / 76,1		1609221022	4	12	pc.
108 / 54		1609221000	2	2	pc.
108 / 76,1		1609221001	2	10	pc.
108 / 88,9		1609221002	2	10	pc.
139,7 / 88,9	**	1609221041	1	-	pc.
139,7 / 108	**	1609221040	1	1	pc.
168,3 / 88,9	**	1609221044	1	1	pc.
168,3 / 108	**	1609221042	1	1	pc.
168,3 / 139,7	**	1609221043	-	1	pc.



Female elbow 90°

GROUP: G

Size [mm]	*	Code			UM
15 Rp½"		1609068000	10	80	pc.
18 Rp½"		1609068001	10	90	pc.
22 Rp½"		1609068003	10	50	pc.
22 Rp¾"		1609068002	10	50	pc.
28 Rp½"		1609068009	5	30	pc.
28 Rp¾"		1609068005	5	30	pc.
28 Rp1"		1609068008	10	30	pc.
35 Rp½"		1609068011	5	10	pc.
35 Rp¾"		1609068007	5	10	pc.
35 Rp1"		1609068010	5	10	pc.
35 Rp1¼"		1609068012	5	10	pc.

 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Female elbow 90° with plain end

GROUP: G

Size [mm]	*	Code			UM
15 Rp½"		1609068013	10	40	pc.



Male elbow 90°



GROUP: G

Size [mm]	*	Code			UM
15 R½"		1609070000	10	80	pc.
18 R½"		1609070002	10	80	pc.
22 R¾"		1609070004	10	60	pc.
28 R1"		1609070005	10	30	pc.
35 R1¼"		1609070006	5	20	pc.
42 R1½"		1609070009	2	16	pc.
54 R2"		1609070010	2	8	pc.




Female tee

GROUP: G

Size [mm]	*	Code			UM
15 Rp½"		1609257014	10	70	pc.
18 Rp½"		1609257015	10	50	pc.
18 Rp¾"		1609257016	10	50	pc.
22 Rp½"		1609257017	10	40	pc.
22 Rp¾"		1609257018	10	40	pc.
28 Rp½"		1609257038	5	30	pc.
28 Rp¾"		1609257039	10	30	pc.
28 Rp1"		1609257019	5	30	pc.
35 Rp½"		1609257040	5	20	pc.
35 Rp¾"		1609257041	5	20	pc.
35 Rp1"		1609257022	5	20	pc.
42 Rp½"		1609257027	4	16	pc.
42 Rp¾"		1609257042	4	12	pc.
42 Rp1"		1609257026	4	12	pc.
54 Rp½"		1609257031	2	8	pc.
54 Rp¾"		1609257044	2	8	pc.
54 Rp1"		1609257030	2	8	pc.
54 Rp2"		1609257043	2	6	pc.
76,1 Rp¾"		1609257035	2	12	pc.
76,1 Rp2"		1609257034	2	10	pc.
88,9 Rp¾"		1609257037	2	8	pc.
88,9 Rp2"		1609257036	2	6	pc.
108 Rp¾"		1609257013	2	6	pc.
108 Rp2"		1609257012	2	6	pc.
N 139,7 Rp¾"	*	1609257063	-	1	pc.
N 139,7 Rp2"	*	1609257064	-	1	pc.






Female directly fixed wallplate elbow - L = 41 mm

GROUP: G

Size [mm]	*	Code							UM
15 Rp $\frac{1}{2}$ "		1609285009					10	90	pc.

Note:
B = 28 mm.




Female directly fixed wallplate elbow - L = 44 mm

GROUP: G

Size [mm]	*	Code							UM
18 Rp $\frac{1}{2}$ "		1609285002					10	80	pc.

Note:
B = 28 mm.




Female directly fixed wallplate elbow - L = 52 mm

GROUP: G

Size [mm]	*	Code							UM
22 Rp $\frac{3}{4}$ "		1609285003					10	50	pc.

Note:
B = 33 mm.




Female directly fixed wallplate elbow - L = 63 mm

GROUP: G

Size [mm]	*	Code							UM
15 Rp $\frac{1}{2}$ "		1609285004					20	40	pc.
18 Rp $\frac{1}{2}$ "		1609285007					20	40	pc.

Note:
1609285004: Size B = 28 mm.
1609285007: Size B = 28 mm.



Female directly fixed wallplate elbow - L = 64 mm

GROUP: G

Size [mm]	*	Code							UM
22 Rp $\frac{3}{4}$ "		1609285008					10	40	pc.

Note:
Size B = 33 mm.

Axial compensator with press connection

GROUP: G

Size [mm]	*	Code			UM
15		1609037002	10	60	pc.
18		1609037004	10	60	pc.
22		1609037005	5	30	pc.
28		1609037007	5	20	pc.
35		1609037008	4	16	pc.
42		1609037010	2	12	pc.
54		1609037011	2	4	pc.



Note:

The warranty is provided for 1000 cycles of operation when used as intended.
The axial compensator is suitable only for absorbing axial movements of the pipeline.



Axial compensator

GROUP: G

Size [mm]	*	Code			UM
76,1		1609037013	2	8	pc.
88,9		1609037014	2	4	pc.
108		1609037000	2	6	pc.


Note:

The warranty is provided for 1000 cycles of operation when used as intended.
The axial compensator is suitable only for absorbing axial movements of the pipeline.



Crossover



GROUP: G

Size [mm]	*	Code			UM
15		1609178000	10	80	pc.
18		1609178001	10	50	pc.
22		1609178002	10	50	pc.
28		1609178003	10	20	pc.



Bend 15°


GROUP: G

Size [mm]	*	Code			UM
28		1609011002	10	40	pc.
35		1609011003	5	15	pc.
42		1609011004	2	20	pc.
54		1609011005	2	6	pc.



Bend 30°

GROUP: G

Size [mm]	*	Code			UM
28		1609011009	10	40	pc.
35		1609011008	4	12	pc.
42		1609011010	2	20	pc.
54		1609011011	2	8	pc.





Bend 60°

GROUP: G

Size [mm]	*	Code			UM
28		1609011014	5	30	pc.
35		1609011015	4	12	pc.
42		1609011016	5	20	pc.
54		1609011017	2	6	pc.



Bend 90°

GROUP: G

Size [mm]	*	Code			UM
15		1609011018	10	70	pc.
18		1609011019	10	50	pc.
22		1609011025	10	30	pc.
28		1609011026	5	20	pc.
35		1609011027	4	8	pc.
42		1609011028	2	4	pc.
54		1609011029	2	10	pc.



Stop end

GROUP: G

Size [mm]	*	Code			UM
15		1609250002	20	80	pc.
18		1609250004	20	300	pc.
22		1609250006	10	150	pc.
28		1609250020	10	130	pc.
35		1609250010	5	75	pc.
42		1609250012	4	48	pc.
54		1609250021	4	24	pc.
76,1		1609250016	2	4	pc.
88,9		1609250018	2	4	pc.
108		1609250000	2	4	pc.



Ball valve

GROUP: G

Size [mm]	*	Code			UM
N 15		1609278000	1	25	pc.
N 18		1609278001	1	25	pc.
N 22		1609278002	1	15	pc.
N 28		1609278003	1	10	pc.
N 35		1609278004	1	10	pc.
N 42		1609278005	1	7	pc.
N 54		1609278006	1	5	pc.

The ball is made of stainless steel 1.4401.
Max working pressure 16 bar.
Warranty for 5 years.

Ball valve with female half union with flat sealing

GROUP: G



Size [mm]	*	Code			UM
15 G¾"		1609278007	1	25	pc.
18 G¾"		1609278008	1	25	pc.
22 G¾"		1609278009	1	15	pc.
28 G1¼"		1609278010	1	10	pc.
35 G1½"		1609278011	1	10	pc.
42 G1¾"		1609278012	1	7	pc.
54 G2¼"		1609278013	1	5	pc.

The ball is made of stainless steel 1.4401.
Max working pressure 16 bar.
Warranty for 5 years.




Flange adapter

GROUP: G

Size [mm]	*	Code			UM
15 1⅝"		1609090001	20	100	pc.
15 1½"		1609090000	20	100	pc.
18 1¼"		1609090011	20	100	pc.
18 1½"		1609090010	20	100	pc.
22 1¼"		1609090005	20	80	pc.
22 1½"		1609090004	20	80	pc.
28 1½"		1609090006	20	80	pc.
35 2"		1609090007	10	30	pc.
42 2¼"		1609090008	10	30	pc.
54 2¾"		1609090012	5	20	pc.






Flange PN16

GROUP: G

Size [mm]	*	Code			UM
15 DN15		1609091004	1	15	pc.
18 DN15		1609091005	1	15	pc.
22 DN20		1609091006	1	12	pc.
28 DN25		1609091007	1	12	pc.
35 DN32		1609091001	1	6	pc.
42 DN40		1609091008	1	4	pc.
54 DN50		1609091009	1	2	pc.
76,1 DN65		1609091002	1	2	pc.
88,9 DN80		1609091003	1	2	pc.
108 DN100		1609091000	1	2	pc.

Note:
Complete the flat gasket yourself.

Code	d1	l1	l2	z1	k2	D2	d2-2	n2
1609091004	15	43	13	23	65	95	14	4
1609091005	18	44	13	24	65	95	14	4
1609091006	22	45	14	24	75	105	14	4
1609091007	28	49	16	26	85	115	14	4
1609091001	35	51	17	26	100	140	18	4
1609091008	42	59	18	29	110	150	18	4
1609091009	54	69	18	34	125	165	18	4
1609091002	76,1	108	18	53	145	185	18	4
1609091003	88,9	127	20	64	160	200	18	8
1609091000	108	147	20	70	180	220	18	8



Flange PN16

GROUP: G

Size [mm]	*	Code		UM
139,7 DN125	**	1609091010	1	pc.
168,3 DN150	**	1609091011	1	pc.

Note:
Complete the flat gasket yourself.

Code	D	k	b	d2	h	z	n2
1609091010	250	210	22	18	138	41	8
1609091011	285	240	24	22	171	54	8

Accessories

Plastic plug for pipe transport


GROUP: I

Size [mm]	*	Code		UM
15		2141183000	2000	pc.
18		2141183001	2000	pc.
22		2141183002	2000	pc.
28		2141183003	2000	pc.
35		2141183004	2000	pc.
42		2141183005	1000	pc.
54		2141183006	500	pc.



O-Ring LBP EPDM Steel/Inox

GROUP: I

Size [mm]	*	Code			UM
12	*	1509182021	20	1000	pc.
15		1509182022	20	600	pc.
18		1509182023	20	500	pc.
22		1509182024	20	500	pc.
28		1509182025	20	400	pc.
35		1509182026	20	400	pc.
42		1509182027	20	300	pc.
54		1509182028	20	300	pc.



Note:

LBP EPDM O-Rings can be used in KAN-therm Steel and Inox systems.

O-Ring LBP FPM Viton Steel/Inox

GROUP: I

Size [mm]	*	Code			UM
15		1509182030	20	600	pc.
18		1509182029	20	500	pc.
22		1509182031	20	500	pc.
28		1509182032	20	400	pc.
35		1509182033	20	400	pc.
42		1509182034	20	300	pc.
54		1509182035	20	300	pc.



Note:

LBP FPM/Viton O-Rings can be used in KAN-therm Steel and Inox systems.
Do not use in hot water installations.

O-Ring EPDM Steel/Inox

GROUP: I

Size [mm]	*	Code			UM
76,1		1609182023	5	100	pc.
88,9		1609182024	5	100	pc.
108		1609182025	5	50	pc.
139,7		1609182016	-	1	pc.
168,3		1609182017	-	1	pc.



Note:

EPDM O-Rings 76,1-108 can be used in KAN-therm Steel and Inox systems.
O-Ring 66,7 is used for KAN-therm Steel fittings only.

 coil  bar  pipes in tube  bag  carton box  pallet  new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



O-Ring FPM Viton Steel/Inox

GROUP: I

Size [mm]	*	Code			UM
76,1		1609182020	5	100	pc.
88,9		1609182021	5	100	pc.
108		1609182022	5	50	pc.
139,7	**	1609182018	-	1	pc.
168,3	**	1609182019	-	1	pc.

Note:

LBP EPDM O-Rings 76,1-108 can be used in KAN-therm Steel and Inox systems.
 O-Ring 66,7 is only used for Steel connector.
 Do not use in hot water installations.



Flat gasket FPM Viton Steel/Inox

GROUP: I

Size [mm]	*	Code			UM
15-18		1509237000	20	500	pc.
22		1509237001	20	500	pc.
28		1509237002	20	400	pc.
35		1509237003	20	400	pc.
42		1509237004	20	300	pc.
54		1509237005	20	300	pc.


Note:

Gasket for unions and half unions of KAN-therm Steel and Inox systems.
 Do not use in hot water installations.

Tools

Roller cutter for pipes REMS RAS St

GROUP: K

Range [mm]	*	Code		UM
12-54		1948267025	1	pc.
35-108		1948267027	1	pc.



Cutting wheel for roller cutter REMS St

GROUP: K

Range [mm]	*	Code			UM
12-108		1941267037	1	10	pc.

Note:

Intended for roller cutters, codes: 1948267025, 1948267027.



Roller cutter for pipes REMS RAS Mini S

GROUP: K

N

Range [mm]	*	Code		UM
12-28		1900267003	1	pc.

Note:

The set includes a cutting wheel.



Roller cutter for pipes REMS RAS S

GROUP: K

N

Range [mm]	*	Code		UM
12-35		1900267001	1	pc.

Note:

The set includes a cutting wheel.



Cutting wheel for roller cutter REMS RAS

GROUP: K

N

Range [mm]	*	Code		UM
12-35		1900267002	1	pc.

Note:

Intended for roller cutters, codes: 1900267003, 1900267001.



Cordless pipe cutter REMS Akku-Nano

GROUP: K

N

Range [mm]	*	Code		UM
12-35		1948183003	1	pc.

Note:

The set includes a cutting wheel.



 coil  bar  pipes in tube  bag  carton box  pallet **N** new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Cutting wheel for roller cutter REMS Nano

GROUP: K

Range [mm]	*	Code		UM
12-35		1978267000	1	pc.

Note:
Intended for cordless roller cutter code 1948183003.



Pipe cutting machine REMS Cento

GROUP: K

Range [mm]	*	Code		UM
22-108		1948183001	1	pc.

Note:
The set includes a cutting wheel.



Pipe cutting machine REMS DueCento

GROUP: K

Range [mm]	*	Code		UM
54-168,3		1948267034	1	pc.

Note:
The set does not include a cutting wheel.
In operating range 54-108, use additional guide rollers with code 1900267000.
Guide rollers must be purchased separately.



Cutting wheel for pipe cutting machine REMS Cento/DueCento

GROUP: K

Range [mm]	*	Code			UM
22-168,3		1941267041	1	50	pc.

Intended for pipe cutting machines, codes: 1948183001, 1948267034.



Guide roller insert for pipe cutting REMS DueCento

GROUP: K

Range [mm]	*	Code		UM
54-108		1900267000	1	pc.

Note:
Intended for pipe cutting machine, code: 1948267034.

Pipe support for cutting machine REMS Cento

GROUP: K

Range [mm]	*	Code		UM
12-54		1948267029	1	pc.



Deburrer for metal pipes REMS REG

GROUP: K

Range [mm]	*	Code		UM
12-54		1948267015	1	6 pc.



Tool set - deburrer and roller cutter

GROUP: K

Range [mm]	*	Code		UM
12-54	*	1948267023	1	set

Each set includes:

- 1948267025 - roller cutter for pipes 12-54 mm,
- 1948267015 - deburrer for pipes 12-54 mm,
- 1941267129 - case.



Tool set - KAN-therm Mini battery press tool + "M" profile jaws

GROUP: K

Range [mm]	*	Code		UM
15-28		1936055009	1	pc.

Each set includes:

- 1936055008 - KAN-therm Mini press tool - 1 pc.,
- 1936267278 - jaws SBM M15 - 1 pc.,
- 1936267279 - jaws SBM M18 - 1 pc.,
- 1936267280 - jaws SBM M22 - 1 pc.,
- 1936267282 - jaws SBM M28 - 1 pc.,
- 1967267051 - battery RAML1225 Li-Ion 10,8 V 2,5 Ah - 2 pcs.,
- 1967267024 - charger LGML1 ~230 V 35 W - 1 pc.,
- case - 1 pc.



KAN-therm AC 3000 electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-54		1936267239	1	pc.

Note:

The press tool is sold in a case.



KAN-therm DC 4000 battery press tool

GROUP: K

Range [mm]	*	Code		UM
12-54		1936267238	1	pc.

Note:

The press tool is sold with a battery, charger and case.





Charger for KAN-therm DC 4000 battery press tool

GROUP: K

Version	*	Code			UM
10,8-36 V		1936267267	1	80	pc.



Battery for KAN-therm DC 4000 press tool

GROUP: K

Version	*	Code			UM
18 V / 4 Ah		1936267266	1	80	pc.



KAN-therm "M" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
N 15		1936267249	1	pc.
N 18		1936267250	1	pc.
N 22		1936267251	1	pc.
N 28		1936267252	1	pc.
N 35		1936267253	1	pc.

Note:

The jaws work with KAN-therm: AC 3000, DC 4000 drives.



KAN-therm "M" profile collar

GROUP: K

Size [mm]	*	Code		UM
42		1936267283	1	pc.
54		1936267284	1	pc.

Note:

Use KAN-therm "M" profile collar jaws with KAN-therm ZBS1 adapter for KAN-therm press tools, AC 3000, DC 4000.



ZBS1 adapter for KAN-therm "M" profile collar jaws

GROUP: K

Size [mm]	*	Code		UM
42 - 54		1936267285	1	pc.

Note:

Use KAN-therm "M" profile collar jaws with KAN-therm ZBS1 adapter for KAN-therm press tools: AC 3000, DC 4000.



REMS Power-Press ACC electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1936267219	1	pc.

Note:

The press tool is sold with a case.
The set does not include jaws.

coil bar pipes in tube bag carton box pallet **N** new available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

REMS Power-Press SE Basic Pack electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1936267160	1	pc.

Note:

The press tool is sold with a case.
The set does not include jaws.



REMS Akku Press battery press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1936267152	1	pc.

Note:

The press tool is sold with a battery, charger and case.
The set does not include jaws.



REMS "M" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
12		1948267046	1	pc.
15		1948267048	1	pc.
18		1948267052	1	pc.
22		1948267056	1	pc.
28		1948267061	1	pc.
35		1948267065	1	pc.
42		1948267067	1	pc.
54		1948267069	1	pc.

Note:

The jaws work with Power-Press SE, Akku-Press, Power-Press ACC drives.



Set of REMS "M" profile press jaws

GROUP: K

Range [mm]	*	Code		UM
42-54		1948267130	1	set

Each set includes:


- 1948267067 - jaws "M" to diameter 42 mm,
- 1948267069 - jaws "M" to diameter 54 mm,
- case.

Jaws work with Power-Press SE, Akku-Press, Power-Press ACC drives.



REMS tool set - electric Power-Press SE press tool and "M" profile jaws

GROUP: K

Range [mm]	*	Code		UM
15-35		1948267033	1	set

Each set includes:

- 1936267160 - electric press tool REMS Power-Press SE,
- 1948267048 - jaws "M" to diameter 15 mm,
- 1948267052 - jaws "M" to diameter 18 mm,
- 1948267056 - jaws "M" to diameter 22 mm,
- 1948267061 - jaws "M" to diameter 28 mm,
- 1948267065 - jaws "M" to diameter 35 mm,
- case.





Novopress tool set - ACO103 BT battery press tool + "M" profile jaws

GROUP: K

Range [mm]	*	Code		UM
15-35	*	1948055008	1	pc.

Each set includes:

- battery press tool - 1 pc.,
- 1948267093 - jaws M15 for press tool - 1 pc.,
- 1948267095 - jaws M18 for press tool - 1 pc.,
- 1942121002 - jaws M22 for press tool - 1 pc.,
- 1948267097 - jaws M28 for press tool - 1 pc.,
- 1938267047 - charger - 1 pc.,
- 1938267002 - battery 2 Ah - 2 pcs.,
- case.



Novopress EFP203 electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1948267210	1	pc.

Note:

The press tool is sold with a plastic case.



Novopress ACO203XL BT press tool

GROUP: K

Range [mm]	*	Code		UM
12-108		1948267181	1	pc.

Each set includes:

- battery press tool - 1 pc.,
- battery 18 V / 5.0 Ah Li-Ion Milwaukee - 2 pcs.,
- charger - 1 pc.,
- lubricant - 1 pc.,
- plastic case.



Novopress PB2 "M" profile press jaws

GROUP: K


Size [mm]	*	Code		UM
12		1948267134	1	pc.
15		1948267135	1	pc.
18		1948267137	1	pc.
22		1948267139	1	pc.
28		1948267141	1	pc.
35		1948267143	1	pc.

Note:

The jaws work with EFP203 and ACO203XL drives.

Novopress "M" profile Snap On collar

GROUP: K

Size [mm]	*	Code		UM
42		1948267119	1	pc.
54		1948267121	1	pc.
66,7	*	1948267089	1	pc.
76,1		1948267145	1	pc.
88,9		1948267044	1	pc.
108		1948267038	1	pc.


Note:

Use jaws for diameters 42 and 54 mm with adapter ZB203 for ACO203XL.
 Use jaws for diameters 66,7, 76,1 and 88,9 mm with adapter ZB221 for ACO203XL.
 Use the jaw with a diameter of 66,7 mm with adapter ZB323 for ECO301.
 Use the jaw with a diameter of 108 mm with adapter ZB221 and ZB222 for ACO203XL.



HP Snap On collar for Novopress ECO301, ACO203XL, EFP203

GROUP: K

Size [mm]	*	Code		UM
35	*	1948267124	1	pc.
42	*	1948267126	1	pc.
54	*	1948267128	1	pc.

Note:

Jaws for diameters 35-54 mm with ECO301 press tool use with ZB303 adapter.
 Jaws for diameters 35-54 mm with ACO203XL and EFP203 crimping tool use with ZB203 adapter.
 Do not use jaw 54 mm with the ACO203XL and EFP203 crimper to join KAN-therm Inox system pipes (1.4404 and 1.4521) with a diameter of 54 mm.



Novopress ZB203 adapter

GROUP: K

Range [mm]	*	Code		UM
35-63		1948267000	1	pc.

Note:

Adapter for EFP203 and ACO203XL drives.
 ultraPRESS: 50-63 mm.
 Steel & Inox: 35-54 mm.
 Copper: 42-54 mm.



Novopress ZB221 Adapter

GROUP: K

Range [mm]	*	Code		UM
66,7-108		1948267005	1	pc.

Note:

Adapter for ACO203XL drive.
 For a diameter of 108 mm, adapter ZB221 is used to make the first crimp, and adapter ZB222 for the second crimp.



Novopress ZB222 Adpater

GROUP: K

Range [mm]	*	Code		UM
108		1948267007	1	pc.

Note:

Adapter for ACO203XL drive.
 For a diameter of 108 mm, adapter ZB221 is used to make the first crimp, and adapter ZB222 for the second crimp.





Novopress ACO403 battery press tool

GROUP: K

Range [mm]	*	Code		UM
76,1-168,3		1948267209	1	pc.

Each set includes:

- battery press tool - 1 pc.,
- battery 18 V / 5.0 Ah Li-Ion Milwaukee - 2 pcs.,
- charger - 1 pc.,
- lubricant - 1 pc.,
- plastic case.



Novopress "M" profile HP collar

GROUP: K

Size [mm]	*	Code		UM
76,1	*	1948267100	1	pc.
88,9	*	1948267102	1	pc.
108	*	1948267098	1	pc.
139,7		1948267071	1	pc.
168,3		1948267072	1	pc.

Note:

The jaws work with ACO401 and ACO403 drives.



KAN-therm
MULTISYSTEM

> 35 | lat doświadczenia
na rynku
instalacyjnym



KAN-therm

Copper

MODERN APPROACH
TO CLASSIC SOLUTIONS

Install the **future**

EN 26/05

Ø **12-108 mm**

Table of contents

SYSTEM **KAN-therm** Copper



Connectors	129
Accessories	142
Tools	143

SYSTEM KAN-therm Copper

Connectors

Female connector



GROUP: P

Size [mm]	*	Code			UM
12 Rp $\frac{3}{8}$ "		2265044000	5	250	pc.
12 Rp $\frac{1}{2}$ "		2265044001	5	150	pc.
15 Rp $\frac{3}{8}$ "		2265044002	5	175	pc.
15 Rp $\frac{1}{2}$ "		2265044003	10	150	pc.
15 Rp $\frac{3}{4}$ "		2265044004	5	100	pc.
18 Rp $\frac{1}{2}$ "		2265044005	5	100	pc.
18 Rp $\frac{3}{4}$ "		2265044006	5	100	pc.
22 Rp $\frac{1}{2}$ "		2265044007	5	100	pc.
22 Rp $\frac{3}{4}$ "		2265044008	5	75	pc.
22 Rp1"		2265044009	5	75	pc.
28 Rp $\frac{3}{4}$ "		2265044010	5	50	pc.
28 Rp1"		2265044011	5	50	pc.
28 Rp1 $\frac{1}{4}$ "		2265044012	5	50	pc.
35 Rp $\frac{3}{4}$ "		2265044018	5	50	pc.
35 Rp1"		2265044013	5	40	pc.
35 Rp1 $\frac{1}{4}$ "		2265044014	5	25	pc.
42 Rp1 $\frac{1}{4}$ "		2265044015	1	15	pc.
42 Rp1 $\frac{1}{2}$ "		2265044016	1	10	pc.
54 Rp2"		2265044017	1	8	pc.



Female connector with plain end

GROUP: P

Size [mm]	*	Code			UM
15 Rp $\frac{1}{2}$ "		2265328000	10	150	pc.
18 Rp $\frac{1}{2}$ "		2265328001	10	150	pc.
18 Rp $\frac{3}{4}$ "		2265328002	10	100	pc.
22 Rp $\frac{1}{2}$ "		2265328003	10	100	pc.
22 Rp $\frac{3}{4}$ "		2265328004	10	100	pc.
28 Rp $\frac{3}{4}$ "		2265328005	5	75	pc.
28 Rp1"		2265328006	5	50	pc.
35 Rp1"		2265328007	5	50	pc.
35 Rp1 $\frac{1}{4}$ "		2265328008	1	15	pc.
42 Rp1 $\frac{1}{2}$ "		2265328009	1	15	pc.
54 Rp2"		2265328010	1	10	pc.





 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Male connector



GROUP: P

Size [mm]	*	Code			UM
12 R $\frac{3}{8}$ "		2265045000	5	250	pc.
12 R $\frac{1}{2}$ "		2265045001	5	200	pc.
15 R $\frac{3}{8}$ "		2265045002	5	150	pc.
15 R $\frac{1}{2}$ "		2265045003	10	100	pc.
15 R $\frac{3}{4}$ "		2265045004	5	100	pc.
18 R $\frac{1}{2}$ "		2265045005	5	100	pc.
18 R $\frac{3}{4}$ "		2265045006	5	100	pc.
22 R $\frac{1}{2}$ "		2265045007	5	100	pc.
22 R $\frac{3}{4}$ "		2265045008	10	100	pc.
22 R1"		2265045009	5	75	pc.
28 R $\frac{3}{4}$ "		2265045010	5	75	pc.
28 R1		2265045011	5	50	pc.
28 R1 $\frac{1}{4}$ "		2265045012	5	50	pc.
35 R1"		2265045013	5	50	pc.
35 R1 $\frac{1}{4}$ "		2265045014	5	50	pc.
42 R1 $\frac{1}{4}$ "		2265045015	1	20	pc.
42 R1 $\frac{1}{2}$ "		2265045016	1	15	pc.
54 R2"		2265045017	1	10	pc.
66,7 R2 $\frac{1}{2}$ "		2265045018	1	1	pc.
76,1 R2 $\frac{1}{2}$ "		2265045019	1	1	pc.
76,1 R3"		2265045020	1	1	pc.
88,9 R3"		2265045021	1	1	pc.
108 R4"		2265045022	1	1	pc.



Male connector with plain end

GROUP: P



Size [mm]	*	Code			UM
15 R $\frac{1}{2}$ "		2265329000	5	150	pc.
18 R $\frac{1}{2}$ "		2265329001	5	125	pc.
18 R $\frac{3}{4}$ "		2265329002	5	100	pc.
22 R $\frac{1}{2}$ "		2265329003	5	100	pc.
22 R $\frac{3}{4}$ "		2265329004	5	100	pc.
28 R1"		2265329005	5	50	pc.
35 R1 $\frac{1}{4}$ "		2265329006	1	40	pc.
42 R1 $\frac{1}{2}$ "		2265329007	1	20	pc.

 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Female union connector



GROUP: P

Size [mm]	*	Code			UM
12 Rp½"		2265119000	5	100	pc.
15 Rp½"		2265119001	5	75	pc.
15 Rp¾"		2265119002	5	75	pc.
18 Rp½"		2265119003	5	75	pc.
18 Rp¾"		2265119004	5	50	pc.
22 Rp¾"		2265119005	5	60	pc.
22 Rp1"		2265119006	5	50	pc.
28 Rp¾"		2265119011	5	40	pc.
28 Rp1"		2265119007	5	40	pc.
35 Rp1¼"		2265119008	5	25	pc.
42 Rp1½"		2265119009	1	10	pc.
54 Rp2"		2265119010	1	5	pc.



Male union connector



GROUP: P

Size [mm]	*	Code			UM
12 R¾"		2265272000	5	100	pc.
12 R½"		2265272001	5	75	pc.
15 R½"		2265272002	5	50	pc.
15 R¾"		2265272003	5	50	pc.
18 R½"		2265272004	5	50	pc.
18 R¾"		2265272005	5	50	pc.
22 R½"		2265272006	5	50	pc.
22 R¾"		2265272007	5	50	pc.
22 R1"		2265272008	5	50	pc.
28 R¾"		2265272013	5	40	pc.
28 R1"		2265272009	5	25	pc.
35 R1¼"		2265272010	5	25	pc.
42 R1½"		2265272011	1	10	pc.
54 R2"		2265272012	1	5	pc.



Female union connector 90°

GROUP: P

Size [mm]	*	Code			UM
12 Rp½"		2265069013	5	50	pc.
15 Rp½"		2265069014	5	50	pc.
18 Rp½"		2265069015	5	50	pc.
18 Rp¾"		2265069016	5	50	pc.
22 Rp¾"		2265069017	5	25	pc.
22 Rp1"		2265069018	5	25	pc.
28 Rp1"		2265069019	5	20	pc.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Union

GROUP: P

Size [mm]	*	Code							UM
15		2265065000	5				75		pc.
18		2265065001	5				75		pc.
22		2265065002	5				50		pc.
28		2265065003	5				25		pc.
35		2265065004	5				20		pc.
42		2265065005	1				10		pc.
54		2265065006	1				5		pc.



Female half union with flat sealing

GROUP: P

Size [mm]	*	Code							UM
15 G $\frac{3}{4}$ "		2265105000	5				100		pc.
18 G $\frac{3}{4}$ "		2265105001	5				100		pc.
22 G1"		2265105002	5				75		pc.
28 G1 $\frac{1}{4}$ "		2265105003	5				50		pc.
35 G1 $\frac{1}{2}$ "		2265105004	5				40		pc.
42 G1 $\frac{3}{4}$ "		2265105005	5				15		pc.
54 G2 $\frac{3}{8}$ "		2265105006	1				5		pc.



Female MULTIPORT coupling

GROUP: P

Size [mm]	*	Code							UM
66,7 Rp $\frac{1}{2}$ "		2265258012	1				1		pc.
76,1 Rp $\frac{1}{2}$ "		2265258013	1				1		pc.
88,9 Rp $\frac{3}{4}$ "		2265258014	1				1		pc.
108 Rp $\frac{3}{4}$ "		2265258015	1				1		pc.





Coupling

GROUP: P

Size [mm]	*	Code							UM
12		2265245000	10				150		pc.
15		2265245001	10				200		pc.
18		2265245002	10				150		pc.
22		2265245003	10				100		pc.
28		2265245004	5				50		pc.
35		2265245005	5				25		pc.
42		2265245006	1				10		pc.
54		2265245007	1				10		pc.
66,7		2265245008	1				1		pc.
76,1		2265245009	1				1		pc.
88,9		2265245010	1				1		pc.
108		2265245011	1				1		pc.

Reducing coupling



GROUP: P

Size [mm]	*	Code			UM
15 / 12		2265330000	10	150	pc.
22 / 15		2265330001	10	100	pc.
28 / 15		2265330006	10	80	pc.
28 / 22		2265330002	10	80	pc.
35 / 28		2265330003	5	15	pc.
42 / 35		2265330004	1	20	pc.
54 / 42		2265330005	1	10	pc.



Slip coupling



GROUP: P

Size [mm]	*	Code			UM
15		2265245013	5	75	pc.
18		2265245014	5	75	pc.
22		2265245015	5	50	pc.
28		2265245016	5	40	pc.
35		2265245017	5	25	pc.
42		2265245018	1	10	pc.
54		2265245019	1	10	pc.
66,7		2265245023	1	1	pc.
76,1		2265245020	1	1	pc.
88,9		2265245021	1	1	pc.
108		2265245022	1	1	pc.



Elbow 90°

GROUP: P

Size [mm]	*	Code			UM
12		2265302000	10	200	pc.
15		2265302001	10	150	pc.
18		2265302002	10	100	pc.
22		2265302003	10	50	pc.
28		2265302004	5	40	pc.
35		2265302005	5	25	pc.
42		2265302006	1	10	pc.
54		2265302007	1	8	pc.
66,7		2265302008	1	1	pc.
76,1		2265302009	1	1	pc.
88,9		2265302010	1	1	pc.
108		2265302011	1	1	pc.





 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Plain end elbow 90°



GROUP: P

Size [mm]	*	Code			UM
12		2265326000	10	200	pc.
15		2265326001	10	150	pc.
18		2265326002	10	100	pc.
22		2265326003	10	50	pc.
28		2265326004	5	40	pc.
35		2265326005	5	20	pc.
42		2265326006	1	10	pc.
54		2265326007	1	8	pc.
66,7		2265326008	1	1	pc.
76,1		2265326009	1	1	pc.
88,9		2265326010	1	1	pc.
108		2265326011	1	1	pc.



Elbow 45°



GROUP: P

Size [mm]	*	Code			UM
12		2265303000	10	250	pc.
15		2265303001	10	200	pc.
18		2265303002	10	150	pc.
22		2265303003	10	100	pc.
28		2265303004	5	50	pc.
35		2265303005	5	25	pc.
42		2265303006	1	10	pc.
54		2265303007	1	5	pc.
66,7		2265303008	1	1	pc.
76,1		2265303009	1	1	pc.
88,9		2265303010	1	1	pc.
108		2265303011	1	1	pc.





Plain end elbow 45°

GROUP: P

Size [mm]	*	Code			UM
12		2265325000	10	250	pc.
15		2265325001	10	200	pc.
18		2265325002	10	150	pc.
22		2265325003	10	100	pc.
28		2265325004	5	50	pc.
35		2265325005	5	25	pc.
42		2265325006	1	10	pc.
54		2265325007	1	5	pc.
66,7		2265325008	1	1	pc.
76,1		2265325009	1	1	pc.
88,9		2265325010	1	1	pc.
108		2265325011	1	1	pc.

Tee

GROUP: P

Size [mm]	*	Code			UM
12		2265257001	10	150	pc.
15		2265257002	10	100	pc.
18		2265257003	10	50	pc.
22		2265257004	10	50	pc.
28		2265257005	5	25	pc.
35		2265257006	5	15	pc.
42		2265257007	1	10	pc.
54		2265257008	1	4	pc.
66,7		2265257009	1	1	pc.
76,1		2265257010	1	1	pc.
88,9		2265257011	1	1	pc.
108		2265257012	1	1	pc.





 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Reducing tee

GROUP: P



Size [mm]	*	Code			UM
12 / 15 / 12		2265260058	10	50	pc.
15 / 12 / 12		2265260043	10	100	pc.
15 / 12 / 15		2265260000	10	100	pc.
15 / 15 / 12		2265260035	10	100	pc.
15 / 18 / 15		2265260055	10	100	pc.
15 / 22 / 15		2265260056	10	50	pc.
18 / 12 / 18		2265260001	10	50	pc.
18 / 15 / 15		2265260044	10	50	pc.
18 / 15 / 18		2265260002	10	50	pc.
18 / 18 / 15		2265260036	10	50	pc.
22 / 12 / 22		2265260032	10	30	pc.
22 / 15 / 15		2265260045	10	50	pc.
22 / 15 / 18		2265260046	10	50	pc.
22 / 15 / 22		2265260003	10	50	pc.
22 / 18 / 18		2265260047	10	50	pc.
22 / 18 / 22		2265260004	10	50	pc.
22 / 22 / 15		2265260037	5	50	pc.
22 / 22 / 18		2265260038	10	50	pc.
22 / 28 / 22		2265260057	5	35	pc.
28 / 12 / 28		2265260033	5	30	pc.
28 / 15 / 22		2265260049	5	25	pc.
28 / 15 / 28		2265260005	5	25	pc.
28 / 18 / 28		2265260006	5	25	pc.
28 / 22 / 22		2265260048	5	25	pc.
28 / 22 / 28		2265260007	5	25	pc.
28 / 28 / 15		2265260040	5	25	pc.
28 / 28 / 22		2265260039	5	25	pc.
28 / 35 / 28		2265260054	5	15	pc.
35 / 15 / 35		2265260008	5	30	pc.
35 / 22 / 28		2265260050	5	15	pc.
35 / 22 / 35		2265260009	5	15	pc.
35 / 28 / 28		2265260051	5	15	pc.
35 / 28 / 35		2265260010	5	20	pc.
35 / 35 / 22		2265260041	5	15	pc.
35 / 35 / 28		2265260042	5	15	pc.
42 / 15 / 42		2265260011	1	10	pc.
42 / 22 / 42		2265260012	1	15	pc.
42 / 28 / 42		2265260013	1	5	pc.
42 / 35 / 35		2265260052	5	10	pc.
42 / 35 / 42		2265260014	1	8	pc.
54 / 22 / 54		2265260015	1	8	pc.
54 / 28 / 54		2265260016	1	5	pc.
54 / 35 / 54		2265260017	1	5	pc.
54 / 42 / 42		2265260053	1	8	pc.
54 / 42 / 54		2265260018	1	5	pc.

 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Reducing tee



GROUP: P

Size [mm]	*	Code			UM
66,7 / 28 / 66,7		2265260034	1	1	pc.
66,7 / 35 / 66,7		2265260026	1	1	pc.
66,7 / 42 / 66,7		2265260025	1	1	pc.
66,7 / 54 / 66,7		2265260024	1	1	pc.
76,1 / 22 / 76,1		2265260027	1	1	pc.
76,1 / 28 / 76,1		2265260028	1	1	pc.
76,1 / 35 / 76,1		2265260019	1	1	pc.
76,1 / 42 / 76,1		2265260020	1	1	pc.
76,1 / 54 / 76,1		2265260021	1	1	pc.
88,9 / 54 / 88,9		2265260022	1	1	pc.
88,9 / 76,1 / 88,9		2265260023	1	1	pc.
108 / 66,7 / 108		2265260029	1	1	pc.
108 / 76,1 / 108		2265260030	1	1	pc.



Plain end reducer

GROUP: P

Size [mm]	*	Code			UM
15 / 12		2265221000	10	200	pc.
18 / 12		2265221001	10	200	pc.
18 / 15		2265221002	10	100	pc.
22 / 15		2265221003	10	100	pc.
22 / 18		2265221004	10	100	pc.
28 / 15		2265221005	10	100	pc.
28 / 18		2265221006	5	75	pc.
28 / 22		2265221007	10	100	pc.
35 / 22		2265221008	5	50	pc.
35 / 28		2265221009	5	40	pc.
42 / 22		2265221010	1	20	pc.
42 / 28		2265221011	1	20	pc.
42 / 35		2265221012	1	10	pc.
54 / 28		2265221013	1	10	pc.
54 / 35		2265221014	1	15	pc.
54 / 42		2265221015	1	10	pc.
66,7 / 42		2265221018	1	1	pc.
66,7 / 54		2265221019	1	1	pc.
76,1 / 35		2265221020	1	1	pc.
76,1 / 42		2265221021	1	1	pc.
76,1 / 54		2265221022	1	1	pc.
76,1 / 66,7		2265221023	1	1	pc.
88,9 / 42		2265221024	1	1	pc.
88,9 / 54		2265221025	1	1	pc.
88,9 / 76,1		2265221026	1	1	pc.
108 / 42		2265221027	1	1	pc.
108 / 54		2265221028	1	1	pc.
108 / 76,1		2265221030	1	1	pc.
108 / 88,9		2265221031	1	1	pc.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Female elbow 90°

GROUP: P

Size [mm]	*	Code							UM
12 Rp $\frac{3}{8}$ "		2265069000					5	150	pc.
12 Rp $\frac{1}{2}$ "		2265069001					5	100	pc.
15 Rp $\frac{3}{8}$ "		2265069002					5	100	pc.
15 Rp $\frac{1}{2}$ "		2265069003					10	100	pc.
15 Rp $\frac{3}{4}$ "		2265069012					10	100	pc.
18 Rp $\frac{1}{2}$ "		2265069004					5	75	pc.
18 Rp $\frac{3}{4}$ "		2265069005					5	75	pc.
22 Rp $\frac{1}{2}$ "		2265069006					5	75	pc.
22 Rp $\frac{3}{4}$ "		2265069007					5	50	pc.
28 Rp1"		2265069008					5	40	pc.
35 Rp1 $\frac{1}{4}$ "		2265069009					5	20	pc.
42 Rp1 $\frac{1}{2}$ "		2265069010					1	10	pc.
54 Rp2"		2265069011					1	8	pc.



Male elbow 90°

GROUP: P

Size [mm]	*	Code							UM
12 R $\frac{1}{2}$ "		2265070001					5	150	pc.
15 R $\frac{3}{8}$ "		2265070002					5	100	pc.
15 R $\frac{1}{2}$ "		2265070003					10	50	pc.
18 R $\frac{1}{2}$ "		2265070004					5	25	pc.
18 R $\frac{3}{4}$ "		2265070005					5	75	pc.
22 R $\frac{3}{4}$ "		2265070006					5	25	pc.
28 R1"		2265070007					5	25	pc.
35 R1 $\frac{1}{4}$ "		2265070008					5	20	pc.
42 R1 $\frac{1}{2}$ "		2265070009					1	15	pc.
54 R2"		2265070010					1	10	pc.



Female tee

GROUP: P


Size [mm]	*	Code							UM
12 Rp $\frac{1}{2}$ "		2265258000					5	75	pc.
15 Rp $\frac{1}{2}$ "		2265258001					5	50	pc.
18 Rp $\frac{1}{2}$ "		2265258002					5	50	pc.
22 Rp $\frac{1}{2}$ "		2265258003					5	50	pc.
22 Rp $\frac{3}{4}$ "		2265258004					5	40	pc.
28 Rp $\frac{1}{2}$ "		2265258005					5	20	pc.
28 Rp $\frac{3}{4}$ "		2265258006					5	25	pc.
35 Rp $\frac{1}{2}$ "		2265258007					5	15	pc.
42 Rp $\frac{1}{2}$ "		2265258008					1	15	pc.
54 Rp $\frac{1}{2}$ "		2265258009					1	5	pc.
76,1 Rp $\frac{1}{2}$ "		2265258010					1	1	pc.
108 Rp $\frac{1}{2}$ "		2265258011					1	1	pc.

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon


* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Female directly fixed wallplate elbow - L = 35 mm

GROUP: P


Size [mm]	*	Code			UM
12 Rp½"		2265286000	5	50	pc.
15 Rp½"		2265286001	10	80	pc.

Note:
2265286000: Size B = 25 mm,
2265286001: Size B = 20 mm.




Female directly fixed wallplate elbow - L = 39 mm

GROUP: P

Size [mm]	*	Code			UM
18 Rp½"		2265286002	5	50	pc.

Note:
Size B = 24 mm.




Female directly fixed wallplate elbow - L = 45 mm

GROUP: P

Size [mm]	*	Code			UM
22 Rp¾"		2265286003	5	50	pc.

Note:
Size B = 27 mm.




Female wallplate elbow - L = 56 mm

GROUP: P

Size [mm]	*	Code			UM
15 Rp½"		2265286004	5	40	pc.

Note:
Size B = 48 mm.



Metal bent mounting plate with female wallplate elbows - L = 153 mm

GROUP: P

Size [mm]	*	Code			UM
15 Rp½"		2265286006	5	10	pc.

Note:
Size A = 39 mm.





Metal bent mounting plate with female wallplate elbows - L = 120 mm

GROUP: P

Size [mm]	*	Code			UM
12 Rp $\frac{3}{8}$ "		2265286005	5	10	pc.

Note:
Size A = 45 mm.



Crossover 180°

GROUP: P

Size [mm]	*	Code			UM
15		2265022000	5	75	pc.
18		2265022001	10	40	pc.
22		2265022002	5	30	pc.



Plain end crossover

GROUP: P

Size [mm]	*	Code			UM
15		2265022003	5	50	pc.
18		2265022004	5	50	pc.
22		2265022005	5	20	pc.



Crossover

GROUP: P

Size [mm]	*	Code			UM
15		2265022006	10	50	pc.
18		2265022007	10	50	pc.
22		2265022008	10	40	pc.



Bend 90°

GROUP: P



Size [mm]	*	Code			UM
15		2265011000	20	80	pc.
22		2265011001	10	30	pc.
28		2265011002	10	20	pc.

coil bar pipes in tube bag carton box pallet **N** new available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Stop end



GROUP: P

Size [mm]	*	Code			UM
12		2265250009	10	350	pc.
15		2265250000	10	250	pc.
18		2265250001	10	200	pc.
22		2265250002	10	150	pc.
28		2265250003	5	75	pc.
35		2265250004	2	40	pc.
42		2265250005	1	20	pc.
54		2265250006	1	15	pc.
66,7		2265250010	1	1	pc.
76,1		2265250007	1	1	pc.
88,9		2265250011	1	1	pc.
108		2265250008	1	1	pc.




Flange PN16

GROUP: P

Size [mm]	*	Code			UM
66,7 DN65		2265091000	1	1	pc.
76,1 DN65		2265091004	1	1	pc.
76,1 DN80		2265091001	1	1	pc.
88,9 DN80		2265091002	1	1	pc.
108 DN100		2265091003	1	1	pc.





Code	d1	l1	l2	z1	k2	D2	d2-2	n2
2265091000	66,7	84	19	34	145	185	18	4
2265091004	76,1	84	19	34	145	185	18	4
2265091001	76,1	84	19	34	160	200	18	8
2265091002	88,9	92	21	30	160	200	18	8
2265091003	108	103	23	36	160	220	18	8




Plain end flange PN16

GROUP: P

Size [mm]	*	Code			UM
66,7 DN65		2265091005	1	1	pc.
76,1 DN80		2265091006	1	1	pc.
108 DN100		2265091007	1	1	pc.



Code	d1	l1	l2	k2	D2	d2-2	n2
2265091005	66,7	93	19	145	185	18	4
2265091006	76,1	94	19	160	200	18	8
2265091007	108	118	23	180	220	18	8



 coil  bar  pipes in tube  bag  carton box  pallet **N** new **i** available soon



* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Accessories



O-Ring EPDM Copper



GROUP: P

Size [mm]	*	Code			UM
12		2265182005	20	1000	pc.
15		2265182006	20	600	pc.
18		2265182007	20	500	pc.
22		2265182008	20	500	pc.
28		2265182009	20	400	pc.
35		2265182010	20	400	pc.
42		2265182011	20	300	pc.
54		2265182012	20	300	pc.
66,7		2265182004	5	-	pc.
76,1		2265182001	1	-	pc.
88,9		2265182002	5	-	pc.
108		2265182003	1	-	pc.



O-Ring FPM Copper

GROUP: P

Size [mm]	*	Code			UM
12		2265182013	20	1000	pc.
15		2265182014	20	600	pc.
18		2265182015	20	500	pc.
22		2265182016	20	500	pc.
28		2265182017	20	400	pc.
35		2265182018	20	400	pc.
42		2265182019	20	300	pc.
54		2265182020	20	300	pc.

 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Tools

Roller cutter for pipes REMS RAS St

GROUP: K

Range [mm]	*	Code		UM
12-54		1948267025	1	pc.
35-108		1948267027	1	pc.



Cutting wheel for roller cutter REMS St

GROUP: K

Range [mm]	*	Code			UM
12-108		1941267037	1	10	pc.

Note:

Intended for roller cutters, codes: 1948267025, 1948267027.



Cordless pipe cutter REMS Akku-Nano

GROUP: K

N

Range [mm]	*	Code		UM
12-35		1948183003	1	pc.

Note:

The set includes a cutting wheel.



Cutting wheel for roller cutter REMS Nano

GROUP: K

N

Range [mm]	*	Code		UM
12-35		1978267000	1	pc.

Note:

Intended for cordless roller cutter code 1948183003.



Pipe cutting machine REMS Cento

GROUP: K

Range [mm]	*	Code		UM
22-108		1948183001	1	pc.

Note:

The set includes a cutting wheel.



Cutting wheel for pipe cutting machine REMS Cento/DueCento

GROUP: K

Range [mm]	*	Code			UM
22-108		1941267041	1	50	pc.

Intended for pipe cutting machines, codes: 1948183001, 1948267034.



 coil  bar  pipes in tube  bag  carton box  pallet **N** new **i** available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Deburrer for pipes Rothenberger

GROUP: K

Range [mm]	*	Code			UM
12-54		1905267012	1	6	pc.



Tool set - KAN-therm Mini battery press tool + "M" profile jaws

GROUP: K

Range [mm]	*	Code		UM
15-28		1936055009	1	pc.

Each set includes:

- 1936055008 - KAN-therm Mini press tool - 1 pc.,
- 1936267278 - jaws SBM M15 - 1 pc.,
- 1936267279 - jaws SBM M18 - 1 pc.,
- 1936267280 - jaws SBM M22 - 1 pc.,
- 1936267282 - jaws SBM M28 - 1 pc.,
- 1967267051 - battery RAML1225 Li-Ion 10,8 V 2,5 Ah - 2 pcs.,
- 1967267024 - charger LGML1 ~230 V 35 W - 1 pc.,
- case - 1 pc.



KAN-therm AC 3000 electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-54		1936267239	1	pc.

Note:

The press tool is sold in a case.



KAN-therm DC 4000 battery press tool

GROUP: K

Range [mm]	*	Code		UM
12-54		1936267238	1	pc.

Note:

The press tool is sold with a battery, charger and case.



Charger for KAN-therm DC 4000 battery press tool

GROUP: K

Version	*	Code			UM
10,8-36 V		1936267267	1	80	pc.




Battery for KAN-therm DC 4000 press tool

GROUP: K

Version	*	Code			UM
18 V / 4 Ah		1936267266	1	80	pc.

KAN-therm "M" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
15		1936267249	1	pc.
18		1936267250	1	pc.
22		1936267251	1	pc.
28		1936267252	1	pc.
35		1936267253	1	pc.


Note:

The jaws work with KAN-therm: AC 3000, DC 4000 drives.



KAN-therm "M" profile collar

GROUP: K

Size [mm]	*	Code		UM
42		1936267283	1	pc.
54		1936267284	1	pc.

Note:

Use KAN-therm "M" profile collar jaws with KAN-therm ZBS1 adapter for KAN-therm press tools, AC 3000, DC 4000.



ZBS1 adapter for KAN-therm "M" profile collar jaws

GROUP: K

Size [mm]	*	Code		UM
42 - 54		1936267285	1	pc.


Note:

Use KAN-therm "M" profile collar jaws with KAN-therm ZBS1 adapter for KAN-therm press tools: AC 3000, DC 4000.



REMS Power-Press ACC electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1936267219	1	pc.

Note:

The press tool is sold with a case.
The set does not include jaws.



REMS Power-Press SE Basic Pack electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1936267160	1	pc.

Note:

The press tool is sold with a case.
The set does not include jaws.



REMS Akku Press battery press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1936267152	1	pc.

Note:

The press tool is sold with a battery, charger and case.
The set does not include jaws.





REMS "M" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
12		1948267046	1	pc.
15		1948267048	1	pc.
18		1948267052	1	pc.
22		1948267056	1	pc.
28		1948267061	1	pc.
35		1948267065	1	pc.
42		1948267067	1	pc.
54		1948267069	1	pc.

Note:

The jaws work with Power-Press SE, Akku-Press, Power-Press ACC drives.



Novopress tool set - ACO103 BT battery press tool + "M" profile jaws

GROUP: K

Range [mm]	*	Code		UM
15-35	*	1948055008	1	pc.

Each set includes:

- battery press tool - 1 pc.,
- 1948267093 - jaws M15 for press tool - 1 pc.,
- 1948267095 - jaws M18 for press tool - 1 pc.,
- 1942121002 - jaws M22 for press tool - 1 pc.,
- 1948267097 - jaws M28 for press tool - 1 pc.,
- 1938267047 - charger - 1 pc.,
- 1938267002 - battery 2 Ah - 2 pcs.,
- case.



Novopress EFP203 electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1948267210	1	pc.

Note:

The press tool is sold with a plastic case.



Novopress ACO203XL BT press tool

GROUP: K


Range [mm]	*	Code		UM
12-108		1948267181	1	pc.

Each set includes:

- battery press tool - 1 pc.,
- battery 18 V / 5.0 Ah Li-Ion Milwaukee - 2 pcs.,
- charger - 1 pc.,
- lubricant - 1 pc.,
- plastic case.

Novopress PB2 "M" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
12		1948267134	1	pc.
15		1948267135	1	pc.
18		1948267137	1	pc.
22		1948267139	1	pc.
28		1948267141	1	pc.
35		1948267143	1	pc.




Note:

The jaws work with EFP203 and ACO203XL drives.

Novopress "M" profile Snap On collar

GROUP: K

Size [mm]	*	Code		UM
42		1948267119	1	pc.
54		1948267121	1	pc.
66,7	*	1948267089	1	pc.
76,1		1948267145	1	pc.
88,9		1948267044	1	pc.
108x1,5		1905267017	1	pc.
108x2,0		1948267038	1	pc.



Note:

Use jaws for diameters 42 and 54 mm with adapter ZB203 for ACO203XL.
 Use jaws for diameters 66,7, 76,1 and 88,9 mm with adapter ZB221 for ACO203XL.
 Use the jaw with a diameter of 66,7 mm with adapter ZB323 for ECO301.
 Use the jaw with a diameter of 108 mm with adapter ZB221 and ZB222 for ACO203XL.

Novopress ZB203 adapter

GROUP: K

Range [mm]	*	Code		UM
35-63		1948267000	1	pc.

Note:

Adapter for EFP203 and ACO203XL drives.
 ultraPRESS: 50-63 mm.
 Steel & Inox: 35-54 mm.
 Copper: 42-54 mm.



Novopress ZB221 Adapter

GROUP: K

Range [mm]	*	Code		UM
66,7-108		1948267005	1	pc.

Note:


Adapter for ACO203XL drive.
 For a diameter of 108 mm, adapter ZB221 is used to make the first crimp, and adapter ZB222 for the second crimp.





Novopress ZB222 Adpater

GROUP: K

Range [mm]	*	Code		UM
108		1948267007	1	pc.

Note:

Adapter for ACO203XL drive.

For a diameter of 108 mm, adapter ZB221 is used to make the first crimp, and adapter ZB222 for the second crimp.

 coil  bar  pipes in tube  bag  carton box  pallet **N** new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



KAN-therm
MULTISYSTEM

> 35 | years of experience
on the installation
market



KAN-therm
Surface heating
and cooling

COMFORT AND EFFICIENCY

Install the **future**

Table of contents

Surface heating and cooling in **KAN-therm** system


Wall/ceiling heating and cooling	151
Floor/wall heating and cooling	153
Tacker - pipe mounting system	158
Rail - pipe mounting system	160
Profil - pipe mounting system	161
TBS - pipe mounting system	162
NET - pipe mounting system	163
Floor heating accessories	164
Manifolds and manifold accessories	167
Floor heating cabinets	185
Basic+ - automation components	187
Controllers, additional accessories and tools	191


Surface heating and cooling in KAN-therm system

Wall/ceiling heating and cooling

Wall heating panel with PB 8×1 pipe

GROUP: A

Size [mm]	*	Code		UM
2000×625 (100%)	**	1800188004	1	pc.
2000×625 (75%)	**	1800188005	1	pc.
2000×310 (100%)	**	1800188001	1	pc.
2000×310 (75%)	**	1800188002	1	pc.
1000×625 (100%)	**	1800188000	1	pc.
625×1250 (100%)	**	1800188006	1	pc.



Note:

Percentage values indicate usable heating areas.

Cover panel

GROUP: A

Size [mm]	*	Code		UM
2000×625	**	1800188007	1	pc.



Grooved panel

GROUP: A

Size [mm]	*	Code		UM
2000×625	**	1800188003	1	pc.



Polyurethane adhesive

GROUP: A

Capacity	*	Code		UM
310 ml		1800183002	1	pc.



Pilot curve for pipe - 8×1

GROUP: A

Size [mm]	*	Code			UM
8×1		1800011000	100	3000	pc.



 coil  bar  pipes in tube  bag  carton box  pallet **N** new **i** available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Mounting rail for pipe fastening 8×1

GROUP: A

Size [m]	*	Code			UM
2		1800209031	2		m



PB pipe with EVOH layer - coil

GROUP: C

Size [mm]	*	Code			UM
8×1,0		1829197016	600	8400	m

Note:

Application class (acc. to ISO 10508) 4; 10 bar.



Brass tee Press/Click

GROUP: F

Size [mm]	*	Code			UM
16×8×16		1809257000	5	60	pc.



Brass coupling Press/Click

GROUP: F

Size [mm]	*	Code			UM
16×8		1809042001	20	200	pc.



Brass nickel-plated eurocone adapter Click

GROUP: F

Size [mm]	*	Code			UM
8×1 / G3/4"		1809271000	15	150	pc.



Straight brass coupling Click

GROUP: F

Size [mm]	*	Code			UM
8×1		1809042000	20	200	pc.



coil bar pipes in tube bag carton box pallet **N** new available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Floor/wall heating and cooling

bluePERT pipe - coil

GROUP: C

Size [mm]	*	Code			UM
12×2,0	***	1829198152	80	1600	m
12×2,0		1829198153	200	4000	m
14×2,0		1829198182	600	3000	m
N 16×2,0		1829198206	60	3360	m
N 16×2,0		1829198207	120	2400	m
16×2,0		1829198222	200	3000	m
N 16×2,0		1829198208	240	3600	m
16×2,0		1829198235	300	2700	m
N 16×2,0		1829198209	480	3360	m
16×2,0		1829198223	600	2400	m
17×2,0		1829198224	200	3000	m
17×2,0		1829198234	600	2400	m
18×2,0		1829198225	200	3000	m
18×2,0		1829198226	600	2400	m
N 20×2,0		1829198210	60	2400	m
N 20×2,0		1829198211	120	1800	m
20×2,0		1829198227	200	1800	m
N 20×2,0		1829198212	240	2160	m
20×2,0		1829198228	300	2100	m
N 20×2,0		1829198213	480	1920	m
20×2,0		1829198229	600	1800	m
25×2,5	**	1829198181	220	880	m

Note:
Application class 4; 6 bar.



bluePERTAL pipe - coil

GROUP: C

Size [mm]	*	Code			UM
16×2,0		1829198200	200	3000	m
16×2,0		1829198201	600	2400	m

Note:
Application class 4; 6 bar.



PEXC pipe - coil

GROUP: C

Size [mm]	*	Code			UM
12×2,0		1129200055	200	4000	m
14×2,0		1129200056	200	4000	m
16×2,0		1829200009	200	3000	m

Note:
Diameter 12×2,0 - 16×2,0 mm application class (acc. to ISO 10508) 4; 10 bar.





 coil  bar  pipes in tube  bag  carton box  pallet **N** new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



PERT pipe - coil

GROUP: C

Size [mm]	*	Code			UM
12x2,0	***	1129198094	200	4000	m
14x2,0		1129198076	200	4000	m
16x2,0	***	1029198001	200	3000	m
18x2,0	***	1129198096	200	3000	m
25x3,5		1129198070	50	1000	m

Note:
Application class (acc. to ISO 10508) 4; 10 bar.



PERTAL pipe - coil

GROUP: B

Size [mm]	*	Code			UM
16x2,0		1029196031	600	2400	m
16x2,0		1029196123	200	3000	m
20x2,0		1029196092	100	1500	m
25x2,5		1029196081	50	750	m

Note:
Application class (acc. to ISO 10508) 1-5; 10 bar.



Brass female eurocone adapter for PERT and PEXC pipes

GROUP: A

Size [mm]	*	Code			UM
12x2,0 G1/2"		1110271002	15	300	pc.
12x2,0 G3/4"		1110271003	10	150	pc.
14x2,0 G1/2"		1110271000	15	300	pc.
14x2,0 G3/4"		1110271005	10	150	pc.
16x2,0 G3/4"		1110271010	10	150	pc.
18x2,0 G3/4"		1110271006	10	150	pc.
18x2,5 G3/4"	***	1110271008	10	150	pc.
20x2,0 G3/4"		1110271011	10	150	pc.
25x3,5 G1"		1110271001	5	80	pc.

Note:
The adapter makes it possible to connect PEXC and PERT pipes with manifolds (equipped with nipples), nipples and fittings for adapter connections.



Compression ring



GROUP: A

Size [mm]	*	Code			UM
12		1110226001	100	1000	pc.
16		1110226000	10	600	pc.
18		1110226004	10	500	pc.
20		1110226006	100	1000	pc.
25		1110226003	50	500	pc.

Note:
Use for all brass threaded couplings (connectors, adapters) except for plastic threaded couplings.

Brass female inlet connection for PERTAL pipes

GROUP: A

Size [mm]	*	Code			UM
16 G½"		1010040003	10	160	pc.
16 G¾"		1010040006	10	120	pc.
20 G¾"		1010040011	10	120	pc.
20 G1"	***	1010040008	5	80	pc.
25 G1"		1010040013	10	80	pc.
26 G1"	***	1010040015	5	80	pc.

Note:

The above elements are available as nickel-plated on special request (delivery time - 2 weeks).



PPSU female universal eurocone adapter

GROUP: A

Size [mm]	*	Code			UM
16 G¾"		1010271005	10	150	pc.

Note:

The adapter works with PEXC, PERT, PERTAL, bluePERT, bluePERTAL pipes.



Brass female universal eurocone adapter

GROUP: A

Size [mm]	*	Code			UM
16 G½"		1010271001	10	160	pc.
16 G¾"		1010271002	10	150	pc.
17 G¾"		1810271001	10	150	pc.
20 G¾"		1010271008	10	120	pc.

Note:

Adapters are compatible with fittings for adapter connections, manifolds through manifold nipples. The adapter works with KAN-therm pipes: PEXC, PERT, PERTAL, bluePERT, bluePERTAL.



Threaded male brass connector for PERTAL pipes

GROUP: A

Size [mm]	*	Code			UM
16×2,0 G½"		1010045000	10	150	pc.
16×2,0 G¾"		1010045001	10	150	pc.

Note:

This fitting is adapted for direct screwing into the manifold beam - sealing of the connection in the manifold is done by means of an O-Ring seal.





Brass threaded connector for PEXC and PERT pipes

GROUP: A

Size [mm]	*	Code							UM
12×2,0		1110042003					10	120	pc.
14×2,0		1110042005					10	120	pc.
16×2,0		1110042006					10	150	pc.
18×2,0		1110042008					10	120	pc.
20×2,0	*	1110245000					10	120	pc.
25×3,5		1110042012					4	60	pc.

Note:

The coupling is used in repairs (pipes damaged by drilling etc.) and to connect long pipe sections.



Brass coupling

GROUP: A

Size [mm]	*	Code							UM
12×2,0		1109042008					50	700	pc.



PPSU coupling

GROUP: A

Size [mm]	*	Code							UM
14×2,0		1109042002					10	160	pc.
18×2,0		1109042004					10	160	pc.
25×3,5		1109042007					5	80	pc.



Brass ring

GROUP: A

Size [mm]	*	Code							UM
12×2,0		1109226003					50	700	pc.
14×2,0		1109226004					50	700	pc.
18×2,0 / 18×2,5		1109226006					50	500	pc.
25×3,5		1109226009					20	200	pc.

Note:

Used for PEXC or PERT pipes with the EVOH layer.
When assembling Push connectors, use tools with appropriate inserts.
Place the brass ring with the chamfered edge towards the fitting to be connected.



PPSU coupling

GROUP: F

Size [mm]	*	Code							UM
16×2,0		1009042013					10	160	pc.
20×2,0		1009042015					10	150	pc.
25×2,5		1009042017					5	60	pc.

Note:

Tools for assembling couplings are available in the system KAN-therm ultraPRESS section.

Brass coupling

GROUP: F

Size [mm]	*	Code			UM
14x2,0	*	1009042024	10	160	pc.

Note:

Tools for assembling couplings are available in the system KAN-therm ultraPRESS section.



 coil  bar  pipes in tube  bag  carton box  pallet **N** new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Tacker - pipe mounting system



Foamed polystyrene board EPS100 038 (PS20) 5 m² sheet with metallized foil

GROUP: A1

Size	*	Code			UM
20 mm (1×5 m)	***	1818211034	1	40	pc.
30 mm (1×5 m)	***	1818211027	1	30	pc.



Foamed polystyrene board EPS100 038 (PS20) 5 m² sheet with laminated foil

GROUP: A1

Size	*	Code			UM
30 mm (1×5 m)	***	1818211036	1	30	pc.
50 mm (1×5 m)		1818211647	5	125	m ²



Foamed polystyrene board EPS100 038 (PS20) 10 m² (cube) sheet with metallized foil

GROUP: A1


Size	*	Code		UM
20 mm (1×10 m)		1818211639	10	m ²
30 mm (1×10 m)		1818211638	10	m ²



Foamed polystyrene board EPS100 038 (PS20) 10 m² (cube) sheet with polypropylene fabric

GROUP: A1

Size	*	Code		UM
30 mm (1×10 m)		1818211640	10	m ²



Metallized foil for KAN-therm Tacker system

GROUP: A

Size	*	Code			UM
130 μm (50×1,03 m)		1800183000	50	2500	m



Adhesive tape with KAN-therm logo

GROUP: A

Size [m]	*	Code		UM
60		1800183013	36	pc.

U42 clips for tacker assembly (50 pcs. block)

GROUP: A

Version	*	Code			UM
14-18 (42 mm) 1000 pc.		1800191001	1	135	pack.
14-18 (42 mm) 300 pc.		1800191010	1	180	pack.



U42 clips for tacker assembly (30 pcs. block)

GROUP: A

Version	*	Code			UM
20 (42 mm) 300 pc.		1800191006	1	450	pack.



U42 welded clips for tacker assembly (25 pcs. block)

GROUP: A

Version	*	Code			UM
14-18 (42 mm) 300 pc.		1800191031	1	30	pack.



U42 clips for manual assembly

GROUP: A

Version	*	Code			UM
14-18 (42 mm) 100 pc.		1800191000	1	30	pack.
14-18 (42 mm) 200 pc.		1800191002	1	15	pack.



U55 clips for tacker assembly (25 pcs. block)

GROUP: A

Version	*	Code			UM
14-18 (55 mm) 500 pc.		1800191021	1	200	pack.



U55 welded clips for tacker assembly (25 pcs. block)

GROUP: A

Version	*	Code			UM
 14-18 (55 mm) 300 pc.		1800191032	1	12	pack.



 coil  bar  pipes in tube  bag  carton box  pallet  new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Rail - pipe mounting system



Mounting rail for pipes

GROUP: A

Pipe size [mm]	*	Code		UM
16		1800209027	32	m
18		1800209028	32	m
20		1800209011	32	m

Note:

Mounting rails make it possible to lay pipes with 5 cm spacing.

Rail dimensions [height x length]:

1800209027 - 25 mm x 2 m,

1800209028 - 25 mm x 2 m,

1800209011 - 25 mm x 2 m.



Mounting rail for pipes

GROUP: A

Pipe size [mm]	*	Code		UM
12-17		1800209000	100	m
16-17		1800209001	100	m
14-22		1800209009	100	m
 25		1800209026	100	m

Note:

Rails 1800209000 and 1800209009 make it possible to lay pipes with 10 cm spacing.

Rails 1800209001 and 1800209026 make it possible to lay pipes with 5 cm spacing.

Rails dimensions [height x length (number of connected sections x length of section)]:

1800209000 - 23 mm x 1 m (5 x 0,2 m),

1800209001 - 24 mm x 1 m (2 x 0,5 m),

1800209009 - 29 mm x 1 m (2 x 0,5 m),

1800209026 - 32 mm x 1 m (2 x 0,5 m).



Mounting rail for pipes

GROUP: A

Pipe size [mm]	*	Code		UM
 16-20		1800209032	120	m

Note:

Rail 1800209032 make it possible to lay pipes with 5 cm spacing.

Rails dimensions [height x length (number of connected sections x length of section)]:

1800209032 - 27,5 mm x 2 m (4 x 0,5 m).


Profil - pipe mounting system

Profil1 foamed polystyrene EPS T-24 dB (sound-absorbing) board with PS foil - 1,12 m² sheet

GROUP: A1

Pipe size [mm] / Board dimensions	*	Code			UM
16-18 / 30-2 mm (0,8 × 1,4 m)	*	1818211651	6,72	53,76	m ²

Total thickness of the board with the profiled part is 51 mm.
Dimension includes change in thickness caused by load.




Profil2 foamed polystyrene EPS200 036 (PS30) board 1,12 m² sheet

GROUP: A1

Pipe size [mm] / Board dimensions	*	Code		UM
16-18 / 11 mm (0,8 × 1,4 m)		1818211650	14,56	m ²

Total thickness of the board with the profiled part is 32 mm.




Profil3 profiled PS foil 1.12 m² sheet

GROUP: A1

Pipe size [mm] / Board dimensions	*	Code		UM
16-18 / 1 mm (0,8 × 1,4 m)	*	1818211652	13,44	m ²

Total height of the foil with the profiled part is 20 mm.



Profil4 foamed polystyrene EPS200 board 0.72 m² sheet

GROUP: A1

Pipe size [mm] / Board dimensions	*	Code			UM
16-18 / 22 mm (1,2 × 0,6 m)		1818211646	8,64	172,8	m ²

Total thickness of the board with the profiled part is 43 mm.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

TBS - pipe mounting system



TBS foamed polystyrene EPS150 036 (PS30) board 0.5 m² sheet **GROUP: A1**

Pipe size [mm] / Board dimensions	*	Code			UM
16 / 25 mm (0,5 × 1,0 m)		1818211645	10	120	m ²



TBS metal profile **GROUP: A**

Size	*	Code			UM
0,4 mm (1,0 × 0,12 m)		1800213000	50	500	pc.

Note:

Profile is made of galvanised steel. The profile only works with 16 mm pipes.



TBS foamed polystyrene EPS200 036 (PS30) board 0.5 m² sheet **GROUP: A1**

Size	*	Code			UM
25 mm (0,5 × 1,0 m)	*	1818211649	12	150	m ²

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

NET - pipe mounting system


Steel wire NET

GROUP: A

Size	*	Code		UM
1,2 m × 2,1 m - 2,52 m ²	*	1800183054	2,52	m ²

Note:

The net is made of 3 mm thick steel wire. Mesh size - 150×150 mm.



Grip for fastening pipes on NET

GROUP: A

Wire diameter / Pipe size [mm]	*	Code			UM
3 / 16-18		1800107001	100	1000	pc.
3 / 20	*	1800107002	100	1000	pc.



Plastic band for fastening pipes on NET

GROUP: A

	*	Code		UM
	*	1800107018	1000	pc.



Fastening band for connecting NET

GROUP: A

	*	Code		UM
	*	1800183008	1000	pc.



Peg for foil fastening - L = 94 mm

GROUP: A

Size [mm]	*	Code			UM
8		1800183003	100	1000	pc.



Floor heating accessories



Corrugated protecting pipe red

GROUP: A

Size (diametr overall) [mm]	*	Code			UM
12-14 (23)		1700049067	100	1200	m
16-18 (25)		1700049063	50	1500	m
20 (28)		1700049069	50	1500	m
25-26 (35)		1700049065	50	600	m
32 (43)		1700049071	50	600	m
40 (50)		1700049073	25	1000	m

Note:

Use in cold and hot potable water installations and central heating as a protecting pipe when pouring concrete over the installation.



Corrugated protecting pipe blue

GROUP: A

Size (diametr overall) [mm]	*	Code			UM
12-14 (23)		1700049068	100	1200	m
16-18 (25)		1700049064	50	1500	m
20 (28)		1700049070	50	1500	m
25-26 (35)		1700049066	50	600	m
32 (43)		1700049072	50	600	m
40 (50)		1700049074	25	1000	m

Note:

Use in cold and hot potable water installations and central heating as a protecting pipe when pouring concrete over the installation.



Concrete additive BETOKAN

GROUP: A

Capacity	*	Code		UM
5 l		1800014003	1	pack.
10 l		1800014001	1	pack.

Note:

Use for underfloor heating to improve the strength of concrete.



Concrete additive BETOKAN Plus

GROUP: A

Capacity	*	Code		UM
10 l		1800014005	1	pack.

Note:

Use for underfloor heating to improve the strength of concrete. It makes it possible to reduce the thickness of the screed to 4.5 cm above insulation.

coil bar pipes in tube bag carton box pallet **N** new **i** available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts


Fiberglass mesh for floor reinforcement

GROUP: A

Size	*	Code		UM
1×50 m		1800183044	50	m ²


Note:

The mesh used with BETOKAN or BETOKAN Plus increases the flexibility of the screed and provides an excellent protection against creating any possible cracks or offsets (keep the floor surface even). Meshes size 13×13 mm.



Antifreeze agent for installation

GROUP: A

Version	*	Code			UM
-20 °C - 20 l	*	1800002002	1	36	pack.
-25 °C - 20 l	*	1800002003	1	36	pack.
-35 °C - 20 l	*	1800002004	1	36	pack.

Note:

Use for central heating, air-conditioning, cooling and solar installations.



Edge tape with perforation

GROUP: A

Size [mm]	*	Code			UM
8×150		1818255002	25	150	m

Note:

Use to insulate underfloor heating plates from walls.



Edge tape with perforation and foil

GROUP: A

Size [mm]	*	Code			UM
8×150		1818255003	25	150	m

Note:

Use to insulate underfloor heating plates from walls.



Expansion joint profile with feet

GROUP: A

Size [mm]	*	Code			UM
10×150		1800255000	25	150	m

Note:

Use to make expansion joints for underfloor heating plates. The pipes going through the expansion joint should be laid in a corrugated pipe.



Expansion joint - PE foam

GROUP: A

	*	Code			UM
		1800183007	2	200	m





Expansion joint - rail

GROUP: A

	*	Code			UM
		1800209029	2	50	m



Expansion joint - corrugated pipe

GROUP: A

Size [m]	*	Code			UM
0,4 - 10 pc.		1700183010	1	60	pack.



PE foil

GROUP: A

Size	*	Code			UM
0,2 mm (2,0 x 50 m)		1818183000	100	2100	m ²



Note:

Use as an installation cover before laying dry screed panels.
 Use as damp-proof insulation of a underfloor heating and cooling plate.
 Use as damp-proof insulation under the NET mesh.

Manifolds and manifold accessories

InoxFlow manifold with control valves (UVN series)

GROUP: E

Number of circuits (H×W×D) [mm]	*	Code			UM
2 (325×140×84)	***	1316160022	1	160	pc.
3 (325×190×84)	***	1316160023	1	120	pc.
4 (325×240×84)	***	1316160024	1	96	pc.
5 (325×290×84)	***	1316160025	1	80	pc.
6 (325×340×84)	***	1316160026	1	60	pc.
7 (325×390×84)	***	1316160027	1	60	pc.
8 (325×440×84)	***	1316160028	1	50	pc.
9 (325×490×84)	***	1316160029	1	44	pc.
10 (325×540×84)	***	1316160030	1	40	pc.
11 (325×590×84)	***	1316160031	1	40	pc.
12 (325×640×84)	***	1316160032	1	30	pc.



Note:

The manifold works with G $\frac{3}{4}$ " eurocone adapters and G $\frac{3}{4}$ " connectors.
 Outlets for individual circuits have 50 mm spacing.
 Manifold supply - upper beam.
 Return from manifold - lower beam.
 Beams have G1" female thread.

MARKING OF MANIFOLD SERIES



R or U B,N,S,V or F T, A or P

Radiator
manifolds for central heating and drinking water

Underfloor heating
manifolds for underfloor heating

equipment of top or bottom beams

Basic
no accessories

Nipples

Servomotor valves

Valves
shut-off or balancing valves

Flowmeters

additional accessories

Top
air-vent on top of the beam

Axis
air-vent in the axis of the beam

Pump
mixing unit



InoxFlow manifold with flowmeters (UFN series)

GROUP: E

Number of circuits (H×W×D) [mm]	*	Code			UM
2 (352×140×84)	***	1316157055	1	160	pc.
3 (352×190×84)	***	1316157056	1	120	pc.
4 (352×240×84)	***	1316157057	1	96	pc.
5 (352×290×84)	***	1316157058	1	80	pc.
6 (352×340×84)	***	1316157059	1	60	pc.
7 (352×390×84)	***	1316157060	1	60	pc.
8 (352×440×84)	***	1316157061	1	50	pc.
9 (352×490×84)	***	1316157062	1	44	pc.
10 (352×540×84)	***	1316157063	1	40	pc.
11 (352×590×84)	***	1316157064	1	40	pc.
12 (352×640×84)	***	1316157065	1	30	pc.

Note:

The manifold works with G $\frac{3}{4}$ " eurocone adapters and G $\frac{3}{4}$ " connectors.

Outlets for individual circuits have 50 mm spacing.

Flowmeter adjustment range 0 - 2.5 l/min.

Manifold supply - upper beam.

Return from manifold - lower beam.

Beams have G1" female thread.

MARKING OF MANIFOLD SERIES





| | |
R or U **B,N,S,V or F** **T, A or P**

	equipment of top or bottom beams	additional accessories
Radiator manifolds for central heating and drinking water	Basic no accessories	Top air-vent on top of the beam
Underfloor heating manifolds for underfloor heating	Nipples	Axis air-vent in the axis of the beam
	Servomotor valves	Pump mixing unit
	Valves shut-off or balancing valves	
	Flowmeters	

InoxFlow manifold with servomotor valves and control valves (UVS series)

GROUP: E

Number of circuits (H×W×D) [mm]	*	Code			UM
2 (325×140×84)		1316160033	1	160	pc.
3 (325×190×84)		1316160034	1	120	pc.
4 (325×240×84)		1316160035	1	96	pc.
5 (325×290×84)		1316160036	1	80	pc.
6 (325×340×84)		1316160037	1	60	pc.
7 (325×390×84)		1316160038	1	60	pc.
8 (325×440×84)		1316160039	1	50	pc.
9 (325×490×84)		1316160040	1	44	pc.
10 (325×540×84)		1316160041	1	40	pc.
11 (325×590×84)		1316160042	1	40	pc.
12 (325×640×84)		1316160043	1	30	pc.



Note:

The manifold works with G $\frac{3}{4}$ " eurocone adapters and G $\frac{3}{4}$ " connectors.
 Outlets for individual circuits have 50 mm spacing.
 Use servomotors with M30×1.5 adapter.
 Manifold supply - upper beam.
 Return from manifold - lower beam.
 Beams have G1" female thread.

MARKING OF MANIFOLD SERIES



| | |
R or U B,N,S,V or F T, A or P

equipment of top or bottom beams

Basic
no accessories

Nipples

Servomotor valves

Valves
shut-off or balancing valves

Flowmeters

additional accessories

Top
air-vent on top of the beam



Axis
air-vent in the axis of the beam

Pump
mixing unit



InoxFlow manifold with servomotor valves and control valves (UVST series)

GROUP: E

Number of circuits (H×W×D) [mm]	*	Code			UM
2 (336×190×84)		1316157128	1	100	pc.
3 (336×240×84)		1316157129	1	100	pc.
4 (336×290×84)		1316157130	1	85	pc.
5 (336×340×84)		1316157131	1	85	pc.
6 (336×390×84)		1316157132	1	85	pc.
7 (336×440×84)		1316157133	1	75	pc.
8 (336×490×84)		1316157134	1	50	pc.
9 (336×540×84)		1316157135	1	75	pc.
10 (336×590×84)		1316157136	1	20	pc.
11 (336×640×84)		1316157137	1	20	pc.
12 (336×690×84)		1316157138	1	30	pc.

Note:

The manifold works with G $\frac{3}{4}$ " eurocone adapters and G $\frac{3}{4}$ " connectors.
 Outlets for individual circuits have 50 mm spacing.
 Use servomotors with M30×1.5 adapter.
 Manifold supply - upper beam.
 Return from manifold - lower beam.
 Beams have G1" female thread.
 The supply and return beam have G1" stop end mounted on one side.

MARKING OF MANIFOLD SERIES



| | | |
R or U **B,N,S,V or F** **T, A or P**

Radiator
manifolds for central heating and drinking water

Underfloor heating
manifolds for underfloor heating

equipment of top or bottom beams

Basic
no accessories

Nipples

Servomotor valves

Valves
shut-off or balancing valves


Flowmeters

additional accessories

Top
air-vent on top of the beam



Axis
air-vent in the axis of the beam

Pump
mixing unit



InoxFlow manifold with servomotor valves and flowmeters (UFST series)

GROUP: E

Number of circuits (H×W×D) [mm]	*	Code			UM
2 (362×190×84)		1316157077	1	96	pc.
3 (362×240×84)		1316157078	1	96	pc.
4 (362×290×84)		1316157079	1	80	pc.
5 (362×340×84)		1316157080	1	60	pc.
6 (362×390×84)		1316157081	1	60	pc.
7 (362×440×84)		1316157082	1	50	pc.
8 (362×490×84)		1316157083	1	50	pc.
9 (362×540×84)		1316157084	1	50	pc.
10 (362×590×84)		1316157085	1	40	pc.
11 (362×640×84)		1316157086	1	30	pc.
12 (362×690×84)		1316157087	1	30	pc.

Note:

The manifold works with G $\frac{3}{4}$ " eurocone adapters and G $\frac{3}{4}$ " connectors.
 Outlets for individual circuits have 50 mm spacing.
 Flowmeter adjustment range 0 - 2.5 l/min.
 Use servomotors with M30×1.5 adapter.
 Manifold supply - upper beam.
 Return from manifold - lower beam.
 Beams have G1" female thread.
 The supply and return beam have G1" stop end mounted on one side.

MARKING OF MANIFOLD SERIES



R or U B,N,S,V or F T, A or P

Radiator
manifolds for central heating and drinking water

Underfloor heating
manifolds for underfloor heating

equipment of top or bottom beams

Basic
no accessories

Nipples

Servomotor valves

Valves
shut-off or balancing valves

Flowmeters

additional accessories



Top
air-vent on top of the beam

Axis
air-vent in the axis of the beam

Pump
mixing unit

InoxFlow manifold with servomotor valves and flowmeters (UFST MAX series)

GROUP: E

Number of circuits (H×W×D) [mm]	*	Code			UM
2 (362×190×84)		1316157139	1	100	pc.
3 (362×240×84)		1316157140	1	100	pc.
4 (362×290×84)		1316157141	1	85	pc.
5 (362×340×84)		1316157142	1	85	pc.
6 (362×390×84)		1316157143	1	85	pc.
7 (362×440×84)		1316157144	1	44	pc.
8 (362×490×84)		1316157145	1	44	pc.
9 (362×540×84)		1316157146	1	44	pc.
10 (362×590×84)		1316157147	1	40	pc.
11 (362×640×84)		1316157148	1	55	pc.
12 (362×690×84)		1316157149	1	55	pc.



Note:

The manifold works with G $\frac{3}{4}$ " eurocone adapters and G $\frac{3}{4}$ " connectors.
 Outlets for individual circuits have 50 mm spacing.
 Flowmeter adjustment range 0 - 5,0 l/min.
 Use servomotors with M30×1.5 adapter.
 Manifold supply - upper beam.
 Return from manifold - lower beam.
 Beams have G1" female thread.
 The supply and return beam have G1" stop end mounted on one side.

MARKING OF MANIFOLD SERIES



R or U B,N,S,V or F T, A or P

Radiator
manifolds for central heating and drinking water

Underfloor heating
manifolds for underfloor heating

equipment of top or bottom beams

Basic
no accessories

Nipples

Servomotor valves

Valves
shut-off or balancing valves

Flowmeters

additional accessories

Top
air-vent on top of the beam

Axis
air-vent in the axis of the beam

Pump
mixing unit

Brass male/female reducer for manifold

GROUP: E

Size	*	Code			UM
G1" / G $\frac{1}{2}$ "		1300220002	10	120	pc.
G1" / G $\frac{3}{4}$ "		1300220003	10	120	pc.

Note:

The reducer has an O-Ring seal built-in.
 When assembling in KAN-therm manifolds, additional sealing is not required.



Nickel-plated male/female reducer for manifold

GROUP: E

Size	*	Code			UM
G1" / G $\frac{1}{2}$ "		1300220008	10	120	pc.
G1" / G $\frac{3}{4}$ "		1300220009	10	120	pc.

Note:

The reducer has an O-Ring seal built-in.
 When assembling in KAN-therm manifolds, additional sealing is not required.
 Do not use for potable water.



 coil  bar  pipes in tube  bag  carton box  pallet **N** new **i** available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Brass male stop end

GROUP: E

Size	*	Code			UM
G1"		1300025002	10	150	pc.

Note:
The stop end has an O-Ring seal built-in.
When assembling in KAN-therm manifolds, additional sealing is not required.



Nickel-plated male stop end

GROUP: E

Size	*	Code			UM
G¾"		1300250021	20	300	pc.
G1"		1300025005	10	120	pc.

Note:
The stop end has an O-Ring seal built-in.
When assembling in KAN-therm manifolds, additional sealing is not required.
Do not use for potable water.



Straight valve set SET-P

GROUP: E

Size	*	Code			UM
G1"		1300183006	1	20	set

Note:
1" valve set with a union, working with KAN-therm InoxFlow and brass manifolds without additional sealing.
Use when the manifold is supplied from the side.



Angle valve set SET-K

GROUP: E

Size	*	Code			UM
G1"		1300183007	1	20	set

Note:
1" valve set with a union and elbows, working with KAN-therm manifolds without additional sealing.
Use when the manifold is supplied from the floor.



Brass manifold knob

GROUP: E

Size [mm]	*	Code			UM
M28×1,5		1300183001	20	200	pc.
M30×1,5		1300183002	20	200	pc.

Note:
Use the knob on thermostatic valves to shut off the flow through the heating loops:
M28×1.5 - in the manifolds series 71, 75, 73A, 77A
M30×1.5 - in the manifolds series 73A, 77A, on a thermostatic valve at the inlet to the mixing unit and on servomotor valves of InoxFlow manifolds.

Nickel-plated manifold knob

GROUP: E

Size [mm]	*	Code			UM
M30x1,5		1300183051	20	200	pc.

Note:

Use the knob on thermostatic valves to shut off the flow through the heating loops:
 M28x1.5 - in the manifolds series 71, 75, 73A, 77A
 M30x1.5 - in the manifolds series 73A, 77A, on a thermostatic valve at the inlet to the mixing unit and on servomotor valves of InoxFlow manifolds.



Brass extension element with flowmeter - L = 50 mm

GROUP: E

Size	*	Code			UM
G1"		1300079049	1	20	pc.

Note:

Use the element with 1" nipple to extend the manifold by one circuit.
 Supply flowmeter adjustment range 0 - 2.5 l/min.



Brass extension element with control valve - L = 50 mm

GROUP: E

Size	*	Code			UM
G1"		1300079002	1	20	pc.

Note:

Use the element with 1" nipple to extend the manifold by one circuit.



Brass extension element with servomotor valve - L = 50 mm

GROUP: E

Size	*	Code			UM
G1"		1300079048	1	20	pc.

Note:

Use the element with 1" nipple to extend the manifold by one circuit.
 Use adapters for M30x1.5 servomotors.



Male nipple with gasket

GROUP: E

Size	*	Code			UM
G1"		1300174028	10	100	pc.

Note:

Use to connect manifolds with extension elements.





Male nickel-plated nipple with gasket

GROUP: E

Size	*	Code			UM
G1"		1300174042	10	100	pc.

Note:

Do not use for potable water. Use to connect manifolds with extension elements.



Tee with gasket

GROUP: E

Size	*	Code			UM
G1" / G½" / G½"		1300257001	5	70	pc.

Note:

Use the element in manifolds to extend a manifold by one circuit or add an air vent and drain valve.



Nickel-plated tee with gasket

GROUP: E

Size	*	Code			UM
G1" / G½" / G½"		1300257003	5	70	pc.

Note:

Use the element in manifolds to extend a manifold by one circuit or add an air vent and drain valve. Do not use for potable water.



Brass male stop end

GROUP: E

Size	*	Code			UM
G½"		1709250004	20	300	pc.

Note:

The stop end has its O-Ring seal. Use a hex12 Allen wrench for tightening.



Nickel-plated male stop end

GROUP: E

Size	*	Code			UM
G½"		1300250020	20	300	pc.

Note:

The stop end has an O-Ring. Use a hex12 Allen wrench for tightening. Do not use for potable water.

Tee with air vent and drain valve

GROUP: E

Size	*	Code			UM
G1"		1300257002	1	20	pc.



Nickel-plated tee with air vent and drain valve

GROUP: E

Size	*	Code			UM
G1"		1300257004	10	80	pc.

Note:

Do not use for potable water.



Manual air vent

GROUP: E

Size	*	Code			UM
G½"		1300005007	1	100	pc.



Plastic air vent and drain valve

GROUP: E

Size	*	Code			UM
G½"		1300005003	25	100	pc.



Metal air vent and drain valve

GROUP: E

Size	*	Code			UM
G½"	***	1300277000	25	100	pc.





Air vent with stop valve

GROUP: E

Size	*	Code			UM
G½"		1300005000	1	25	pc.

Note:

The stop valve makes it possible to remove the air vent without the necessity to drain the installation. Use tow for sealing.



Nickel-plated air vent with stop valve

GROUP: E

Size	*	Code			UM
G½"		1300005006	1	100	pc.

Note:

The stop valve makes it possible to remove the air vent without the necessity to drain the installation. Use tow for sealing.



Dial thermometer - red

GROUP: E

Version	*	Code			UM
100 °C	*	1300264001	1	100	pc.




Dial thermometer - blue


GROUP: E

Version	*	Code			UM
100 °C	*	1300264002	1	100	pc.

InoxFlow manifold with mixing unit (USVP series)

GROUP: E

Size (H×W×D) [mm]	*	Code			UM
2 (329×478×105)	***	1316160044	1	20	pc.
3 (329×528×105)	***	1316160045	1	20	pc.
4 (329×578×105)	***	1316160046	1	20	pc.
5 (329×628×105)	***	1316160047	1	20	pc.
6 (329×678×105)	***	1316160048	1	20	pc.
7 (329×728×105)	***	1316160049	1	20	pc.
8 (329×778×105)	***	1316160050	1	10	pc.
9 (329×828×105)	***	1316160051	1	10	pc.
10 (329×878×105)	***	1316160052	1	10	pc.



Note:

Use adapters for M30×1.5 servomotors on the upper beam.

Use the manifold with an integrated mixing unit in the installations of the maximum heat load up to 15 kW*.

*Assuming the following parameters: loop diameter 16×2 mm, loop length up to 100 m, pipe spacing 15 cm, supply/return temperature 40/30°C.

Do not use with low-parameter heat sources.

MARKING OF MANIFOLD SERIES



R or U B,N,S,V or F T, A or P

Radiator
manifolds for central heating and drinking water

Underfloor heating
manifolds for underfloor heating

equipment of top or bottom beams

Basic
no accessories

Nipples

Servomotor valves

Valves
shut-off or balancing valves


Flowmeters

additional accessories

Top
air-vent on top of the beam

Axis
air-vent in the axis of the beam

Pump
mixing unit



InoxFlow manifold with mixing unit (USFP series)

GROUP: E

Size (H×W×D) [mm]	*	Code			UM
2 (329×478×105)		1316157088	1	20	pc.
3 (329×528×105)		1316157089	1	20	pc.
4 (329×578×105)		1316157090	1	20	pc.
5 (329×628×105)		1316157091	1	20	pc.
6 (329×678×105)		1316157092	1	20	pc.
7 (329×728×105)		1316157093	1	20	pc.
8 (329×778×105)		1316157094	1	10	pc.
9 (329×828×105)		1316157095	1	10	pc.
10 (329×878×105)		1316157096	1	10	pc.

Note:

Use adapters for M30×1.5 servomotors on the upper beam.

MARKING OF MANIFOLD SERIES



R or U B, N, S, V or F T, A or P

Radiator
manifolds for central heating and drinking water

Underfloor heating
manifolds for underfloor heating

equipment of top or bottom beams

Basic
no accessories

Nipples

Servomotor valves

Valves
shut-off or balancing valves

Flowmeters

additional accessories

Top
air-vent on top of the beam

Axis
air-vent in the axis of the beam

Pump
mixing unit



Electronic pump group

GROUP: E

	*	Code			UM
		1346103000	1	40	pc.

Note:

Use the manifold with an integrated mixing unit in the installations of the maximum heat load up to 15 kW*.

*Assuming the following parameters:

- loop diameter 16×2 mm,
- loop length up to 100 m,
- pipe spacing 15 cm,
- supply/return temperature 40/30°C.

Do not use with low-parameter heat sources.



Pump group with three-way thermostatic mixing valve - Kvs = 1.6

GROUP: E

Version	*	Code			UM
35-60 °C		1300103001	1	40	pc.
20-43 °C		1300103003	1	40	pc.

Note:

Use the manifold with an integrated mixing unit in the installations of the maximum heat load up to 7.5 kW*.

*Assuming the following parameters:

- loop diameter 16×2 mm,
- loop length up to 100 m,
- pipe spacing 15 cm,
- supply/return temperature 40/30°C.

Pump group with three-way thermostatic mixing valve - Kvs = 2.5

GROUP: E

Version	*	Code			UM
20-43 °C		1346103005	1	40	pc.

Note:

Use the manifold with an integrated mixing unit in the installations of the maximum heat load up to 15 kW*.



*Assuming the following parameters:

- loop diameter 16×2 mm,
- loop length up to 100 m,
- pipe spacing 15 cm,
- supply/return temperature 40/30°C.



Brass manifold with servomotor valves and flowmeters (75A series)

GROUP: E

Number of circuits (H×W×D) [mm]	*	Code			UM
2 (330×100×80)		1346157011	1	108	pc.
3 (330×150×80)		1346157012	1	108	pc.
4 (330×200×80)		1346157013	1	72	pc.
5 (330×250×80)		1346157014	1	72	pc.
6 (330×300×80)		1346157015	1	54	pc.
7 (330×350×80)		1346157016	1	54	pc.
8 (330×400×80)		1346157017	1	45	pc.
9 (330×450×80)		1346157018	1	36	pc.
10 (330×500×80)		1346157019	1	36	pc.
11 (330×550×80)		1346157020	1	36	pc.
12 (330×600×80)		1346157021	1	27	pc.

Note:

The manifold works with G $\frac{3}{4}$ " eurocone adapters and G $\frac{3}{4}$ " connectors.
 Outlets for individual circuits have 50 mm spacing.
 Adjustment range of flow meters 0 - 2.4 l/min. Use servomotor with M28×1.5 adapter.
 Manifold supply - upper beam.
 Return from manifold - lower beam.
 Beams have G1" female thread.
 The supply and return beam has a G1" cap installed on one side.



Plastic manifold 1½" × ¾"

GROUP: E

Number of circuits	*	Code			UM
2	**	1328155000	1	160	pc.
3	**	1328155001	1	160	pc.
4	**	1328155002	1	120	pc.
5	**	1328155003	1	96	pc.
6	**	1328155004	1	80	pc.
7	**	1328155005	1	60	pc.
8	**	1328155006	1	60	pc.
9	**	1328155007	1	50	pc.
10	**	1328155008	1	50	pc.
11	**	1328155009	1	50	pc.
12	**	1328155010	1	40	pc.
13	**	1328155011	1	30	pc.
14	**	1328155012	1	30	pc.
15	**	1328155013	1	20	pc.
16	**	1328155014	1	20	pc.

Note:

The manifold is equipped with a 4-20 l/min flowmeter.



 coil  bar  pipes in tube  bag  carton box  pallet **N** new **i** available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Plastic manifold basic set 1½" × ¾"

GROUP: E

	*	Code			UM
		1300079050	1	200	pc.

Each set includes:

- plastic end - 2 pcs.,
- 1 ½" M Brass Head/1 ½" M - 2 pcs.,
- head module with air vent and thermometer - 2 pcs.,
- bracket - 2 pcs.



Plastic manifold return module 1½" × ¾"

GROUP: E

	*	Code		UM
	**	1300079052	1	pc.



Plastic manifold thermostatic return module 1½" × ¾"

GROUP: E

	*	Code		UM
	**	1300079053	1	pc.

Note:

Use an adapter for the M30×1.5 servomotor.




Plastic manifold supply module 1½" × ¾" with flowmeter

GROUP: E

Range [l/min]	*	Code		UM
4-20	**	1300079051	1	pc.

Plastic manifold 1½" × 1"

GROUP: E

Number of circuits	*	Code			UM
2	**	1328155015	1	160	pc.
3	**	1328155016	1	160	pc.
4	**	1328155017	1	120	pc.
5	**	1328155018	1	96	pc.
6	**	1328155019	1	80	pc.
7	**	1328155020	1	60	pc.
8	**	1328155021	1	60	pc.
9	**	1328155022	1	50	pc.
10	**	1328155023	1	50	pc.
11	**	1328155024	1	50	pc.
12	**	1328155025	1	40	pc.
13	**	1328155026	1	30	pc.
14	**	1328155027	1	30	pc.
15	**	1328155028	1	20	pc.
16	**	1328155029	1	20	pc.

Note:

The manifold is equipped with a 4-20 l/min flowmeter.



Plastic manifold basic set 1½" × 1"

GROUP: E

	*	Code			UM
	**	1300079054	1	200	pc.

Each set includes:

- plastic end - 2 pcs.,
- 1½" M Brass Head/1½" M - 2 pcs.,
- head module with air vent and thermometer - 2 pcs.,
- bracket - 4 pcs.,
- nuts - 8 pcs.



Plastic manifold supply module 1½" × 1" with flowmeter

GROUP: E

Range [l/min]	*	Code		UM
7-32	**	1300079055	1	pc.
4-20	**	1300079056	1	pc.



Plastic manifold return module 1½" × 1"

GROUP: E

	*	Code		UM
	**	1300079057	1	pc.





Plastic manifold thermostatic return module 1 1/2" x 1"

GROUP: E

	*	Code		UM
	**	1300079058	1	pc.

Note:

Use an adapter for the M30x1.5 servomotor.



Straight thermostatic valve - M30x1,5

GROUP: A

Size	*	Code			UM
Rp1/2"		1700277001	1	30	pc.

Note:

Used as a service element for manifolds series 73E and 77E, as well as KAN-therm pump groups. By using M30x1.5 adapter, electric servomotor and room thermostat, it can be used to adjust temperature for a whole area.



Straight return valve with pre-set

GROUP: A

Size	*	Code			UM
Rp1/2"		1700277000	5	50	pc.

Note:

Used as a service element for manifolds series 73E and 77E, as well as KAN-therm pump groups. It enables hydraulic regulation of surface heating installations - setting supply temperature of heating loops.



Thermostatic head with pad

GROUP: A

Size [mm]	*	Code			UM
M30x1,5		1802108006	1	100	pc.

Note:

The element is intended for manifolds series 73E and 77E, as well as KAN-therm pump groups - it works as a protection against exceeding a temperature in a surface heating installation.



Thermostatic head with pad for InoxFlow manifolds

GROUP: A

Size [mm]	*	Code			UM
M30x1,5		1802108008	1	100	pc.



Note:

The element is intended for manifolds series USVP and USFP, as well as KAN-therm pump groups - it works as a protection against exceeding a temperature in a surface heating installation.

Floor heating cabinets

Recess mounted cabinet Slim+

GROUP: D

Size (H×W×D) [mm]	*	Code			UM
750-850×450×110-160		1414183018	1	33	pc.
750-850×550×110-160		1414183019	1	27	pc.
750-850×700×110-160		1414183020	1	21	pc.
750-850×850×110-160		1414183021	1	15	pc.
750-850×1000×110-160		1414183022	1	14	pc.
750-850×1200×110-160		1414183023	1	12	pc.



STD - a manifold without additional fixtures, with 1" stop end on one side.

KPL - a manifold with SET-K connection valves and a tee with an air vent and a drain valve in a beam.

+GP H - a manifold with an integrated set-point mixing unit.

KPL +GP 3D - a manifold with a vent and drain valve in a beam, as well as connected mixing pump group with a three-way thermostatic valve.

OPT - a manifold with a built-in vent and drain group, as well as SET-K connection valves.

OPT +GP 3D - a manifold with a built-in vent and drain group, as well as connected mixing pump group with a three-way thermostatic valve.

The drain and vent group should be taken as additional outlet.

Code	Type	Brass manifold (Max. number of circuits)				InoxFlow manifold (Max. number of circuits)					
		STD	KPL	+GP H	KPL +GP 3D	STD	KPL	OPT	+GP H	KPL +GP 3D	OPT +GP 3D
1414183018	Slim+ 450	7	3	-	2	7	2	4	-	-	-
1414183019	Slim+ 550	9	5	2	4	9	4	6	-	3	2
1414183020	Slim+ 700	12	8	5	7	12	7	9	4	6	5
1414183021	Slim+ 850	12	11	8	10	12	10	12	7	9	8
1414183022	Slim+ 1000	12	12	11	12	12	12	12	10	12	11
1414183023	Slim+ 1200	12	12	12	12	12	12	12	12	12	12

Surface mounted cabinet SWN-OP

GROUP: D

Size (H×W×D) [mm]	*	Code			UM
710×580×140		1446180000	1	20	pc.
710×780×140		1446180001	1	14	pc.
710×930×140		1446180002	1	11	pc.



Note:

In the "Size" field, there is given:

- the external dimension of the cabinet body.

STD - a manifold without additional fixtures, with 1" stop end on one side.

KPL - a manifold with SET-K connection valves and a tee with an air vent and a drain valve in a beam.

+GP H - a manifold with an integrated set-point mixing unit.

KPL +GP 3D - a manifold with a vent and drain valve in a beam, as well as connected mixing pump group with a three-way thermostatic valve.

OPT - a manifold with a built-in vent and drain group, as well as SET-K connection valves.

OPT +GP 3D - a manifold with a built-in vent and drain group, as well as connected mixing pump group with a three-way thermostatic valve.

The drain and vent group should be taken as additional outlet.

Code	Type	Brass manifold (Max. number of circuits)				InoxFlow manifold (Max. number of circuits)					
		STD	KPL	+GP H	KPL +GP 3D	STD	KPL	OPT	+GP H	KPL +GP 3D	OPT +GP 3D
1446180000	SWN-OP 580	10	6	2	4	9	5	6	-	4	3
1446180001	SWN-OP 780	12	10	6	8	12	9	10	5	8	7
1446180002	SWN-OP 930	12	12	9	11	12	12	12	8	11	10

 coil  bar  pipes in tube  bag  carton box  pallet **N** new **i** available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Recess mounted cabinet SWP-OP

GROUP: D

Size (H×W×D) [mm]	*	Code			UM
750-850×580×110-160		1446117003	1	20	pc.
750-850×780×110-160		1446117004	1	17	pc.
750-850×930×110-160		1446117005	1	14	pc.

Note:

In the "Size" field, there is given:

- the external dimension of the cabinet body (the minimum dimension of the mounting cavity).

STD - a manifold without additional fixtures, with 1" stop end on one side.

KPL - a manifold with SET-K connection valves and a tee with an air vent and a drain valve in a beam.

+GP H - a manifold with an integrated set-point mixing unit.

KPL +GP 3D - a manifold with a vent and drain valve in a beam, as well as connected mixing pump group with a three-way thermostatic valve.

OPT - a manifold with a built-in vent and drain group, as well as SET-K connection valves.

OPT +GP 3D - a manifold with a built-in vent and drain group, as well as connected mixing pump group with a three-way thermostatic valve.

The drain and vent group should be taken as additional outlet.

Code	Type	Brass manifold (Max. number of circuits)				InoxFlow manifold (Max. number of circuits)					
		STD	KPL	+GP H	KPL+GP 3D	STD	KPL	OPT	+GP H	KPL+GP 3D	OPT+GP 3D
1446117003	SWP-OP 580	10	6	2	4	9	5	6	-	4	3
1446117004	SWP-OP 780	12	10	6	8	12	9	10	5	8	7
1446117005	SWP-OP 930	12	12	9	11	12	12	12	8	11	10

Basic+ - automation components

Temperature sensor Basic+ with concealed setting (heating)

GROUP: A

Voltage	*	Code		UM
230 V		1802265131	1	pc.
24 V		1802265132	1	pc.

Note:

The temperature sensor requires a 3-wire installation.



Analogue thermostat Basic+ (heating)

GROUP: A

Voltage	*	Code		UM
230 V		1802265024	1	pc.
24 V		1802265025	1	pc.

Note:

The thermostat works with servomotors of the following codes: 1802003004 and 1802003006 through the terminal blocks with the following codes: 1802212013, 1802212014, 1802212015, 1802212016.

Required at least 3-wire installation.



Analogue thermostat Basic+ (heating/cooling)

GROUP: A

Voltage	*	Code		UM
230 V		1802265032	1	pc.
24 V		1802265033	1	pc.

Note:

The thermostat works with servomotors of the following codes: 1802003004 and 1802003006 through the terminal blocks with the following codes: 1802212013, 1802212014, 1802212015, 1802212016. Required at least 3-wire (heating) or 4-wire (cooling) installation.



Thermostat Basic+ with LCD Standard (heating)

GROUP: A

Voltage	*	Code		UM
230 V		1802265020	1	pc.
24 V		1802265021	1	pc.

Note:

The thermostat works with servomotors of the following codes: 1802003004 and 1802003006 through the terminal blocks with the following codes: 1802212013, 1802212014, 1802212015, 1802212016.

Required at least 3-wire installation.



 coil  bar  pipes in tube  bag  carton box  pallet **N** new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Thermostat Basic+ with LCD Control (heating/cooling)

GROUP: A

Voltage	*	Code		UM
230 V		1802012004	1	pc.
24 V		1802012005	1	pc.

Note:

The thermostat works with servomotors of the following codes: 1802003004 and 1802003006 through the terminal blocks with the following codes: 1802212013, 1802212014, 1802212015, 1802212016. Required at least 3-wire (heating) or 4-wire (cooling) installation.



Sensor for thermostat LCD Control Basic+ with cable

GROUP: A

	*	Code		UM
		1802012006	1	pc.



Bimetallic room thermostat

GROUP: A

Voltage	*	Code			UM
230 V		1802265022	1	25	pc.
230 V / 24 V		1802265023	1	25	pc.

Note:

The thermostat works with servomotors of the following codes: 1802003004 and 1802003006 through the terminal blocks with the following codes: 1802212015, 1802212016, 1802212013 and 1802212014.
Thermostat 1802265022 - 3-wire.
Thermostat 1802265023 - 2-wire.



Weekly programmable room thermostat

GROUP: A

	*	Code		UM
	***	1802265128	1	pc.

Note:

The controller has battery power supply. Required at least 2-wire installation.



Week controller with floor temperature sensor

GROUP: A

	*	Code			UM
		1802265038	1	10	pc.

Note:

Flush installation. Required at least 3-wire installation.

Terminal block Basic+ (heating/cooling) - 6 zones

GROUP: A

Voltage	*	Code			UM
230 V		1802212015	1	25	pc.
24 V		1802212016	1	25	pc.



Terminal block Basic+ (heating/cooling) - 10 zones

GROUP: A

Voltage	*	Code			UM
230 V		1802212013	1	25	pc.
24 V		1802212014	1	25	pc.



Power adapter for Basic+ terminal block

GROUP: A

Voltage	*	Code			UM
230 V / 24 V		1802265040	1	10	pc.



Servomotor 230 V

GROUP: A

Version	*	Code			UM
NC		1802003004	1	100	pc.
NO		1802003003	1	100	pc.

Note:

No adapter included.
 NC (normally closed) - de-energised closed.
 NO (normally open) - de-energised open.



Servomotor 230 V with M30×1.5 adapter

GROUP: A

Version	*	Code			UM
NC		1802212036	1	100	pc.

Note:

The servomotor has M30×1.5 adapter.
 NC (normally closed) - de-energised closed





Servomotor 24 V

GROUP: A

Version	*	Code			UM
NC		1802003006	1	100	pc.
NO		1802003005	1	100	pc.



Note:

No adapter included.
 NC (normally closed) - de-energised closed.
 NO (normally open) - de-energised open.



Servomotor 24 V with M30×1.5 adapter

GROUP: A

Version	*	Code			UM
NC		1327098159	1	100	pc.

Note:

The servomotor has M30×1,5 adapter.
 NC (normally closed) - de-energised closed

Controllers, additional accessories and tools

Smart servomotor adapter

GROUP: A

Version	*	Code			UM
M28×1,5		1802003002	20	160	pc.

Note:

Adapter M28×1.5 is used for valves installed in brass manifolds series 71A, 73A, 77E, 75A, 77A and 77E of KAN-therm system with servomotors on the upper beam. The adapter works with SMART servomotors of the following codes: 1802003004, 1802003003, 1802003006, 1802003005.



Underfloor heating unit with valve, thermostatic head and air vent

GROUP: A

	*	Code		UM
	***	1802183000	1	pc.

Note:

The set is equipped with its manual air vent. The thermostatic head measures the air temperature in the room.



Return temperature limiter and room controller Premium RTL Kombi UP DUO

GROUP: A

	*	Code		UM
		1802265130	1	pc.



Icing controller

GROUP: A

	*	Code			UM
	*	1802047003	1	4	pc.

Note:

The controller requires a snow and ice sensor, as well as a temperature and humidity sensor.



Snow and ice sensor with 15 m wire

GROUP: A

	*	Code		UM
	*	1802047000	1	pc.

Note:

The snow and ice sensor works with icing controller for heating open areas, code 1802047003.





Temperature and humidity sensor

GROUP: A

	*	Code		UM
		1802047001	1	pc.

Note:

The temperature and humidity sensor works with icing controller for heating open areas, code 1802047003.



Tacker tool for clips

GROUP: K

	*	Code		UM
		1950267002	1	pc.

Note:

Tacker work with tape clips in short U42 (42 mm) and long U55 (55 mm) versions.



Plastic Tacker tool for clips

GROUP: K

	*	Code		UM
		1950254001	1	pc.

Note:

Tacker work with tape clips in short U42 (42 mm) and long U55 (55 mm) versions.



Adhesive tape hand feeder

GROUP: A

	*	Code			UM
		1800183009	1	20	pc.



Pipe uncoiler

GROUP: K

	*	Code		UM
		1928270001	1	pc.

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Pipes guide arm for uncoiler

GROUP: K

	*	Code		UM
	*	1928270000	1	pc.



Vertical pipe uncoiler

GROUP: K

	*	Code		UM
	*	1928270002	1	pc.



TBS electric cutter

GROUP: K

	*	Code		UM
	*	1950267005	1	pc.

Note:

TBS cutter with a tip is used to cut grooves for Ø16 pipes in complementary TBS boards.



TBS cutter tip

GROUP: K

	*	Code		UM
	*	1950267000	50	pc.



Combination wrench for G^{3/4}" eurocone adapters

GROUP: K

Size [mm]	*	Code		UM
30	*	1938267035	1	15 pc.

Note:

The wrench is intended for assembling G^{3/4}" Eurocone adapters.



Pipe cutter for PB

GROUP: K

Size [mm]	*	Code		UM
8x1	*	1950060000	1	50 pc.





Pipe cutter

GROUP: K

Size [mm]	*	Code			UM
12-32		1938267050	1	25	pc.



Pipe cutter blade

GROUP: K

Size [mm]	*	Code			UM
12-32	*	1938267055	1	150	pc.



Pipe cutter for PERTAL pipes

GROUP: K

Size [mm]	*	Code			UM
14-32		1936267054	1	20	pc.



Pipe cutter blade for PERTAL pipe

GROUP: K

Size [mm]	*	Code			UM
14-32		1936267059	1	50	pc.



Calibrator for PERTAL pipes

GROUP: K

Size [mm]	*	Code			UM
14	*	1936267022	1	60	pc.
16		1936267026	1	60	pc.
20		1936267028	1	60	pc.
25 / 26		1936267030	1	60	pc.



Universal calibrator for PERTAL pipes

GROUP: K

Size [mm]	*	Code			UM
16 / 20 / 25-26		1936267044	1	40	pc.



Internal spring for pipes bending

GROUP: K

Size [mm]	*	Code			UM
16		1936267075	1	10	pc.
20		1936267077	1	10	pc.
25-26		1936267071	1	10	pc.



Note:
 1936267075 is compatible with PERTAL² and PERTAL pipes.
 1936267077 and 1936267071 are compatible with PERTAL pipes.

coil bar pipes in tube bag carton box pallet **N** new **i** available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

External spring for bending pipes

GROUP: K

Size [mm]	*	Code			UM
16		1936267081	1	60	pc.
20		1936267086	1	40	pc.
25-26		1936267088	1	25	pc.



Note:

The external spring works with PERTAL² and PERTAL pipes.

 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



KAN-therm
MULTISYSTEM

> 35 | years of experience
on the installation
market



KAN-therm
Manifolds
and cabinets

supplementary elements

QUALITY AND RELIABILITY

Install the **future**

Table of contents

Cabinets and manifolds - supplementary elements


Fittings for union connections	199
Fittings for connecting Ø15 nickel-plated pipes	201
General purpose fittings	202
Manifolds	204
Manifold accessories	209
Installation cabinets	216
Installation accessories and fastening elements	219

Cabinets and manifolds - supplementary elements

Fittings for union connections

Brass male coupling

GROUP: A

Size	*	Code			UM
G½"		1709174003	20	300	pc.
G¾"		1709174001	10	150	pc.
G1"		1709174000	10	100	pc.

Note:

The element is compatible with adapters for PEXC and PERT pipes, connectors for PERTAL pipes, as well as nuts and sleeves for copper pipes.



Brass nickel-plated male coupling

GROUP: A

Size	*	Code			UM
G½"	*	1709174004	10	100	pc.


Note:

The element is compatible with adapters for PEXC and PERT pipes, connectors for PERTAL pipes, as well as nuts and sleeves for copper pipes. Do not use for potable water.



Brass male reducing coupling

GROUP: A

Size	*	Code			UM
G¾" / G½"		1709174013	10	150	pc.
G1" / G¾"		1709174009	10	100	pc.



Note:

The element is compatible with adapters for PEXC and PERT pipes, connectors for PERTAL pipes, as well as nuts and sleeves for copper pipes.



Brass male elbow 90°

GROUP: A

Size	*	Code			UM
G½"	***	1709068008	20	200	pc.
G¾"		1709068010	10	120	pc.



Note:

The element is compatible with adapters for PEXC and PERT pipes, as well as connectors for PERTAL pipes.



Brass male/female elbow 90°

GROUP: A

Size	*	Code			UM
G½"		1709068004	10	150	pc.
G¾"	***	1709068006	10	80	pc.
G1"	***	1709068018	5	50	pc.

Note:

The element is compatible with adapters for PEXC and PERT pipes, as well as connectors for PERTAL pipes.





Brass male tee

GROUP: A

Size	*	Code			UM
G½"	***	1709257009	10	120	pc.
G¾"	***	1709257011	5	70	pc.

Note:

The element is compatible with adapters for PEXC and PERT pipes, as well as connectors for PERTAL pipes.




Plastic male stop end for leak tests

GROUP: A

Size	*	Code			UM
G½"		1700250001	20	300	pc.

Note:

The plastic stop end is intended only for the leak test of the installation. The stop end has its O-Ring seal.



Mounting bolt

GROUP: A

Size [mm]	*	Code			UM
M8		1700183012	100	2000	pc.

Note:

It connects the mounting plate with wallplate elbows and tees.

Fittings for connecting Ø15 nickel-plated pipes

Eurocone adapter for Cu Ø15 pipe

GROUP: A

Size	*	Code			UM
G¾"		1709043005	15	150	pc.

Note:

The adapter is compatible with fittings for union connections with male threads and radiator combined valves.



Universal eurocone adapter for Ø15 pipes

GROUP: A

Size [mm]	*	Code			UM
15 G¾"		1709043010	15	150	pc.

Note:

Universal adapter, enabling connection of metal pipes (e.g. copper, nickel-plated copper, KAN-therm Steel and Inox system pipes) with a diameter of 15 mm. The construction of the adapter allows for its multiple use.



Eurocone adapter with ring for Cu Ø15 pipe

GROUP: A

Size	*	Code			UM
15 G½"		1709043003	20	300	pc.

Note:

The adapter is compatible with nipples and fittings for union connections.



Compression for Cu Ø15 pipes

GROUP: A

Size [mm]	*	Code			UM
15 G½"		1709043011	20	300	pc.

Note:

The compression fitting is compatible with 1709040000.



Nickel-plated male/female connection body for Ø15 pipe

GROUP: A

Size [mm]	*	Code			UM
15 G½"		1709040000	20	200	pc.

Note:

To be used together with a compression for Cu Ø15 mm pipe (1709043011) when connecting radiators with female ½" thread using fittings with nickel-plated Cu Ø15 mm pipes.



General purpose fittings



Brass male/female union

GROUP: A

Size	*	Code		UM
G1/2"		1709271005	100	pc.
G3/4"		1709271006	60	pc.
G1"		1709271004	30	pc.



Brass male/female angle union

GROUP: A

Size	*	Code		UM
G1/2"		1709271002	70	pc.



Brass female elbow 90°

GROUP: A

Size	*	Code			UM
G3/4"	***	1709068002	5	50	pc.
G1"		1709068000	-	50	pc.



Brass female tee

GROUP: A

Size	*	Code			UM
G1/2"	***	1709257002	5	70	pc.
G3/4"	***	1709257003	5	50	pc.
G1"		1709257014	-	30	pc.



Brass female coupling

GROUP: A

Size	*	Code			UM
G1/2"		1709245010	20	200	pc.
G3/4"		1709245012	10	120	pc.
G1"	***	1709245003	10	80	pc.



Brass female reducing coupling

GROUP: A


Size	*	Code			UM
G3/4" / G1/2"		1709245014	10	120	pc.

coil bar pipes in tube bag carton box pallet **N** new available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Brass male/female reducing coupling

GROUP: A


Size	*	Code			UM
G $\frac{3}{4}$ " / G $\frac{1}{2}$ "		1709220007	20	200	pc.
G1" / G $\frac{1}{2}$ "		1709220011	10	200	pc.
G1" / G $\frac{3}{4}$ "		1709220003	10	120	pc.



Brass female stop end

GROUP: A

Size	*	Code			UM
G $\frac{1}{2}$ "		1709250001	20	500	pc.
G $\frac{3}{4}$ "		1709250002	20	300	pc.



Plastic male stop end for leak tests

GROUP: A

Size	*	Code			UM
G $\frac{1}{2}$ "		1700250001	20	300	pc.

Note:
The plastic stop end is intended only for the leak test of the installation.
The stop end has its O-Ring seal.




Mounting bolt

GROUP: A

Size [mm]	*	Code			UM
M8		1700183012	100	2000	pc.

Note:
It connects the mounting plate with wallplate elbows and tees.




Manifolds



Residential manifold set

GROUP: E

Number of circuits (H×W×D) [mm]	*	Code			UM
2 (1280×375×264)	**	1343183013	1	4	pc.
3 (1280×375×264)	**	1343183014	1	4	pc.
4 (1280×475×264)	**	1343183015	1	4	pc.
5 (1280×575×264)	**	1343183016	1	4	pc.
6 (1280×675×264)	**	1343183017	1	4	pc.
7 (1280×775×264)	**	1343183018	1	2	pc.
8 (1280×875×264)	**	1343183019	1	2	pc.



Water module of the residential manifold set

GROUP: E

Number of circuits (H×W×D) [mm]	*	Code			UM
2 (727×377×169)	*	1343183035	1	23	pc.
3 (727×447×169)	*	1343183036	1	23	pc.
4 (727×547×169)	*	1343183037	1	23	pc.
5 (727×647×169)	*	1343183038	1	23	pc.
6 (727×747×169)	*	1343183039	1	13	pc.
7 (727×847×169)	*	1343183040	1	13	pc.
8 (727×947×169)	*	1343183041	1	13	pc.



Central heating module of the residential manifold set

GROUP: E



Number of circuits (H×W×D) [mm]	*	Code			UM
2 (720×377×268)	*	1343183042	1	23	pc.
3 (727×447×268)	*	1343183043	1	23	pc.
4 (727×547×268)	*	1343183044	1	23	pc.
5 (727×647×268)	*	1343183045	1	23	pc.
6 (727×747×268)	*	1343183046	1	13	pc.
7 (727×847×268)	*	1343183047	1	13	pc.
8 (727×947×268)	*	1343183048	1	13	pc.

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

InoxFlow manifold without accessories (RBB series)

GROUP: E

Number of circuits (H×W×D) [mm]	*	Code			UM
2 (325×140×84)		1316156000	1	160	pc.
3 (325×190×84)		1316156001	1	120	pc.
4 (325×240×84)		1316156002	1	96	pc.
5 (325×290×84)		1316156003	1	80	pc.
6 (325×340×84)		1316156004	1	60	pc.
7 (325×390×84)		1316156005	1	60	pc.
8 (325×440×84)		1316156006	1	50	pc.
9 (325×490×84)		1316156007	1	44	pc.
10 (325×540×84)		1316156008	1	40	pc.
11 (325×590×84)		1316156009	1	40	pc.
12 (325×640×84)		1316156010	1	30	pc.



Note:

The manifold has holes with female G1/2" thread as outlets for individual circuits with a spacing of 50 mm.

Manifold supply - upper beam.

Return from manifold - lower beam.

The beams have female G1" thread as installation connections and female G1/2" thread in the upper surface to mount air vents.

The supply and return beam have G1" stop end mounted on one side.

MARKING OF MANIFOLD SERIES



R or U B, N, S, V or F T, A or P

Radiator
manifolds for central heating and drinking water

Underfloor heating
manifolds for underfloor heating

equipment of top or bottom beams

Basic
no accessories

Nipples

Servomotor valves

Valves
shut-off or balancing valves

Flowmeters

additional accessories

Top
air-vent on top of the beam

Axis
air-vent in the axis of the beam

Pump
mixing unit



InoxFlow manifold with union nipples (RNN series)

GROUP: E

Number of circuits (H×W×D) [mm]	*	Code			UM
2 (325×140×84)		1316158000	1	160	pc.
3 (325×190×84)		1316158001	1	96	pc.
4 (325×240×84)		1316158002	1	96	pc.
5 (325×290×84)		1316158003	1	80	pc.
6 (325×340×84)		1316158004	1	60	pc.
7 (325×390×84)		1316158005	1	60	pc.
8 (325×440×84)		1316158006	1	50	pc.
9 (325×490×84)		1316158007	1	44	pc.
10 (325×540×84)		1316158008	1	40	pc.
11 (325×590×84)		1316158009	1	40	pc.
12 (325×640×84)		1316158010	1	30	pc.

Note:

The manifold works with G³/₄" connection adapters and G³/₄" connectors.

Outlets for individual circuits have 50 mm spacing.

Manifold supply - upper beam.

Return from manifold - lower beam.

The beams have female G1" thread as installation connections and female G¹/₂" thread in the upper surface to mount air vents.

The supply and return beam have G1" stop end mounted on one side.

MARKING OF MANIFOLD SERIES



R or U **B,N,S,V or F** **T, A or P**

Radiator
manifolds for central heating
and drinking water

Underfloor heating
manifolds for
underfloor heating

**equipment of top
or bottom beams**

Basic
no accessories

Nipples

Servomotor valves

Valves
shut-off or balancing valves

Flowmeters

**additional
accessories**



Top
air-vent on top
of the beam

Axis
air-vent in the axis
of the beam

Pump
mixing unit

InoxFlow manifold with shut-off valves (RVV series) - spacing 50 mm

GROUP: E

Number of circuits (H×W×D) [mm]	*	Code			UM
2 (325×140×84)		1316161000	1	160	pc.
3 (325×190×84)		1316161001	1	96	pc.
4 (325×240×84)		1316161002	1	96	pc.
5 (325×290×84)		1316161003	1	50	pc.
6 (325×340×84)		1316161004	1	60	pc.
7 (325×390×84)		1316161005	1	60	pc.
8 (325×440×84)		1316161006	1	36	pc.
9 (325×490×84)		1316161007	1	36	pc.
10 (325×540×84)		1316161008	1	40	pc.
11 (325×590×84)		1316161009	1	40	pc.
12 (325×640×84)		1316161010	1	30	pc.



Note:

The manifold works with G $\frac{3}{4}$ " connection adapters and G $\frac{3}{4}$ " connectors.
 Outlets for individual circuits have 50 mm spacing.
 Each of the circuits has its shut-off valve.
 Manifold supply - upper beam.
 Return from manifold - lower beam.
 Beams have G1" female thread.
 The beams are not equipped with stop ends.

MARKING OF MANIFOLD SERIES



| | |
R or U B,N,S,V or F T, A or P

Radiator
manifolds for central heating and drinking water

Underfloor heating
manifolds for underfloor heating

equipment of top or bottom beams

Basic
no accessories

Nipples

Servomotor valves

Valves
shut-off or balancing valves

Flowmeters

additional accessories

Top
air-vent on top of the beam



Axis
air-vent in the axis of the beam

Pump
mixing unit



InoxFlow manifold with shut-off valves (RVV series) - span 100 mm

GROUP: E

Number of circuits (H×W×D) [mm]	*	Code			UM
2 (337×190×85)		1316161029	1	120	pc.
3 (337×290×85)		1316161030	1	80	pc.
4 (337×390×85)		1316161031	1	60	pc.
5 (337×490×85)		1316161032	1	50	pc.
6 (337×590×85)		1316161033	1	40	pc.

Note:

The manifold works with G $\frac{3}{4}$ " eurocone adapters and G $\frac{3}{4}$ " connectors.
 Outlets for individual circuits have 100 mm spacing.
 Each of the circuits has its shut-off valve.
 Manifold supply - upper beam.
 Return from manifold - lower beam.
 Beams have G1" female thread.
 The beams are not equipped with stop ends.

MARKING OF MANIFOLD SERIES



| | |
R or U **B,N,S,V or F** **T, A or P**

Radiator
manifolds for central heating and drinking water

Underfloor heating
manifolds for underfloor heating

equipment of top or bottom beams

Basic
no accessories

Nipples

Servomotor valves

Valves
shut-off or balancing valves

Flowmeters

additional accessories

Top
air-vent on top of the beam



Axis
air-vent in the axis of the beam

Pump
mixing unit

Manifold accessories

Steel beam 1 ¼" with hole for air vent - 50 mm spacing

GROUP: E

Number of circuits (W) [mm]	*	Code			UM
2 (126)		1300154238	1	8	pc.
3 (176)		1300154239	1	8	pc.
4 (226)		1300154240	1	8	pc.
5 (276)		1300154241	1	8	pc.
6 (326)		1300154242	1	8	pc.
7 (376)		1300154243	1	8	pc.
8 (426)		1300154244	2	8	pc.
9 (476)		1300154245	1	8	pc.
10 (526)		1300154246	1	8	pc.
11 (576)		1300154247	1	8	pc.
12 (625)		1300154248	1	8	pc.



Note:

The manifold beam has outlets for individual circuits with female G½" thread and spacing 50 mm.
The beams have female G1" thread as installation connections and female G½" thread in the upper surface to mount air vents.



Steel manifold beam 1 ¼" - spacing 100 mm

GROUP: E

Number of circuits (W) [mm]	*	Code			UM
2 (176)		1347154022	2	12	pc.
3 (276)		1300154128	2	12	pc.
4 (376)		1300154129	2	12	pc.
5 (476)		1300154130	2	12	pc.
6 (576)		1347154023	2	12	pc.

Note:

Manifold beams have outlets for individual circuits with female G½" thread and spacing 100 mm.
Beams have female G1" thread as installation connections.



Brass male/female half union with flat gasket

GROUP: E

Size	*	Code			UM
1¼" / ¾"	***	1300105001	5	70	pc.
1¼" / 1"	*	1300105000	5	50	pc.

Note:

Use the half union for 91 series manifolds.





Stainless steel beam with hole for air vent - spacing 50 mm

GROUP: E

Number of circuits (W) [mm]	*	Code							UM
2 (140)		1300154285							1 8 pc.
3 (190)		1300154287							1 8 pc.
4 (240)		1300154289							1 8 pc.
5 (290)		1300154291							1 8 pc.
6 (340)		1300154293							1 8 pc.
7 (390)		1300154295							1 8 pc.
8 (440)		1300154297							1 8 pc.
9 (490)		1300154299							1 8 pc.
10 (540)		1300154301							1 8 pc.
11 (590)		1300154303							1 8 pc.
12 (640)		1300154305							1 8 pc.



Stainless steel beam - spacing 50 mm

GROUP: E

Number of circuits (W) [mm]	*	Code							UM
2 (140)		1300154271							1 8 pc.
3 (190)		1300154272							1 8 pc.
4 (240)		1300154273							1 8 pc.
5 (290)		1300154274							1 8 pc.
6 (340)		1300154275							1 8 pc.
7 (390)		1300154276							1 8 pc.
8 (440)		1300154277							1 8 pc.
9 (490)		1300154278							1 8 pc.
10 (540)		1300154279							1 8 pc.
11 (590)		1300154280							1 8 pc.
12 (640)		1300154281							1 8 pc.



Stainless steel beam - spacing 100 mm

GROUP: E

Number of circuits (W) [mm]	*	Code							UM
2 (190)		1300154309							1 8 pc.
3 (290)		1300154310							1 8 pc.
4 (390)		1300154311							1 8 pc.
5 (490)		1300154312							1 8 pc.
6 (590)		1300154313							1 8 pc.



Manifold bracket

GROUP: E

	*	Code							UM
		1700029001							2 50 pc.

Note: Manifold beams spacing in axes 235 mm.

Adjustable manifold bracket

GROUP: E

	*	Code			UM
		1300029005	1	15	pc.

Note:

It makes it possible to vertical adjustment of the manifold beams spacing.
Adjustment in the range 235 - 399 mm, each 41 mm.



Universal nipple with O-Ring sealing

GROUP: E

Size	*	Code			UM
G $\frac{3}{4}$ " / G $\frac{1}{2}$ "		1300174003	20	200	pc.
G $\frac{1}{2}$ "		1300174043	20	200	pc.

Note:

Use 1300174003 nipple for InoxFlow RNN and RVV manifolds, as well as under control valves of manifolds UVN, UVS, UVST and USVP.

1300174003 nipples work with G $\frac{3}{4}$ " connection adapters.

1300174043 nipples work with G $\frac{1}{2}$ " connection adapters.



Nipple for manifold series 82

GROUP: E

Size	*	Code			UM
G $\frac{1}{2}$ "		1300174020	20	200	pc.

Note:

The nipple is equipped with O-Ring seals on both sides.



Brass male/female reducer for manifold

GROUP: E

Size	*	Code			UM
G1" / G $\frac{1}{2}$ "		1300220002	10	120	pc.
G1" / G $\frac{3}{4}$ "		1300220003	10	120	pc.

Note:

The reducer has an O-Ring seal built-in.

When assembling in KAN-therm manifolds, additional sealing is not required.



Nickel-plated male/female reducer for manifold

GROUP: E

Size	*	Code			UM
G1" / G $\frac{1}{2}$ "		1300220008	10	120	pc.
G1" / G $\frac{3}{4}$ "		1300220009	10	120	pc.

Note:

The reducer has an O-Ring seal built-in.

When assembling in KAN-therm manifolds, additional sealing is not required.

Do not use for potable water.





Brass male stop end

GROUP: E

Size	*	Code			UM
G½"		1709250004	20	300	pc.

Note:
The stop end has its O-Ring seal. Use a hex12 Allen wrench for tightening.



Nickel-plated male stop end

GROUP: E

Size	*	Code			UM
G½"		1300250020	20	300	pc.

Note:
The stop end has an O-Ring. Use a hex12 Allen wrench for tightening. Do not use for potable water.



Brass male stop end

GROUP: E

Size	*	Code			UM
G¾"		1300250019	20	300	pc.
G1"		1300025002	10	150	pc.

Note:
The stop end has an O-Ring seal built-in.
When assembling in KAN-therm manifolds, additional sealing is not required.



Nickel-plated male stop end

GROUP: E

Size	*	Code			UM
G¾"		1300250021	20	300	pc.
G1"		1300025005	10	120	pc.

Note:
The stop end has an O-Ring seal built-in.
When assembling in KAN-therm manifolds, additional sealing is not required.
Do not use for potable water.

O-Ring seal

GROUP: E

Size [mm]	*	Code			UM
17×2,0	*	1700182001	15000	60000	pc.
18,3×2,4	*	1700182002	100	10000	pc.
24×2,0	*	1700182004	100	30000	pc.

Note:

Use O-Ring, code 1700182002, for nipples, code 1300174003 and 1300174043, in brass manifolds.
 Use O-Ring, code 1700182001, for stop ends, code 1709250004 and 1300250020.
 Use O-Ring, code 1700182004, for stop ends, code 1300250019 and 1300250021.
 Use O-Ring, code 1700182005, for stop ends, code 1300025002 and 1300025005, as well as reducer, code 1300220002,1300220003, 1300220008 and 1300220009.



Male nipple with gasket

GROUP: E

Size	*	Code			UM
G1"		1300174028	10	100	pc.

Note:

Use to connect manifolds with extension elements.



Male nickel-plated nipple with gasket

GROUP: E

Size	*	Code			UM
G1"		1300174042	10	100	pc.

Note:

Do not use for potable water. Use to connect manifolds with extension elements.



Tee with gasket

GROUP: E

Size	*	Code			UM
G1" / G½" / G½"		1300257001	5	70	pc.

Note:

Use the element in manifolds to extend a manifold by one circuit or add an air vent and drain valve.



Nickel-plated tee with gasket

GROUP: E

Size	*	Code			UM
G1" / G½" / G½"		1300257003	5	70	pc.

Note:

Use the element in manifolds to extend a manifold by one circuit or add an air vent and drain valve.
 Do not use for potable water.





Straight valve set SET-P

GROUP: E

Size	*	Code			UM
G1" / G1"		1300183006	1	20	set

Note:

1" valve set with a union, working with KAN-therm InoxFlow and brass manifolds without additional sealing. Use when the manifold is supplied from the side.



Angle valve set SET-K

GROUP: E

Size	*	Code			UM
G1" / G1"		1300183007	1	20	set

Note:

1" valve set with a union and elbows, working with KAN-therm manifolds without additional sealing. Use when the manifold is supplied from the floor.



Tee with air vent and drain valve

GROUP: E

Size	*	Code			UM
G1"		1300257002	1	20	pc.



Nickel-plated tee with air vent and drain valve

GROUP: E

Size	*	Code			UM
G1"		1300257004	10	80	pc.

Note:

Do not use for potable water.




Manual air vent

GROUP: E

Size	*	Code			UM
G½"		1300005007	1	100	pc.

Plastic air vent and drain valve

GROUP: E

Size	*	Code			UM
G½"		1300005003	25	100	pc.



Metal air vent and drain valve

GROUP: E

Size	*	Code			UM
G½"	***	1300277000	25	100	pc.



Air vent with stop valve

GROUP: E

Size	*	Code			UM
G½"		1300005000	1	25	pc.

Note:
The stop valve makes it possible to remove the air vent without the necessity to drain the installation.
Use tow for sealing.



Installation cabinets



Surface mounted cabinet SWNE

GROUP: D

Size (H×W×D) [mm]	*	Code			UM
585×350×110		1445180002	1	48	pc.
585×450×110		1445180003	1	36	pc.
585×550×110		1445180004	1	32	pc.
585×650×110		1445180000	1	26	pc.
585×800×110		1445180001	1	24	pc.

Features:

- removable, varnished body,
- option to separate the back wall from the casing for comfortable and easy assembly of the manifold and installation components,
- four openings for dowels in the back wall,
- coin lock,
- white cabinet, colour RAL 9016.

STD - a manifold without additional fixtures, with 1" stop end on one side.

KPL - a manifold with SET-K connection valves and a tee with an air vent and a drain valve in a beam.

OPT - a manifold with a built-in vent and drain group, as well as SET-K connection valves.

The drain and vent group should be taken as additional outlet.

Max. number of circuits for RVV manifold (100 mm circuit spacing) are given in brackets.

Code	Type	Brass manifold (Max. number of circuits)		InoxFlow manifold (Max. number of circuits)		
		STD	KPL	STD	KPL	OPT
1445180002	SWNE-4	5	-	5 (3)	-	3 (2)
1445180003	SWNE-6	7	3	7 (4)	2 (-)	5 (3)
1445180004	SWNE-8	9	5	9 (5)	4 (2)	7 (4)
1445180000	SWNE-10	11	7	11 (6)	6 (3)	9 (5)
1445180001	SWNE-13	12	10	12 (6)	9 (5)	12 (6)



Recess mounted cabinet Slim

GROUP: D

Size (H×W×D) [mm]	*	Code			UM
560-660×350×110-160		1445117036	1	42	pc.
560-660×450×110-160		1445117037	1	34	pc.
560-660×580×110-160		1445117038	1	24	pc.
560-660×780×110-160		1445117039	1	20	pc.
560-660×930×110-160		1445117040	1	17	pc.

Features:

- removable, varnished body,
- option to separate the back wall from the casing for comfortable and easy assembly of the manifold and installation components,
- four openings for dowels in the back wall,
- coin lock,
- white cabinet, colour RAL 9016.

STD - a manifold without additional fixtures, with 1" stop end on one side.

KPL - a manifold with SET-K connection valves and a tee with an air vent and a drain valve in a beam.

+GP H - a manifold with an integrated set-point mixing unit.

KPL +GP 3D - a manifold with a vent and drain valve in a beam, as well as connected mixing pump group with a three-way thermostatic valve.

OPT - a manifold with a built-in vent and drain group, as well as SET-K connection valves.

OPT +GP 3D - a manifold with a built-in vent and drain group, as well as connected mixing pump group with a three-way thermostatic valve.

The drain and vent group should be taken as additional outlet.

Max. number of circuits for RVV manifold (100 mm circuit spacing) are given in brackets.



Code	Type	Brass manifold (Max. number of circuits)				InoxFlow manifold (Max. number of circuits)					
		STD	KPL	+GP H	KPL +GP 3D	STD	KPL	OPT	+GP H	KPL +GP 3D	OPT +GP 3D
1445117036	Slim 350	5	-	-	-	5 (3)	-	3 (2)	-	-	-
1445117037	Slim 450	7	3	-	2	7 (4)	2 (-)	5 (3)	-	2 (-)	-
1445117038	Slim 580	10	6	2	4	9 (5)	5 (3)	7 (4)	-	4 (2)	4 (2)
1445117039	Slim 780	12	10	6	8	12 (6)	9 (5)	11 (6)	5 (3)	8 (4)	8 (4)
1445117040	Slim 930	12	12	10	12	12 (6)	12 (6)	12 (6)	8 (4)	11 (6)	11 (6)

coil bar pipes in tube bag carton box pallet new available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Recess mounted cabinet SWPSE

GROUP: D

Size (H×W×D) [mm]	*	Code			UM
560-660×350×110-160		1445117024	1	42	pc.
560-660×450×110-160		1445117013	1	34	pc.
560-660×580×110-160		1445117011	1	24	pc.
560-660×780×110-160		1445117012	1	20	pc.
560-660×930×110-160		1445117014	1	17	pc.

Note:

In the "Size" field, there are given:

- the external dimensions of the cabinet body (the minimum dimension of the mounting recess).

Features:

- height adjustment by means of pull-out cabinet feet from 560 to 660 mm,
- frame height adjustment by means of the masking part from 525 to 550 mm,
- depth adjustment from 110 to 160 mm,
- coin lock,
- white cabinet, colour RAL 9016,
- cabinet has side punches in the form of cut-out shutters,
- 45° bend of the frame edge ensures good flush with the wall surface.

STD - a manifold without additional fixtures, with 1" stop end on one side.

KPL - a manifold with SET-K connection valves and a tee with an air vent and a drain valve in a beam.

+GP H - a manifold with an integrated set-point mixing unit.

KPL +GP 3D - a manifold with a vent and drain valve in a beam, as well as connected mixing pump group with a three-way thermostatic valve.

OPT - a manifold with a built-in vent and drain group, as well as SET-K connection valves.

OPT +GP 3D - a manifold with a built-in vent and drain group, as well as connected mixing pump group with a three-way thermostatic valve.

The drain and vent group should be taken as additional outlet.



Max. number of circuits for RVV manifold (100 mm circuit spacing) are given in brackets.

Code	Type	Brass manifold (Max. number of circuits)				InoxFlow manifold (Max. number of circuits)					
		STD	KPL	+GP H	KPL +GP 3D	STD	KPL	OPT	+GP H	KPL +GP 3D	OPT +GP 3D
1445117024	SWPSE 350	5	-	-	-	5 (3)	-	3 (2)	-	-	-
1445117013	SWPSE 450	7	3	-	2	7 (4)	2 (-)	5 (3)	-	2 (-)	-
1445117011	SWPSE 580	10	6	2	4	9 (5)	5 (3)	7 (4)	-	4 (2)	4 (2)
1445117012	SWPSE 780	12	10	6	8	12 (6)	9 (5)	11 (6)	5 (3)	8 (4)	8 (4)
1445117014	SWPSE 930	12	12	10	12	12 (6)	12 (6)	12 (6)	8 (4)	11 (6)	11 (6)



Frame RAMSE

GROUP: D

Size (H×W) [mm]	*	Code			UM
525-560×350	*	1445096018	2	40	pc.
525-560×450	*	1445096020	2	40	pc.
525-560×580	*	1445096011	2	36	pc.
525-560×780	*	1445096014	2	26	pc.
525-560×930	*	1445096016	2	20	pc.

Note:

In the "Size" field, there are given:

- the dimension of the mounting recess.

Features:



- option to use a frame directly to mask wall recesses without the necessity to use recessed mounted cabinets SWPS and SWPSE,
- 150 mm long mounting lugs making it possible to mount the frame directly in the recess,
- dowels for mounting,
- frame height adjustment with a masking part from 525 to 560 mm,
- coin lock,
- white cabinet, colour RAL 9016,
- 45° bend of the frame edge ensures good flush with the wall surface.





Frame RAMS

GROUP: D

Size (H×W) [mm]	*	Code			UM
570-625×350	*	1445096006	2	40	pc.
570-625×450	*	1445096008	2	40	pc.
570-625×580	*	1445096001	2	36	pc.
570-625×780	*	1445096002	2	26	pc.
570-625×930	*	1445096004	2	20	pc.

Note:

In the "Size" field, there are given:
 ■ the dimension of the mounting recess.

Features:

- option to use a frame directly to mask wall recesses without the necessity to use a recess mounted cabinet SWPS and SWPSE,
- 150 mm long mounting lugs making it possible to mount the frame directly in the recess, dowels for mounting,
- frame height adjustment with a masking part from 570 to 625 mm,
- coin lock,
- white cabinet, colour RAL 9016,
- 45° bend of the frame edge ensures good flush with the wall surface.



Lock for KAN-therm cabinets and frames



GROUP: D

	*	Code			UM
		2378621001	1	90	pc.

Installation accessories and fastening elements

Corrugated protecting pipe red

GROUP: A

Size (diametr overall) [mm]	*	Code			UM
12-14 (23)		1700049067	100	1200	m
16-18 (25)		1700049063	50	1500	m
20 (28)		1700049069	50	1500	m
25-26 (35)		1700049065	50	600	m
32 (43)		1700049071	50	600	m
40 (50)		1700049073	25	1000	m





Note:

Use in cold and hot potable water installations and central heating as a protecting pipe when pouring concrete over the installation.

Corrugated protecting pipe blue

GROUP: A

Size (diametr overall) [mm]	*	Code			UM
12-14 (23)		1700049068	100	1200	m
16-18 (25)		1700049064	50	1500	m
20 (28)		1700049070	50	1500	m
25-26 (35)		1700049066	50	600	m
32 (43)		1700049072	50	600	m
40 (50)		1700049074	25	1000	m



Note:

Use in cold and hot potable water installations and central heating as a protecting pipe when pouring concrete over the installation.

Single plastic mounting plate

GROUP: A

	*	Code			UM
		1700210011	10	160	pc.

Note:

Total length 59 mm, width 43 mm, depth 8 mm.
It makes it possible to install wallplate elbows and tees with a bolt or nut on a wall or in wall grooves.
Do not use in drywall.



Double plastic mounting plate

GROUP: A



Spacing (L) [mm]	*	Code			UM
50		1700210008	10	120	pc.
80		1700210010	10	100	pc.
150		1700210006	10	70	pc.

Plate 50 mm - total length 84 mm, width 43 mm, depth 8 mm.
Plate 80 mm - total length 114 mm, width 43 mm, depth 8 mm.
Plate 150 mm - total length 184 mm, width 43 mm, depth 8 mm.

Note:

It makes it possible to install wallplate elbows and tees with a bolt or nut on a wall or in wall grooves.
Do not use in drywall.





Double metal mounting plate


GROUP: A

Spacing (L) [mm]	*	Code			UM
80, 150		1700210014	1	42	pc.

Plate total length 210 mm, width 55 mm, depth 9 mm.

Note:

It allows wall elbows and wall tees with a nut or mouting bolt to be installed on the wall, in wall grooves and drywall. Screws for mounting tap connections included (6 pcs.).



Double metal bent mounting plate

GROUP: A

Spacing (L) [mm]	*	Code			UM
50, 80, 150		1700210002	10	20	pc.
50		1700210013	10	80	pc.

Plate 50, 80, 150 mm - total length 290 mm, width 40 mm, depth 28 mm.

Plate 50 mm - total length 190 mm, width 40 mm, depth 28 mm.

Note:

It makes it possible to install wallplate elbows and tees with a bolt or nut on a wall, in wall grooves and drywall.



Single plastic hook for pipes

GROUP: A

Size [mm]	*	Code			UM
12-20 / 12-26 L = 48, Ø8		1700112010	100	5000	pc.
12-20 / 12-26 L = 77, Ø8		1700112012	100	4000	pc.
12-20 / 12-26 L = 100, Ø10		1700112015	100	3000	pc.

Note:

L = hook length

Ø = drill bit diameter for making a hole to mount the hook.

Pipe dimensions with/without corrugated protection are given.



Single polyamide hook for pipes

GROUP: A

Size [mm]	*	Code			UM
12-20 / 12-26 L = 80, Ø10		1700112017	100	4000	pc.

Note:

L = hook length

Ø = drill bit diameter for making a hole to mount the hook.

Pipe dimensions with/without corrugated protection are given.



Double plastic hook for pipes

GROUP: A

Size [mm]	*	Code			UM
12-20 / 12-26 L = 48, Ø8		1700112000	100	3000	pc.
12-20 / 12-26 L = 77, Ø8		1700112003	100	2500	pc.
12-20 / 12-26 L = 100, Ø10		1700112005	100	2000	pc.

Note:

L = hook length

Ø = drill bit diameter for making a hole to mount the hook.

Pipe dimensions with/without corrugated protection are given.

Double polyamide hook for pipes

GROUP: A

Size [mm]	*	Code			UM
12-20 / 12-26 L = 80, Ø10		1700112007	100	2000	pc.

Note:

L = hook length
 Ø = drill bit diameter for making a hole to mount the hook.
 Pipe dimensions with/without corrugated protection are given.



Double snap-in pipe clip

GROUP: A

Size [mm]	*	Code		UM
16-18	*	1700107002	100	pc.

Note:

Clips make it possible to fasten pipes laid without the corrugated protection.



Single masking Ø15

GROUP: A

	*	Code			UM
		1700183008	100	1000	pc.

Note:

Use as a masking element of a pipe protruding from the floor.



Double masking Ø15

GROUP: A

	*	Code			UM
		1700183007	50	500	pc.


Note:

Use as a masking element of pipes protruding from the floor.



Single pipe clamp with rubber insert

GROUP: A

Size [mm]	*	Code		UM
15-18		1700081025	100	pc.
20-23		1700081028	100	pc.
25-28		1700081029	100	pc.
32-36		1700081030	50	pc.
40-44		1700081031	50	pc.
47-52		1700081032	50	pc.
54		1700081033	50	pc.
57-63		1700081034	50	pc.
74-78		1700081035	25	pc.
85-91		1700081036	25	pc.
108-112		1700081023	25	pc.
139	**	1700081024	10	pc.
168	**	1700081027	10	pc.

Note:

The clamp has a double-threaded screw with a collar (8×70) a plastic dowel (Ø12) in the set.





Double pipe clamp with rubber insert

GROUP: A

Size [mm]	*	Code		UM
15-18		1700081019	50	pc.
20-23		1700081020	50	pc.
25-28		1700081021	50	pc.
32-36		1700081022	50	pc.

Note:

The clamp has a double-threaded screw with a collar (8x70) a plastic dowel (Ø12) in the set.



Plastic hinged pipe clip

GROUP: A

Size [mm]	*	Code		UM
16		1700029003	50	pc.
20		1700029005	50	pc.
25		1700029007	50	pc.
32		1700029009	50	pc.

Note:

Use only as a sliding point.



Plastic end cap for pressure test red

GROUP: A

Size	*	Code			UM
G½"		1700250003	20	360	pc.
G¾"	*	1700250007	20	360	pc.

Note:

The end cap has its O-Ring seal and can be used many times.



Plastic end cap for pressure test blue

GROUP: A

Size	*	Code			UM
G½"		1700250005	20	360	pc.
G¾"	*	1700250008	20	360	pc.

Note:

The end cap has its O-Ring seal and can be used many times.



Antifreeze agent for installation

GROUP: A

Version	*	Code			UM
-20 °C - 20 l	*	1800002002	1	36	pack.
-25 °C - 20 l	*	1800002003	1	36	pack.
-35 °C - 20 l	*	1800002004	1	36	pack.

Note:

Use for central heating, air-conditioning, cooling and solar installations.

Pipes mounting clip

GROUP: A

Size [mm]	*	Code			UM
12-18 / 16-26		1700107005	50	1000	pc.
16-32 / 25-40		1700107006	40	400	pc.


Note:

Use to properly secure the pipe and corrugated pipe to the substrate.
The first range is for pipes with corrugated protection, the second for pipes without corrugated protection.



Plastic bend support

GROUP: A

Size [mm]	*	Code		UM
- / 14-18		1700218003	200	pc.
12-14 / 20		1700218000	100	pc.
12-18 / 25		1700218004	80	pc.


Note:

The first range is for pipes with corrugated protection, the second for pipes without corrugated protection.



Metal bend support

GROUP: A

Size [mm]	*	Code		UM
12-18		1700164000	120	pc.
25-26		1700164002	50	pc.
32-40		1700164003	50	pc.



Plastic elbow

GROUP: A

Size [mm]	*	Code		UM
14-18		1700107000	100	pc.

Note:

Use for connecting the pipe to a radiator (lay in concrete).



Plastic pipe end cap

GROUP: A

Size [mm]	*	Code		UM
14-18		1700107001	100	pc.






Plastic male stop end for leak tests

GROUP: A

Size	*	Code			UM
G½"		1700250001	20	300	pc.

Note:


The plastic stop end is intended only for the leak test of the installation.
The stop end has its O-Ring seal.



Nut - M8

GROUP: A

Size [mm]	*	Code		UM
M8		1728177000	5000	pc.



Mounting bolt

GROUP: A

Size [mm]	*	Code			UM
M8		1700183012	100	2000	pc.

Note:

It connects the mounting plate with wallplate elbows and tees.



Freeze-proof garden tap

GROUP: A

	*	Code		UM
		1709277001	1	pc.

Note:

Executive element DN15. Connections to the frost-resistant tap from the installation side R ¾"; from the outlet male ¾".



Disassembly lever for freeze-proof garden tap

GROUP: K

	*	Code			UM
		2128183623	1	20	pc.

INDEX

Code	page	Code	page	Code	page	Code	page	Code	page
1009042003	28	1009044050	27	1009068060	33	1009257023	30	1009260022	32
1009042004	28	1009044051	27	1009068066	33	1009257027	30	1009260026	32
1009042005	28	1009045003	27	1009068112	33	1009257029	30	1009260027	32
1009042013	29	1009045005	27	1009069005	34	1009257043	33	1009260032	32
1009042013	156	1009045009	27	1009069008	34	1009257044	33	1009260035	32
1009042015	29	1009045013	27	1009069011	34	1009257045	33	1009260038	32
1009042015	156	1009045014	27	1009069012	34	1009257048	33	1009260041	32
1009042017	29	1009045015	27	1009069016	34	1009257051	33	1009260042	32
1009042017	156	1009045016	27	1009069018	34	1009257063	32	1009260043	32
1009042022	28	1009045017	27	1009069020	34	1009257066	32	1009260044	32
1009042024	157	1009045018	27	1009069022	34	1009257073	32	1009260045	32
1009042035	29	1009045019	27	1009070005	34	1009257076	32	1009260048	32
1009042039	29	1009045020	27	1009070010	34	1009257106	32	1009260049	32
1009042042	28	1009045043	27	1009070013	34	1009257113	32	1009260069	31
1009042049	28	1009045061	27	1009070016	34	1009257115	38	1009260097	31
1009042055	28	1009046002	29	1009070018	34	1009257129	30	1009260102	32
1009042061	38	1009046004	29	1009070022	34	1009257144	30	1009260129	32
1009042063	38	1009046007	29	1009070026	34	1009257152	30	1009260160	31
1009042064	38	1009046008	29	1009070029	34	1009257205	31	1009260161	31
1009042065	38	1009046018	29	1009071006	38	1009257217	31	1009260162	31
1009042077	28	1009046026	29	1009071009	38	1009257262	29	1009260163	31
1009042079	28	1009046029	29	1009071014	39	1009257279	29	1009260164	31
1009042082	28	1009046032	29	1009105000	39	1009257305	30	1009260165	31
1009042105	29	1009046040	29	1009105002	39	1009258000	29	1009260166	31
1009042111	29	1009046045	29	1009105004	39	1009258001	29	1009260167	31
1009042117	29	1009046046	29	1009105006	39	1009258002	29	1009260168	31
1009042120	27	1009046047	29	1009105008	39	1009258011	29	1009260169	31
1009042128	27	1009046048	29	1009105009	39	1009258012	37	1009260170	31
1009042132	27	1009046052	29	1009105011	39	1009258017	37	1009260171	31
1009042134	27	1009046054	29	1009105013	39	1009258018	37	1009260172	31
1009042139	38	1009046072	29	1009105014	39	1009258029	29	1009260173	31
1009042141	38	1009046075	29	1009105016	39	1009258034	29	1009260174	31
1009042143	38	1009068000	34	1009105018	39	1009258036	29	1009260175	31
1009042145	28	1009068001	38	1009105019	39	1009259000	30	1009260176	31
1009042146	28	1009068002	39	1009105021	39	1009259001	30	1009260177	31
1009042149	28	1009068003	34	1009183002	36	1009259002	30	1009260178	31
1009042202	38	1009068007	33	1009183004	34	1009259003	30	1009260179	31
1009042214	38	1009068010	33	1009250001	40	1009259006	30	1009260180	31
1009042215	28	1009068011	33	1009250002	40	1009259010	30	1009260181	31
1009042216	28	1009068018	28	1009250003	40	1009259027	30	1009260182	31
1009044002	27	1009068020	33	1009250004	40	1009259037	30	1009260183	31
1009044003	27	1009068028	34	1009250005	40	1009259040	30	1009260184	32
1009044005	27	1009068029	34	1009257007	30	1009259043	30	1009260185	32
1009044006	27	1009068030	33	1009257009	30	1009259046	30	1009260186	32
1009044008	27	1009068034	33	1009257010	30	1009260000	32	1009260187	32
1009044009	27	1009068040	34	1009257014	32	1009260001	32	1009260188	32
1009044024	27	1009068041	34	1009257015	32	1009260007	32	1009260189	32
1009044029	27	1009068048	33	1009257016	30	1009260009	32	1009260190	32
1009044030	27	1009068050	33	1009257020	30	1009260010	32	1009260191	32
1009044040	27	1009068054	33	1009257021	32	1009260019	32	1009260192	32

INDEX

Code	page	Code	page	Code	page	Code	page	Code	page
1009260193	32	1010271005	40	1110226006	154	1209051010	61	1209070004	64
1009260294	31	1010271005	155	1110245000	156	1209051012	61	1209070005	64
1009260295	31	1010271008	40	1110271000	154	1209051013	61	1209070006	64
1009260296	31	1010271008	155	1110271001	154	1209051014	61	1209070007	64
1009261004	38	1029195000	25	1110271002	154	1209051015	61	1209091001	67
1009271000	39	1029195001	26	1110271003	154	1209057000	65	1209091002	67
1009271002	39	1029195002	25	1110271005	154	1209057001	65	1209091003	67
1009271009	39	1029195003	26	1110271006	154	1209065001	66	1209091004	67
1009271013	39	1029195010	25	1110271008	154	1209068000	62	1209091005	67
1009285000	37	1029195011	26	1110271010	154	1209068001	62	1209091006	67
1009285001	35	1029196031	25	1110271011	154	1209068002	62	1209091015	67
1009285005	35	1029196031	154	1129198070	154	1209068003	62	1209091016	67
1009285009	35	1029196067	26	1129198076	154	1209068004	62	1209091017	67
1009285013	35	1029196071	25	1129198094	154	1209068005	62	1209091018	67
1009285017	36	1029196078	25	1129198096	154	1209068006	62	1209091019	67
1009285029	35	1029196081	25	1129200055	153	1209068007	62	1209091020	67
1009285032	36	1029196081	154	1129200056	153	1209068008	62	1209105000	66
1009285040	36	1029196092	25	1209025000	68	1209068009	62	1209105001	66
1009285050	36	1029196092	154	1209025001	68	1209068010	62	1209105002	66
1009285053	36	1029196106	25	1209025002	68	1209068011	62	1209105003	66
1009285055	35	1029196114	25	1209025003	68	1209068012	62	1209107030	69
1009285056	37	1029196115	25	1209025004	68	1209068013	62	1209107031	69
1009285057	37	1029196119	25	1209025005	68	1209068014	62	1209107032	69
1009285059	36	1029196123	25	1209025006	68	1209068015	62	1209107033	69
1009285062	36	1029196123	154	1209025007	68	1209068016	62	1209107034	69
1009285077	36	1029196208	25	1209025008	68	1209068017	62	1209107035	69
1009285082	36	1029196209	26	1209025009	68	1209068018	62	1209107036	69
1009285101	34	1029196210	25	1209036000	59	1209068019	62	1209107037	69
1009285102	34	1029196211	25	1209036002	59	1209068020	62	1209107038	69
1009286021	35	1029196212	25	1209036003	59	1209068021	62	1209210000	69
1010040003	40	1029196274	25	1209036004	59	1209068022	62	1209220000	60
1010040003	155	1029196275	25	1209050002	61	1209068023	62	1209220001	60
1010040006	40	1029198001	154	1209050003	61	1209068024	62	1209220002	60
1010040006	155	1109042002	156	1209050004	61	1209068025	62	1209220003	60
1010040008	40	1109042004	156	1209050005	61	1209068028	62	1209220004	60
1010040008	155	1109042007	156	1209050006	61	1209069000	64	1209220005	60
1010040011	40	1109042008	156	1209050007	61	1209069001	64	1209220006	60
1010040011	155	1109226003	156	1209050008	61	1209069002	64	1209220007	60
1010040013	40	1109226004	156	1209050009	61	1209069003	64	1209220008	60
1010040013	155	1109226006	156	1209050011	61	1209069004	64	1209220009	60
1010040015	40	1109226009	156	1209050012	61	1209069005	64	1209220010	60
1010040015	155	1110042003	156	1209050013	61	1209069006	63	1209220011	60
1010045000	41	1110042005	156	1209050014	61	1209069007	63	1209220012	60
1010045000	155	1110042006	156	1209051003	61	1209069008	63	1209220013	60
1010045001	41	1110042008	156	1209051004	61	1209069009	64	1209220014	60
1010045001	155	1110042012	156	1209051005	61	1209069010	64	1209220015	60
1010271001	40	1110226000	154	1209051006	61	1209070000	64	1209220016	60
1010271001	155	1110226001	154	1209051007	61	1209070001	64	1209220017	60
1010271002	40	1110226003	154	1209051008	61	1209070002	64	1209220018	60
1010271002	155	1110226004	154	1209051009	61	1209070003	64	1209220019	60

INDEX

Code	page	Code	page	Code	page	Code	page	Code	page
1209220020	60	1209257026	65	1209280001	68	1300005003	215	1300154285	210
1209220021	60	1209257027	65	1209280002	68	1300005006	178	1300154287	210
1209220022	60	1209257028	65	1209280003	68	1300005007	177	1300154289	210
1209230003	59	1209257029	65	1209280004	68	1300005007	214	1300154291	210
1209230007	59	1209257030	65	1209280005	68	1300025002	174	1300154293	210
1209230009	59	1209257031	65	1209280006	68	1300025002	212	1300154295	210
1209230011	59	1209257032	65	1209280007	68	1300025005	174	1300154297	210
1209238009	59	1209258000	66	1209280008	68	1300025005	212	1300154299	210
1209238010	59	1209258002	66	1209285000	63	1300029005	211	1300154301	210
1209238011	59	1209258003	66	1209285001	63	1300079002	175	1300154303	210
1209238012	59	1209258004	66	1229203000	57	1300079048	175	1300154305	210
1209238022	59	1209258005	66	1229203001	57	1300079049	175	1300154309	210
1209238023	59	1209258006	66	1229203003	57	1300079050	182	1300154310	210
1209245000	60	1209258007	66	1229203005	57	1300079051	182	1300154311	210
1209245001	60	1209259000	66	1229203008	57	1300079052	182	1300154312	210
1209245002	60	1209259003	66	1229203010	57	1300079053	182	1300154313	210
1209245003	60	1209259004	66	1229203012	57	1300079054	183	1300174003	211
1209245004	60	1209259005	66	1229203014	57	1300079055	183	1300174020	211
1209245005	60	1209259006	66	1229203016	57	1300079056	183	1300174028	175
1209245006	60	1209260009	65	1229204000	57	1300079057	183	1300174028	213
1209245007	60	1209260010	65	1229204002	57	1300079058	184	1300174042	176
1209245008	60	1209260011	65	1229204003	57	1300103001	180	1300174042	213
1209245009	60	1209260012	65	1229204004	57	1300103003	180	1300174043	211
1209245018	61	1209260013	65	1229204005	57	1300105000	209	1300183001	174
1209245019	61	1209260014	65	1229204006	57	1300105001	209	1300183002	174
1209245020	61	1209260015	65	1229204007	57	1300154128	209	1300183006	174
1209257000	64	1209269000	59	1229204008	57	1300154129	209	1300183006	214
1209257001	64	1209269001	59	1229204009	57	1300154130	209	1300183007	174
1209257002	64	1209269002	59	1229205001	58	1300154238	209	1300183007	214
1209257003	64	1209269003	59	1229205011	58	1300154239	209	1300183051	175
1209257004	64	1209271000	67	1229205014	58	1300154240	209	1300220002	173
1209257005	64	1209271001	67	1229205017	58	1300154241	209	1300220002	211
1209257006	64	1209271002	67	1229205020	58	1300154242	209	1300220003	173
1209257007	64	1209271003	67	1229205024	58	1300154243	209	1300220003	211
1209257008	64	1209271004	67	1229205025	58	1300154244	209	1300220008	173
1209257009	64	1209271006	66	1229205026	58	1300154245	209	1300220008	211
1209257010	65	1209271007	66	1229205027	58	1300154246	209	1300220009	173
1209257011	65	1209271008	66	1229206029	58	1300154247	209	1300220009	211
1209257012	65	1209271010	66	1229206031	58	1300154248	209	1300250019	212
1209257013	65	1209271011	66	1229206033	58	1300154271	210	1300250020	176
1209257016	65	1209271012	66	1229206035	58	1300154272	210	1300250020	212
1209257017	65	1209272000	67	1229206037	58	1300154273	210	1300250021	174
1209257018	65	1209278001	68	1229206039	58	1300154274	210	1300250021	212
1209257019	65	1209278002	68	1229206041	58	1300154275	210	1300257001	176
1209257020	65	1209278003	68	1229206043	58	1300154276	210	1300257001	213
1209257021	65	1209278004	68	1229206045	58	1300154277	210	1300257002	177
1209257022	65	1209278005	68	1229206047	58	1300154278	210	1300257002	214
1209257023	65	1209278006	68	1300005000	178	1300154279	210	1300257003	176
1209257024	65	1209278014	68	1300005000	215	1300154280	210	1300257003	213
1209257025	65	1209280000	68	1300005003	177	1300154281	210	1300257004	177

INDEX

Code	page	Code	page	Code	page	Code	page	Code	page
1300257004	214	1316157089	180	1316160031	167	1328155011	181	1346157019	181
1300264001	178	1316157090	180	1316160032	167	1328155012	181	1346157020	181
1300264002	178	1316157091	180	1316160033	169	1328155013	181	1346157021	181
1300277000	177	1316157092	180	1316160034	169	1328155014	181	1347154022	209
1300277000	215	1316157093	180	1316160035	169	1328155015	183	1347154023	209
1316156000	205	1316157094	180	1316160036	169	1328155016	183	1414183018	185
1316156001	205	1316157095	180	1316160037	169	1328155017	183	1414183019	185
1316156002	205	1316157096	180	1316160038	169	1328155018	183	1414183020	185
1316156003	205	1316157128	170	1316160039	169	1328155019	183	1414183021	185
1316156004	205	1316157129	170	1316160040	169	1328155020	183	1414183022	185
1316156005	205	1316157130	170	1316160041	169	1328155021	183	1414183023	185
1316156006	205	1316157131	170	1316160042	169	1328155022	183	1445096001	218
1316156007	205	1316157132	170	1316160043	169	1328155023	183	1445096002	218
1316156008	205	1316157133	170	1316160044	179	1328155024	183	1445096004	218
1316156009	205	1316157134	170	1316160045	179	1328155025	183	1445096006	218
1316156010	205	1316157135	170	1316160046	179	1328155026	183	1445096008	218
1316157055	168	1316157136	170	1316160047	179	1328155027	183	1445096011	217
1316157056	168	1316157137	170	1316160048	179	1328155028	183	1445096014	217
1316157057	168	1316157138	170	1316160049	179	1328155029	183	1445096016	217
1316157058	168	1316157139	173	1316160050	179	1343183013	204	1445096018	217
1316157059	168	1316157140	173	1316160051	179	1343183014	204	1445096020	217
1316157060	168	1316157141	173	1316160052	179	1343183015	204	1445117011	217
1316157061	168	1316157142	173	1316161000	207	1343183016	204	1445117012	217
1316157062	168	1316157143	173	1316161001	207	1343183017	204	1445117013	217
1316157063	168	1316157144	173	1316161002	207	1343183018	204	1445117014	217
1316157064	168	1316157145	173	1316161003	207	1343183019	204	1445117024	217
1316157065	168	1316157146	173	1316161004	207	1343183035	204	1445117036	216
1316157066	171	1316157147	173	1316161005	207	1343183036	204	1445117037	216
1316157067	171	1316157148	173	1316161006	207	1343183037	204	1445117038	216
1316157068	171	1316157149	173	1316161007	207	1343183038	204	1445117039	216
1316157069	171	1316158000	206	1316161008	207	1343183039	204	1445117040	216
1316157070	171	1316158001	206	1316161009	207	1343183040	204	1445180000	216
1316157071	171	1316158002	206	1316161010	207	1343183041	204	1445180001	216
1316157072	171	1316158003	206	1316161029	208	1343183042	204	1445180002	216
1316157073	171	1316158004	206	1316161030	208	1343183043	204	1445180003	216
1316157074	171	1316158005	206	1316161031	208	1343183044	204	1445180004	216
1316157075	171	1316158006	206	1316161032	208	1343183045	204	1446117003	186
1316157076	171	1316158007	206	1316161033	208	1343183046	204	1446117004	186
1316157077	172	1316158008	206	1327098159	190	1343183047	204	1446117005	186
1316157078	172	1316158009	206	1328155000	181	1343183048	204	1446180000	185
1316157079	172	1316158010	206	1328155001	181	1346103000	180	1446180001	185
1316157080	172	1316160022	167	1328155002	181	1346103005	181	1446180002	185
1316157081	172	1316160023	167	1328155003	181	1346157011	181	1509011000	87
1316157082	172	1316160024	167	1328155004	181	1346157012	181	1509011002	87
1316157083	172	1316160025	167	1328155005	181	1346157013	181	1509011003	87
1316157084	172	1316160026	167	1328155006	181	1346157014	181	1509011004	87
1316157085	172	1316160027	167	1328155007	181	1346157015	181	1509011005	87
1316157086	172	1316160028	167	1328155008	181	1346157016	181	1509011007	87
1316157087	172	1316160029	167	1328155009	181	1346157017	181	1509011008	87
1316157088	180	1316160030	167	1328155010	181	1346157018	181	1509011009	87

INDEX

Code	page	Code	page	Code	page	Code	page	Code	page
1509022005	87	1509050004	77	1509068031	80	1509076000	78	1509182028	117
1509022006	87	1509050007	77	1509068033	80	1509076002	78	1509182029	90
1509022007	87	1509050008	77	1509068036	79	1509076003	78	1509182029	117
1509022008	87	1509052000	79	1509068037	79	1509076004	78	1509182030	90
1509042002	78	1509057000	84	1509068038	79	1509076005	78	1509182030	117
1509042021	76	1509057001	84	1509068039	79	1509076006	78	1509182031	90
1509042022	76	1509057002	83	1509068040	79	1509076007	78	1509182031	117
1509042023	76	1509057004	83	1509068041	79	1509080000	79	1509182032	90
1509042024	76	1509057005	83	1509068042	79	1509080001	79	1509182032	117
1509042025	76	1509057006	83	1509068043	79	1509080003	79	1509182033	90
1509042026	76	1509057007	83	1509068045	79	1509080004	79	1509182033	117
1509042027	76	1509057008	83	1509068047	79	1509080005	79	1509182034	90
1509044000	78	1509057009	83	1509068049	79	1509080006	79	1509182034	117
1509044001	78	1509057013	84	1509068050	80	1509080007	79	1509182035	90
1509044003	78	1509057015	84	1509068052	80	1509080008	79	1509182035	117
1509044005	78	1509057017	84	1509068053	80	1509080009	79	1509221010	85
1509044006	78	1509057019	84	1509068054	80	1509080011	79	1509221011	85
1509044007	78	1509057021	84	1509068055	80	1509080012	79	1509221012	85
1509044008	78	1509057022	84	1509068056	80	1509080013	76	1509221013	85
1509044010	78	1509057023	84	1509068058	80	1509080014	79	1509221014	85
1509044011	78	1509057024	83	1509068059	80	1509091000	89	1509221015	85
1509044012	78	1509057025	83	1509068060	80	1509091001	89	1509221016	85
1509044013	78	1509057026	83	1509068062	80	1509091002	89	1509221017	85
1509044014	78	1509057027	83	1509068064	80	1509091003	89	1509221018	85
1509044015	78	1509057028	83	1509068066	80	1509091004	89	1509221019	85
1509044016	78	1509057029	83	1509069004	85	1509091005	89	1509221020	85
1509044017	78	1509068000	85	1509069005	85	1509091010	89	1509221021	85
1509044019	76	1509068001	85	1509069006	85	1509106000	77	1509221022	85
1509044020	76	1509068002	85	1509069007	85	1509106001	77	1509221023	85
1509044021	76	1509068004	80	1509069008	85	1509106002	77	1509221024	85
1509044022	76	1509068005	79	1509069009	85	1509106003	77	1509221025	85
1509044023	76	1509068006	80	1509069010	85	1509106004	77	1509221026	85
1509045002	76	1509068007	80	1509069011	85	1509106005	77	1509221027	85
1509045003	76	1509068008	80	1509069012	86	1509106006	77	1509221028	85
1509045005	76	1509068009	80	1509069013	86	1509178000	87	1509221029	85
1509045006	76	1509068010	80	1509069014	86	1509182021	90	1509221030	85
1509045007	76	1509068011	80	1509070000	86	1509182021	117	1509221031	85
1509045009	76	1509068012	80	1509070002	86	1509182022	90	1509221032	85
1509045010	76	1509068014	80	1509070003	86	1509182022	117	1509221033	85
1509045012	76	1509068016	80	1509070004	86	1509182023	90	1509221034	85
1509045013	76	1509068018	80	1509070005	86	1509182023	117	1509221035	85
1509045014	76	1509068019	80	1509070006	86	1509182024	90	1509221036	85
1509045016	76	1509068021	80	1509070007	86	1509182024	117	1509221037	85
1509045017	76	1509068023	80	1509070008	86	1509182025	90	1509221038	85
1509045019	76	1509068024	80	1509070009	86	1509182025	117	1509221039	85
1509045020	76	1509068025	80	1509070010	86	1509182026	90	1509221040	85
1509050000	77	1509068026	80	1509070012	86	1509182026	117	1509221041	85
1509050001	77	1509068027	80	1509070013	86	1509182027	90	1509237000	91
1509050002	77	1509068028	80	1509070014	86	1509182027	117	1509237000	118
1509050003	77	1509068029	80	1509070015	86	1509182028	90	1509237001	91

INDEX

Code	page	Code	page	Code	page	Code	page	Code	page
1509237001	118	1509257021	87	1509260026	82	1530207029	75	1609042012	104
1509237002	91	1509257022	87	1509260027	82	1530207030	75	1609042013	104
1509237002	118	1509257023	87	1509260028	82	1530207031	75	1609042014	104
1509237003	91	1509257024	87	1509260029	82	1530207032	75	1609042015	104
1509237003	118	1509257025	81	1509260030	82	1530207033	75	1609042016	104
1509237004	91	1509257027	82	1509260031	82	1530207034	75	1609042025	104
1509237004	118	1509257028	82	1509260032	82	1530207036	75	1609042026	104
1509237005	91	1509257029	82	1509260037	82	1530207037	75	1609042027	104
1509237005	118	1509257030	82	1509260038	82	1530207038	75	1609042028	105
1509245000	78	1509257031	76	1509260039	82	1609011002	113	1609042030	105
1509245001	78	1509258000	87	1509260040	82	1609011003	113	1609042031	105
1509245002	78	1509258001	87	1509260041	82	1609011004	113	1609042032	105
1509245003	78	1509258004	87	1509260044	82	1609011005	113	1609042033	105
1509245004	78	1509258005	87	1509260045	82	1609011008	113	1609042034	105
1509245006	78	1509258006	87	1509260046	82	1609011009	113	1609042035	105
1509245007	78	1509258007	87	1509260047	82	1609011010	113	1609042037	105
1509245008	78	1509258008	87	1509260048	82	1609011011	113	1609042038	105
1509245009	78	1509258009	87	1509260049	82	1609011014	114	1609042039	105
1509245010	78	1509258010	87	1509260052	82	1609011015	114	1609042040	105
1509245011	78	1509258011	87	1509260054	82	1609011016	114	1609045002	104
1509245012	78	1509258012	87	1509260055	82	1609011017	114	1609045003	104
1509250001	88	1509258014	87	1509260056	82	1609011018	114	1609045004	104
1509250002	88	1509258015	87	1509260057	82	1609011019	114	1609045005	104
1509250003	88	1509258016	87	1509260058	82	1609011025	114	1609045006	104
1509250004	88	1509258018	87	1509271000	77	1609011026	114	1609045007	104
1509250005	88	1509258020	87	1509271001	77	1609011027	114	1609045008	104
1509250006	88	1509258021	87	1509272000	77	1609011028	114	1609045009	104
1509250007	88	1509260000	82	1509272001	77	1609011029	114	1609045010	104
1509250008	88	1509260001	82	1509272002	77	1609037000	113	1609045011	104
1509250010	88	1509260002	82	1509272003	77	1609037002	113	1609045012	104
1509250012	88	1509260003	82	1509272004	77	1609037004	113	1609045013	104
1509250025	88	1509260004	82	1509272005	77	1609037005	113	1609045014	104
1509257000	84	1509260005	82	1509272006	77	1609037007	113	1609045015	104
1509257002	84	1509260006	82	1509278000	88	1609037008	113	1609045016	104
1509257003	83	1509260007	82	1509278001	88	1609037010	113	1609045017	104
1509257004	84	1509260009	82	1509278002	88	1609037011	113	1609045018	104
1509257005	84	1509260010	82	1509278003	88	1609037013	113	1609045019	104
1509257006	84	1509260011	82	1509278004	88	1609037014	113	1609045020	104
1509257007	84	1509260012	82	1509278005	88	1609042000	104	1609045041	104
1509257008	81	1509260013	83	1509278006	88	1609042001	104	1609045042	104
1509257009	81	1509260014	82	1509278007	88	1609042002	104	1609068000	110
1509257010	81	1509260015	82	1509278008	88	1609042003	104	1609068001	110
1509257011	81	1509260016	83	1509278009	88	1609042004	104	1609068002	110
1509257012	81	1509260017	82	1509278010	88	1609042005	104	1609068003	110
1509257013	81	1509260018	82	1509278011	88	1609042006	104	1609068005	110
1509257014	81	1509260020	82	1509278012	88	1609042007	104	1609068007	110
1509257015	81	1509260021	82	1509278013	88	1609042008	104	1609068008	110
1509257016	81	1509260022	82	1530207026	75	1609042009	104	1609068009	110
1509257018	81	1509260024	82	1530207027	75	1609042010	104	1609068010	110
1509257019	81	1509260025	82	1530207028	75	1609042011	104	1609068011	110

INDEX

Code	page	Code	page	Code	page	Code	page	Code	page
1609068012	110	1609068195	107	1609182020	91	1609245010	106	1609257045	108
1609068013	111	1609070000	111	1609182020	118	1609245011	106	1609257046	108
1609068048	108	1609070002	111	1609182021	91	1609245012	106	1609257047	108
1609068051	108	1609070004	111	1609182021	118	1609245013	106	1609257048	108
1609068052	108	1609070005	111	1609182022	91	1609245014	106	1609257049	108
1609068057	108	1609070006	111	1609182022	118	1609245015	106	1609257050	108
1609068059	108	1609070009	111	1609182023	90	1609245016	106	1609257063	111
1609068061	108	1609070010	111	1609182023	117	1609245017	106	1609257064	111
1609068066	108	1609080000	107	1609182024	90	1609245018	106	1609260000	109
1609068070	108	1609080001	107	1609182024	117	1609250000	114	1609260001	109
1609068072	108	1609080002	107	1609182025	90	1609250002	114	1609260002	109
1609068073	108	1609080003	107	1609182025	117	1609250004	114	1609260003	109
1609068074	108	1609080004	107	1609220000	110	1609250006	114	1609260004	109
1609068075	108	1609080005	107	1609221000	110	1609250010	114	1609260005	109
1609068076	108	1609080007	107	1609221001	110	1609250012	114	1609260006	109
1609068077	108	1609080008	107	1609221002	110	1609250016	114	1609260007	109
1609068078	108	1609080009	107	1609221003	110	1609250018	114	1609260008	109
1609068079	108	1609080010	107	1609221007	110	1609250020	114	1609260009	109
1609068080	108	1609090000	115	1609221015	110	1609250021	114	1609260010	109
1609068081	108	1609090001	115	1609221016	110	1609257000	108	1609260011	109
1609068082	108	1609090004	115	1609221019	110	1609257001	108	1609260012	109
1609068083	108	1609090005	115	1609221020	110	1609257002	108	1609260013	109
1609068084	108	1609090006	115	1609221021	110	1609257003	108	1609260014	109
1609068085	108	1609090007	115	1609221022	110	1609257005	108	1609260020	109
1609068107	107	1609090008	115	1609221023	110	1609257010	108	1609260021	109
1609068115	107	1609090010	115	1609221024	110	1609257011	108	1609260022	109
1609068125	107	1609090011	115	1609221025	110	1609257012	111	1609260024	109
1609068128	107	1609090012	115	1609221026	110	1609257013	111	1609260030	109
1609068130	107	1609091000	116	1609221027	110	1609257014	111	1609260032	109
1609068133	107	1609091001	116	1609221028	110	1609257015	111	1609260035	109
1609068139	107	1609091002	116	1609221029	110	1609257016	111	1609260036	109
1609068141	107	1609091003	116	1609221030	110	1609257017	111	1609260037	109
1609068143	107	1609091004	116	1609221031	110	1609257018	111	1609260038	109
1609068144	107	1609091005	116	1609221032	110	1609257019	111	1609260039	109
1609068145	107	1609091006	116	1609221033	110	1609257022	111	1609260040	109
1609068146	107	1609091007	116	1609221034	110	1609257026	111	1609260041	109
1609068147	107	1609091008	116	1609221035	110	1609257027	111	1609260042	109
1609068148	107	1609091009	116	1609221036	110	1609257030	111	1609260043	109
1609068149	107	1609091010	116	1609221037	110	1609257031	111	1609260044	109
1609068150	107	1609091011	116	1609221038	110	1609257034	111	1609260045	109
1609068151	107	1609178000	113	1609221039	110	1609257035	111	1609260046	109
1609068152	107	1609178001	113	1609221040	110	1609257036	111	1609260047	109
1609068153	107	1609178002	113	1609221041	110	1609257037	111	1609260048	109
1609068154	107	1609178003	113	1609221042	110	1609257038	111	1609260049	109
1609068155	107	1609182007	90	1609221043	110	1609257039	111	1609260050	109
1609068156	107	1609182015	91	1609221044	110	1609257040	111	1609260051	109
1609068157	107	1609182016	117	1609245000	106	1609257041	111	1609260052	109
1609068192	108	1609182017	117	1609245002	106	1609257042	111	1609260053	109
1609068193	108	1609182018	118	1609245003	106	1609257043	111	1609260054	109
1609068194	107	1609182019	118	1609245004	106	1609257044	111	1609260055	109

INDEX

Code	page	Code	page	Code	page	Code	page	Code	page
1609271000	105	1609285003	112	1700049071	219	1700112017	220	1709043010	13
1609271001	105	1609285004	112	1700049072	164	1700164000	223	1709043010	201
1609271002	105	1609285007	112	1700049072	219	1700164002	223	1709043011	14
1609271003	105	1609285008	112	1700049073	164	1700164003	223	1709043011	201
1609271004	105	1609285009	112	1700049073	219	1700182001	213	1709068000	202
1609271009	105	1629194000	103	1700049074	164	1700182002	213	1709068002	202
1609271010	105	1629194001	103	1700049074	219	1700182004	213	1709068004	199
1609271011	105	1629194002	103	1700081019	69	1700183007	221	1709068006	199
1609271012	105	1629194003	103	1700081019	222	1700183008	221	1709068008	199
1609271013	105	1629194004	103	1700081020	69	1700183010	166	1709068010	199
1609271014	106	1629194005	103	1700081020	222	1700183012	200	1709068018	199
1609271015	106	1629194006	103	1700081021	69	1700183012	203	1709174000	199
1609271016	106	1629194007	103	1700081021	222	1700183012	224	1709174001	199
1609271017	106	1629194008	103	1700081022	69	1700210002	42	1709174003	199
1609271018	106	1629194009	103	1700081022	222	1700210002	220	1709174004	199
1609271019	106	1629194021	103	1700081023	69	1700210006	42	1709174009	199
1609271020	106	1629194023	103	1700081023	221	1700210006	219	1709174013	199
1609271021	106	1629194025	103	1700081024	221	1700210008	42	1709220003	203
1609271022	106	1629194027	103	1700081025	69	1700210008	219	1709220007	203
1609271023	106	1629194029	103	1700081025	221	1700210010	42	1709220011	203
1609271024	106	1629194031	103	1700081027	221	1700210010	219	1709245003	202
1609271025	106	1629194033	103	1700081028	69	1700210011	42	1709245010	202
1609271026	106	1629194035	103	1700081028	221	1700210011	219	1709245012	202
1609271027	106	1629194036	103	1700081029	69	1700210013	42	1709245014	202
1609272000	105	1629194065	103	1700081029	221	1700210013	220	1709250001	203
1609272003	105	1629194066	103	1700081030	69	1700210014	16	1709250002	203
1609272004	105	1629194067	103	1700081030	221	1700210014	42	1709250004	176
1609272005	105	1629194068	103	1700081031	69	1700210014	220	1709250004	212
1609272009	105	1700029001	210	1700081031	221	1700210025	16	1709257002	202
1609272011	105	1700029003	222	1700081032	69	1700210025	42	1709257003	202
1609272012	105	1700029005	222	1700081032	221	1700210027	16	1709257009	200
1609272013	105	1700029007	222	1700081033	221	1700210027	43	1709257011	200
1609272014	105	1700029009	222	1700081034	69	1700218000	223	1709257014	202
1609272015	105	1700049063	164	1700081034	221	1700218003	223	1709271002	202
1609272016	105	1700049063	219	1700081035	69	1700218004	223	1709271004	202
1609278000	114	1700049064	164	1700081035	221	1700250001	200	1709271005	202
1609278001	114	1700049064	219	1700081036	69	1700250001	203	1709271006	202
1609278002	114	1700049065	164	1700081036	221	1700250001	224	1709277001	224
1609278003	114	1700049065	219	1700107000	223	1700250003	222	1728177000	224
1609278004	114	1700049066	164	1700107001	223	1700250005	222	1800002002	165
1609278005	114	1700049066	219	1700107002	221	1700250007	222	1800002002	222
1609278006	114	1700049067	164	1700107005	223	1700250008	222	1800002003	165
1609278007	115	1700049067	219	1700107006	223	1700277000	184	1800002003	222
1609278008	115	1700049068	164	1700112000	220	1700277001	184	1800002004	165
1609278009	115	1700049068	219	1700112003	220	1709040000	14	1800002004	222
1609278010	115	1700049069	164	1700112005	220	1709040000	201	1800011000	151
1609278011	115	1700049069	219	1700112007	221	1709043003	13	1800014001	164
1609278012	115	1700049070	164	1700112010	220	1709043003	201	1800014003	164
1609278013	115	1700049070	219	1700112012	220	1709043005	13	1800014005	164
1609285002	112	1700049071	164	1700112015	220	1709043005	201	1800107001	163

INDEX

Code	page	Code	page	Code	page	Code	page	Code	page
1800107002	163	1802108006	184	1829198206	153	1933267032	70	1936267088	195
1800107018	163	1802108008	184	1829198207	153	1933267036	70	1936267101	48
1800183000	158	1802183000	191	1829198208	153	1933267037	71	1936267103	48
1800183002	151	1802212013	189	1829198209	153	1933267038	71	1936267105	48
1800183003	163	1802212014	189	1829198210	153	1933267078	70	1936267122	47
1800183007	165	1802212015	189	1829198211	153	1933267079	70	1936267125	47
1800183008	163	1802212016	189	1829198212	153	1933267081	70	1936267127	47
1800183009	192	1802212036	189	1829198213	153	1933267082	71	1936267130	47
1800183013	158	1802265020	187	1829198222	153	1936055004	50	1936267134	48
1800183044	165	1802265021	187	1829198223	153	1936055005	51	1936267136	48
1800183054	163	1802265022	188	1829198224	153	1936055009	94	1936267137	47
1800188000	151	1802265023	188	1829198225	153	1936055009	121	1936267139	47
1800188001	151	1802265024	187	1829198226	153	1936055009	144	1936267152	50
1800188002	151	1802265025	187	1829198227	153	1936055010	45	1936267152	96
1800188003	151	1802265032	187	1829198228	153	1936055012	45	1936267152	123
1800188004	151	1802265033	187	1829198229	153	1936055014	45	1936267152	145
1800188005	151	1802265038	188	1829198234	153	1936055015	45	1936267160	50
1800188006	151	1802265040	189	1829198235	153	1936055016	45	1936267160	96
1800188007	151	1802265128	188	1829200009	153	1936055017	45	1936267160	123
1800191000	159	1802265130	191	1900267000	93	1936267022	194	1936267160	145
1800191001	159	1802265131	187	1900267000	120	1936267026	44	1936267167	50
1800191002	159	1802265132	187	1900267001	92	1936267026	194	1936267174	47
1800191006	159	1809042000	152	1900267001	119	1936267028	44	1936267215	49
1800191010	159	1809042001	152	1900267002	92	1936267028	194	1936267216	49
1800191021	159	1809257000	152	1900267002	119	1936267030	44	1936267217	48
1800191031	159	1809271000	152	1900267003	92	1936267030	194	1936267218	49
1800191032	159	1810271001	155	1900267003	119	1936267039	45	1936267219	50
1800209000	160	1818183000	166	1905267012	144	1936267044	45	1936267219	95
1800209001	160	1818211027	158	1905267017	147	1936267044	194	1936267219	122
1800209009	160	1818211034	158	1928270000	193	1936267046	45	1936267219	145
1800209011	160	1818211036	158	1928270001	192	1936267054	44	1936267220	47
1800209026	160	1818211638	158	1928270002	193	1936267054	194	1936267222	52
1800209027	160	1818211639	158	1933267002	71	1936267056	44	1936267223	52
1800209028	160	1818211640	158	1933267004	71	1936267059	44	1936267224	52
1800209029	166	1818211645	162	1933267005	71	1936267059	194	1936267225	52
1800209031	152	1818211646	161	1933267006	71	1936267071	53	1936267226	52
1800209032	160	1818211647	158	1933267007	71	1936267071	194	1936267227	52
1800213000	162	1818211649	162	1933267008	71	1936267075	53	1936267228	52
1800255000	165	1818211650	161	1933267009	71	1936267075	194	1936267229	52
1802003002	191	1818211651	161	1933267011	71	1936267077	53	1936267230	52
1802003003	189	1818211652	161	1933267013	71	1936267077	194	1936267231	51
1802003004	189	1818255002	165	1933267015	71	1936267079	22	1936267232	51
1802003005	190	1818255003	165	1933267017	71	1936267081	22	1936267233	51
1802003006	190	1829197016	152	1933267019	71	1936267081	52	1936267234	51
1802012004	188	1829198152	153	1933267021	71	1936267081	195	1936267235	51
1802012005	188	1829198153	153	1933267023	71	1936267086	22	1936267236	51
1802012006	188	1829198181	153	1933267025	71	1936267086	52	1936267238	46
1802047000	191	1829198182	153	1933267027	71	1936267086	195	1936267238	94
1802047001	192	1829198200	153	1933267029	22	1936267088	22	1936267238	121
1802047003	191	1829198201	153	1933267029	70	1936267088	52	1936267238	144

INDEX

Code	page	Code	page	Code	page	Code	page	Code	page
1936267239	46	1936267285	95	1948267034	93	1948267121	98	1967113003	21
1936267239	94	1936267285	122	1948267034	120	1948267121	125	1967113004	21
1936267239	121	1936267285	145	1948267038	98	1948267121	147	1967113005	21
1936267239	144	1938267035	53	1948267038	125	1948267124	98	1967113006	21
1936267241	47	1938267035	193	1948267038	147	1948267124	125	1967113007	21
1936267242	47	1938267050	194	1948267044	98	1948267126	98	1967267000	22
1936267243	47	1938267055	194	1948267044	125	1948267126	125	1967267003	21
1936267244	47	1938267158	49	1948267044	147	1948267128	98	1967267004	21
1936267245	47	1941267037	92	1948267046	96	1948267128	125	1967267005	21
1936267249	95	1941267037	119	1948267046	123	1948267130	96	1967267006	21
1936267249	122	1941267037	143	1948267046	146	1948267130	123	1967267007	21
1936267249	145	1941267039	44	1948267048	96	1948267134	97	1967267008	21
1936267250	95	1941267041	93	1948267048	123	1948267134	124	1967267009	21
1936267250	122	1941267041	120	1948267048	146	1948267134	147	1967267010	21
1936267250	145	1941267041	143	1948267052	96	1948267135	97	1967267012	19
1936267251	95	1941267129	49	1948267052	123	1948267135	124	1967267016	20
1936267251	122	1941267135	48	1948267052	146	1948267135	147	1967267017	20
1936267251	145	1948055008	97	1948267056	96	1948267137	97	1967267019	22
1936267252	95	1948055008	124	1948267056	123	1948267137	124	1967267021	22
1936267252	122	1948055008	146	1948267056	146	1948267137	147	1967267024	20
1936267252	145	1948183001	93	1948267061	96	1948267139	97	1967267026	19
1936267253	95	1948183001	120	1948267061	123	1948267139	124	1967267031	19
1936267253	122	1948183001	143	1948267061	146	1948267139	147	1967267032	19
1936267253	145	1948183003	92	1948267065	96	1948267141	97	1967267050	21
1936267257	46	1948183003	119	1948267065	123	1948267141	124	1967267051	20
1936267258	46	1948183003	143	1948267065	146	1948267141	147	1967267052	21
1936267259	46	1948267000	52	1948267067	96	1948267143	97	1967267053	21
1936267260	46	1948267000	98	1948267067	123	1948267143	124	1967267054	21
1936267261	46	1948267000	125	1948267067	146	1948267143	147	1967267055	22
1936267266	46	1948267000	147	1948267069	96	1948267145	98	1978267000	93
1936267266	95	1948267005	98	1948267069	123	1948267145	125	1978267000	120
1936267266	122	1948267005	125	1948267069	146	1948267145	147	1978267000	143
1936267266	144	1948267005	147	1948267071	126	1948267181	51	2128183623	224
1936267267	46	1948267007	98	1948267072	126	1948267181	97	2141183000	90
1936267267	95	1948267007	125	1948267089	98	1948267181	124	2141183000	117
1936267267	122	1948267007	148	1948267089	125	1948267181	146	2141183001	90
1936267267	144	1948267015	94	1948267089	147	1948267209	99	2141183001	117
1936267271	47	1948267015	121	1948267098	99	1948267209	126	2141183002	90
1936267272	47	1948267023	94	1948267098	126	1948267210	51	2141183002	117
1936267273	45	1948267023	121	1948267100	99	1948267210	97	2141183003	90
1936267274	45	1948267025	92	1948267100	126	1948267210	124	2141183003	117
1936267275	45	1948267025	119	1948267102	99	1948267210	146	2141183004	90
1936267276	45	1948267025	143	1948267102	126	1950060000	193	2141183004	117
1936267277	45	1948267027	92	1948267107	48	1950254001	192	2141183005	90
1936267283	95	1948267027	119	1948267109	48	1950267000	193	2141183005	117
1936267283	122	1948267027	143	1948267114	48	1950267002	192	2141183006	90
1936267283	145	1948267029	94	1948267116	48	1950267005	193	2141183006	117
1936267284	95	1948267029	121	1948267119	98	1967113000	20	2265011000	140
1936267284	122	1948267033	96	1948267119	125	1967113001	20	2265011001	140
1936267284	145	1948267033	123	1948267119	147	1967113002	20	2265011002	140

INDEX

Code	page	Code	page	Code	page	Code	page	Code	page
2265022000	140	2265045022	130	2265105004	132	2265221015	137	2265257002	135
2265022001	140	2265065000	132	2265105005	132	2265221018	137	2265257003	135
2265022002	140	2265065001	132	2265105006	132	2265221019	137	2265257004	135
2265022003	140	2265065002	132	2265119000	131	2265221020	137	2265257005	135
2265022004	140	2265065003	132	2265119001	131	2265221021	137	2265257006	135
2265022005	140	2265065004	132	2265119002	131	2265221022	137	2265257007	135
2265022006	140	2265065005	132	2265119003	131	2265221023	137	2265257008	135
2265022007	140	2265065006	132	2265119004	131	2265221024	137	2265257009	135
2265022008	140	2265069000	138	2265119005	131	2265221025	137	2265257010	135
2265044000	129	2265069001	138	2265119006	131	2265221026	137	2265257011	135
2265044001	129	2265069002	138	2265119007	131	2265221027	137	2265257012	135
2265044002	129	2265069003	138	2265119008	131	2265221028	137	2265258000	138
2265044003	129	2265069004	138	2265119009	131	2265221030	137	2265258001	138
2265044004	129	2265069005	138	2265119010	131	2265221031	137	2265258002	138
2265044005	129	2265069006	138	2265119011	131	2265245000	132	2265258003	138
2265044006	129	2265069007	138	2265182001	142	2265245001	132	2265258004	138
2265044007	129	2265069008	138	2265182002	142	2265245002	132	2265258005	138
2265044008	129	2265069009	138	2265182003	142	2265245003	132	2265258006	138
2265044009	129	2265069010	138	2265182004	142	2265245004	132	2265258007	138
2265044010	129	2265069011	138	2265182005	142	2265245005	132	2265258008	138
2265044011	129	2265069012	138	2265182006	142	2265245006	132	2265258009	138
2265044012	129	2265069013	131	2265182007	142	2265245007	132	2265258010	138
2265044013	129	2265069014	131	2265182008	142	2265245008	132	2265258011	138
2265044014	129	2265069015	131	2265182009	142	2265245009	132	2265258012	132
2265044015	129	2265069016	131	2265182010	142	2265245010	132	2265258013	132
2265044016	129	2265069017	131	2265182011	142	2265245011	132	2265258014	132
2265044017	129	2265069018	131	2265182012	142	2265245013	133	2265258015	132
2265044018	129	2265069019	131	2265182013	142	2265245014	133	2265260000	136
2265045000	130	2265070001	138	2265182014	142	2265245015	133	2265260001	136
2265045001	130	2265070002	138	2265182015	142	2265245016	133	2265260002	136
2265045002	130	2265070003	138	2265182016	142	2265245017	133	2265260003	136
2265045003	130	2265070004	138	2265182017	142	2265245018	133	2265260004	136
2265045004	130	2265070005	138	2265182018	142	2265245019	133	2265260005	136
2265045005	130	2265070006	138	2265182019	142	2265245020	133	2265260006	136
2265045006	130	2265070007	138	2265182020	142	2265245021	133	2265260007	136
2265045007	130	2265070008	138	2265221000	137	2265245022	133	2265260008	136
2265045008	130	2265070009	138	2265221001	137	2265245023	133	2265260009	136
2265045009	130	2265070010	138	2265221002	137	2265250000	141	2265260010	136
2265045010	130	2265091000	141	2265221003	137	2265250001	141	2265260011	136
2265045011	130	2265091001	141	2265221004	137	2265250002	141	2265260012	136
2265045012	130	2265091002	141	2265221005	137	2265250003	141	2265260013	136
2265045013	130	2265091003	141	2265221006	137	2265250004	141	2265260014	136
2265045014	130	2265091004	141	2265221007	137	2265250005	141	2265260015	136
2265045015	130	2265091005	141	2265221008	137	2265250006	141	2265260016	136
2265045016	130	2265091006	141	2265221009	137	2265250007	141	2265260017	136
2265045017	130	2265091007	141	2265221010	137	2265250008	141	2265260018	136
2265045018	130	2265105000	132	2265221011	137	2265250009	141	2265260019	137
2265045019	130	2265105001	132	2265221012	137	2265250010	141	2265260020	137
2265045020	130	2265105002	132	2265221013	137	2265250011	141	2265260021	137
2265045021	130	2265105003	132	2265221014	137	2265257001	135	2265260022	137


INDEX

Code	page	Code	page	Code	page	Code	page	Code	page
2265260023	137	2265286001	139	2265326008	134	2509045001	9	2509258007	12
2265260024	137	2265286002	139	2265326009	134	2509045002	9	2509260004	11
2265260025	137	2265286003	139	2265326010	134	2509045003	9	2509260008	11
2265260026	137	2265286004	139	2265326011	134	2509045004	9	2509260009	11
2265260027	137	2265286005	140	2265328000	129	2509045005	9	2509260010	11
2265260028	137	2265286006	139	2265328001	129	2509045006	9	2509260011	11
2265260029	137	2265302000	133	2265328002	129	2509045007	15	2509260014	11
2265260030	137	2265302001	133	2265328003	129	2509046000	12	2509260015	11
2265260032	136	2265302002	133	2265328004	129	2509046001	12	2509260016	11
2265260033	136	2265302003	133	2265328005	129	2509046002	12	2509260017	11
2265260034	137	2265302004	133	2265328006	129	2509046003	12	2509260018	11
2265260035	136	2265302005	133	2265328007	129	2509046004	12	2509260020	11
2265260036	136	2265302006	133	2265328008	129	2509046005	9	2509260021	11
2265260037	136	2265302007	133	2265328009	129	2509046006	9	2509260022	11
2265260038	136	2265302008	133	2265328010	129	2509046007	9	2509260023	11
2265260039	136	2265302009	133	2265329000	130	2509046008	9	2509260024	11
2265260040	136	2265302010	133	2265329001	130	2509046009	9	2509260025	11
2265260041	136	2265302011	133	2265329002	130	2509069000	13	2509260026	11
2265260042	136	2265303000	134	2265329003	130	2509069001	13	2509261002	18
2265260043	136	2265303001	134	2265329004	130	2509069002	13	2509286001	17
2265260044	136	2265303002	134	2265329005	130	2509069003	13	2509286002	17
2265260045	136	2265303003	134	2265329006	130	2509069004	13	2509286003	16
2265260046	136	2265303004	134	2265329007	130	2509069005	13	2509286004	16
2265260047	136	2265303005	134	2265330000	133	2509069006	13	2509286006	16
2265260048	136	2265303006	134	2265330001	133	2509069007	13	2509286007	16
2265260049	136	2265303007	134	2265330002	133	2509070000	13	2509286008	17
2265260050	136	2265303008	134	2265330003	133	2509070001	13	2509286009	16
2265260051	136	2265303009	134	2265330004	133	2509070002	13	2509286010	16
2265260052	136	2265303010	134	2265330005	133	2509070003	13	2509302001	12
2265260053	136	2265303011	134	2265330006	133	2509070004	13	2509302002	12
2265260054	136	2265325000	134	2378621001	218	2509071000	17	2509302003	12
2265260055	136	2265325001	134	2509042000	9	2509071002	17	2509302004	12
2265260056	136	2265325002	134	2509042001	9	2509071003	17	2509335000	14
2265260057	136	2265325003	134	2509042002	9	2509071006	17	2509335001	14
2265260058	136	2265325004	134	2509042003	9	2509071007	17	2509335002	14
2265272000	131	2265325005	134	2509042010	10	2509250000	14	2509335003	14
2265272001	131	2265325006	134	2509042011	10	2509250001	14	2509335004	14
2265272002	131	2265325007	134	2509042012	10	2509250002	14	2510042001	14
2265272003	131	2265325008	134	2509042013	10	2509250003	14	2510042002	14
2265272004	131	2265325009	134	2509042014	10	2509250004	14	2510044001	14
2265272005	131	2265325010	134	2509042015	10	2509257000	10	2510044002	14
2265272006	131	2265325011	134	2509042016	10	2509257001	10	2510045000	15
2265272007	131	2265326000	134	2509042017	10	2509257002	10	2510045001	15
2265272008	131	2265326001	134	2509044000	9	2509257003	10	2510045002	15
2265272009	131	2265326002	134	2509044001	9	2509257004	10	2510105002	15
2265272010	131	2265326003	134	2509044002	9	2509258001	12	2510105003	15
2265272011	131	2265326004	134	2509044003	9	2509258002	12	2510105004	15
2265272012	131	2265326005	134	2509044004	9	2509258003	12	2510105005	15
2265272013	131	2265326006	134	2509044005	9	2509258004	12	2510105006	15
2265286000	139	2265326007	134	2509045000	9	2509258005	12	2510105007	15

INDEX

Code	page	Code	page
2510105008	15	2566260004	11
2510105009	15	2566260005	11
2510271001	15	2566260006	11
2510271002	15	2566260007	11
2510271003	15	2566260008	11
2510271004	15	2566260009	11
2529198000	8	2566260010	11
2529198001	8	2566260011	11
2529198002	8	2566260012	11
2529200000	8	2566260013	11
2529200001	8	2566260014	11
2529200002	8	2566260015	11
2529333010	7	2566260016	11
2529333011	7	2566260017	11
2529333012	7	2566260018	11
2529333013	7	2566260019	11
2529333014	7	2566260020	11
2529333015	7	2566260021	11
2529333016	7	2566260022	11
2529333017	7	2566260023	11
2529333018	7	2566260024	11
2529333019	7	2566260025	11
2529334001	7	2566260026	11
2529334003	7	2566260027	11
2529334004	7	2566302000	12
2529334005	7	2566302001	12
2529334006	7	2566302002	12
2529334007	7	2566302003	12
2529334008	7	2566302004	12
2529334028	7		
2566042000	9		
2566042001	9		
2566042002	9		
2566042003	9		
2566042004	9		
2566046000	10		
2566046001	10		
2566046002	10		
2566046003	10		
2566046004	10		
2566046005	10		
2566257000	10		
2566257001	10		
2566257002	10		
2566257003	10		
2566257004	10		
2566260000	11		
2566260001	11		
2566260002	11		
2566260003	11		

NOTES



Complete multipurpose installation system consisting of modern, mutually complementary technical solutions for pipe water distribution, heating and cooling installations, as well as technological and fire extinguishing ones.

ultra**LINE**

ultra**PRESS**

PP

Steel

Inox

Copper, Copper Gas

XPress Sprinkler

Football Stadium installations

Surface heating and cooling, automation

Cabinets and manifolds

