



**KAN-therm
MULTISYSTEM**

> 35 | years of experience
on the installation
market



KAN-therm

Inox

**NOBLE MATERIAL
GIGA POSSIBILITIES**

Install the **future**

Table of contents

SYSTEM **KAN-therm** Inox

Pipes	3
Connectors	4
Accessories	17
Tools	19

SYSTEM KAN-therm Inox

Pipes

Stainless steel pipe 1.4404 - bar

GROUP: H

Size [mm]	*	Code			UM
12x1,0	***	1629194065	6	1014	m
15x1,0		1629194001	6	762	m
18x1,0		1629194002	6	366	m
22x1,2		1629194003	6	366	m
28x1,2		1629194004	6	222	m
35x1,5		1629194005	6	222	m
42x1,5		1629194006	6	114	m
54x1,5		1629194007	6	114	m
76,1x2,0		1629194008	6	144	m
88,9x2,0		1629194009	6	96	m
108x2,0		1629194000	6	78	m
139,7x2,0	**	1629194035	6	60	m
168,3x2,0	**	1629194036	6	54	m



Note:

Operating pressure depends on the type of transported medium, diameter range, type of pipes and tools used to make connections:

- 12-168,3 mm up to 16 bar (tools with jaws with M profile). Not applicable to compressed air systems - refer to the "Designer and Contractor Guidebook" for operating conditions.

Stainless steel pipe 1.4521 - bar

GROUP: H

Size [mm]	*	Code			UM
15x1,0		1629194021	6	762	m
18x1,0		1629194023	6	396	m
22x1,2		1629194025	6	366	m
28x1,2		1629194027	6	222	m
35x1,5		1629194029	6	222	m
42x1,5		1629194031	6	114	m
54x1,5		1629194033	6	114	m
76,1x2,0		1629194066	6	144	m
88,9x2,0		1629194067	6	96	m
108x2,0		1629194068	6	78	m



Note:

Operating pressure depends on the type of transported medium, diameter range, type of pipes and tools used to make connections:

- 15-108 mm up to 16 bar (tools with jaws with M profile). Not applicable to compressed air systems - refer to the "Designer and Contractor Guidebook" for operating conditions.

Connectors



Female connector

GROUP: G

Size [mm]	*	Code							UM
12 Rp $\frac{3}{8}$ "	***	1609042026	10	50	pc.				
12 Rp $\frac{1}{2}$ "	***	1609042025	10	50	pc.				
15 Rp $\frac{1}{2}$ "		1609042000	10	130	pc.				
15 Rp $\frac{3}{4}$ "		1609042001	10	90	pc.				
18 Rp $\frac{1}{2}$ "		1609042002	10	120	pc.				
18 Rp $\frac{3}{4}$ "		1609042003	10	80	pc.				
22 Rp $\frac{1}{2}$ "		1609042005	10	100	pc.				
22 Rp $\frac{3}{4}$ "		1609042006	10	100	pc.				
22 Rp1"		1609042004	10	60	pc.				
28 Rp $\frac{1}{2}$ "		1609042027	10	40	pc.				
28 Rp $\frac{3}{4}$ "		1609042009	10	40	pc.				
28 Rp1"		1609042007	10	60	pc.				
28 Rp1 $\frac{1}{4}$ "		1609042008	10	30	pc.				
35 Rp1"		1609042012	10	20	pc.				
35 Rp1 $\frac{1}{4}$ "		1609042011	10	30	pc.				
35 Rp1 $\frac{1}{2}$ "		1609042010	10	20	pc.				
42 Rp1 $\frac{1}{4}$ "		1609042014	4	12	pc.				
42 Rp1 $\frac{1}{2}$ "		1609042013	4	24	pc.				
54 Rp1 $\frac{1}{2}$ "		1609042015	4	12	pc.				
54 Rp2"		1609042016	4	12	pc.				



Male connector

GROUP: G

Size [mm]	*	Code							UM
12 R $\frac{3}{8}$ "	***	1609045042	10	50	pc.				
12 R $\frac{1}{2}$ "	***	1609045041	10	50	pc.				
15 R $\frac{1}{2}$ "		1609045004	10	200	pc.				
15 R $\frac{3}{4}$ "		1609045005	10	80	pc.				
18 R $\frac{1}{2}$ "		1609045006	10	160	pc.				
18 R $\frac{3}{4}$ "		1609045007	10	100	pc.				
22 R $\frac{1}{2}$ "		1609045009	10	70	pc.				
22 R $\frac{3}{4}$ "		1609045010	10	100	pc.				
22 R1"		1609045008	10	60	pc.				
28 R $\frac{3}{4}$ "		1609045013	10	50	pc.				
28 R1"		1609045012	10	60	pc.				
28 R1 $\frac{1}{4}$ "		1609045011	10	30	pc.				
35 R1"		1609045015	10	40	pc.				
35 R1 $\frac{1}{4}$ "		1609045016	5	40	pc.				
35 R1 $\frac{1}{2}$ "		1609045014	10	20	pc.				
42 R1 $\frac{1}{4}$ "		1609045018	4	12	pc.				
42 R1 $\frac{1}{2}$ "		1609045017	4	24	pc.				
54 R1 $\frac{1}{2}$ "		1609045019	4	16	pc.				
54 R2"		1609045020	4	12	pc.				
76,1 R2 $\frac{1}{2}$ "		1609045002	2	20	pc.				
88,9 R3"		1609045003	2	20	pc.				

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Coupling Inox/Groove

GROUP: G

Size [mm]	*	Code			UM
28 / 33,7		1609042030	10	30	pc.
35 / 42,4		1609042031	10	30	pc.
42 / 48,3		1609042032	5	20	pc.
54 / 60,3		1609042033	5	15	pc.
76,1		1609042034	2	30	pc.
88,9		1609042035	2	30	pc.
108 / 114		1609042028	1	10	pc.



Female slip connector



GROUP: G

Size [mm]	*	Code			UM
22 Rp $\frac{1}{2}$ "		1609042037	10	60	pc.
22 Rp $\frac{3}{4}$ "		1609042038	10	60	pc.
28 Rp $\frac{1}{2}$ "		1609042039	10	40	pc.
28 Rp $\frac{3}{4}$ "		1609042040	10	40	pc.



Female union

GROUP: G

Size [mm]	*	Code			UM
15 Rp $\frac{1}{2}$ "		1609271000	2	60	pc.
15 Rp $\frac{3}{4}$ "		1609271001	2	40	pc.
18 Rp $\frac{1}{2}$ "		1609271002	2	40	pc.
18 Rp $\frac{3}{4}$ "		1609271003	2	40	pc.
22 Rp $\frac{3}{4}$ "		1609271010	2	40	pc.
22 Rp1"		1609271004	2	30	pc.
28 Rp1"		1609271011	2	26	pc.
35 Rp1 $\frac{1}{4}$ "		1609271012	1	20	pc.
42 Rp1 $\frac{1}{2}$ "		1609271013	2	8	pc.
54 Rp2"		1609271009	2	4	pc.



Male union

GROUP: G

Size [mm]	*	Code			UM
15 R $\frac{1}{2}$ "		1609272000	2	50	pc.
15 R $\frac{3}{4}$ "		1609272011	2	60	pc.
18 R $\frac{1}{2}$ "		1609272012	2	60	pc.
18 R $\frac{3}{4}$ "		1609272003	2	60	pc.
22 R $\frac{1}{2}$ "		1609272005	2	40	pc.
22 R $\frac{3}{4}$ "		1609272013	2	40	pc.
22 R1"		1609272004	2	30	pc.
28 R1"		1609272014	2	30	pc.
35 R1 $\frac{1}{4}$ "		1609272015	2	16	pc.
42 R1 $\frac{1}{2}$ "		1609272009	2	12	pc.
54 R2"		1609272016	2	4	pc.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Union

GROUP: G

Size [mm]	*	Code							UM
15		1609271021							2 60 pc.
18		1609271022							2 40 pc.
22		1609271023							2 40 pc.
28		1609271024							2 26 pc.
35		1609271025							1 20 pc.
42		1609271026							2 8 pc.
54		1609271027							2 4 pc.



Female half union with flat sealing

GROUP: G

Size [mm]	*	Code							UM
15 G3/4"		1609271014							10 120 pc.
18 G3/4"		1609271015							10 100 pc.
22 G1"		1609271016							10 60 pc.
28 G1 1/4"		1609271017							10 40 pc.
35 G1 1/2"		1609271018							4 32 pc.
42 G1 3/4"		1609271019							4 12 pc.
54 G2 3/8"		1609271020							4 8 pc.





Straight coupling

GROUP: G

Size [mm]	*	Code							UM
12	***	1609245002							10 70 pc.
15		1609245003							10 140 pc.
18		1609245004							10 140 pc.
22		1609245012							10 80 pc.
28		1609245013							10 60 pc.
35		1609245014							5 40 pc.
42		1609245015							4 24 pc.
54		1609245016							4 16 pc.
76,1		1609245010							4 24 pc.
88,9		1609245011							4 12 pc.
108		1609245000							2 10 pc.
139,7	**	1609245017							1 - pc.
168,3	**	1609245018							1 - pc.

Slip coupling

GROUP: G

Size [mm]	*	Code			UM
15		1609080001	10	140	pc.
18		1609080002	10	100	pc.
22		1609080003	10	60	pc.
28		1609080004	10	40	pc.
35		1609080005	5	20	pc.
42		1609080010	4	16	pc.
54		1609080007	2	8	pc.
76,1		1609080008	2	6	pc.
88,9		1609080009	2	10	pc.
108		1609080000	2	4	pc.



Elbow 90°

GROUP: G

Size [mm]	*	Code			UM
12	***	1609068149	10	70	pc.
15		1609068150	10	150	pc.
18		1609068151	10	90	pc.
22		1609068152	10	60	pc.
28		1609068115	5	30	pc.
35		1609068153	5	20	pc.
42		1609068154	2	8	pc.
54		1609068155	2	8	pc.
76,1		1609068125	2	10	pc.
88,9		1609068128	2	8	pc.
108		1609068107	2	4	pc.
139,7	**	1609068156	1	1	pc.
168,3	**	1609068157	1	1	pc.



Plain end elbow 90°

GROUP: G

Size [mm]	*	Code			UM
15		1609068143	10	120	pc.
18		1609068144	10	60	pc.
22		1609068133	5	60	pc.
28		1609068145	5	30	pc.
35		1609068146	5	10	pc.
42		1609068147	2	8	pc.
54		1609068148	2	6	pc.
76,1		1609068139	2	10	pc.
88,9		1609068141	2	8	pc.
108		1609068130	2	4	pc.
139,7	*	1609068194	-	1	pc.
168,3	*	1609068195	-	1	pc.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Elbow 45°

GROUP: G

Size [mm]	*	Code							UM
15		1609068079	10	150	pc.				
18		1609068080	10	120	pc.				
22		1609068051	10	70	pc.				
28		1609068052	10	40	pc.				
35		1609068081	5	25	pc.				
42		1609068082	2	16	pc.				
54		1609068083	2	8	pc.				
76,1		1609068057	2	6	pc.				
88,9		1609068059	2	8	pc.				
108		1609068048	2	6	pc.				
139,7	**	1609068084	-	1	pc.				
168,3	**	1609068085	1	1	pc.				



Plain end elbow 45°

GROUP: G

Size [mm]	*	Code							UM
15		1609068073	10	150	pc.				
18		1609068074	10	120	pc.				
22		1609068075	10	60	pc.				
28		1609068076	10	40	pc.				
35		1609068066	5	25	pc.				
42		1609068077	4	16	pc.				
54		1609068078	2	8	pc.				
76,1		1609068070	2	12	pc.				
88,9		1609068072	2	-	pc.				
108		1609068061	2	4	pc.				
139,7	*	1609068192	-	1	pc.				
168,3	*	1609068193	-	1	pc.				



Tee

GROUP: G

Size [mm]	*	Code							UM
12	***	1609257045	10	60	pc.				
15		1609257002	10	80	pc.				
18		1609257046	10	40	pc.				
22		1609257005	10	40	pc.				
28		1609257047	5	25	pc.				
35		1609257048	5	15	pc.				
42		1609257049	4	8	pc.				
54		1609257050	2	6	pc.				
76,1		1609257010	2	8	pc.				
88,9		1609257011	2	6	pc.				
108		1609257000	2	2	pc.				
139,7	**	1609257001	1	-	pc.				
168,3	**	1609257003	1	-	pc.				



coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Reducing tee

GROUP: G



Size [mm]	*	Code			UM
18 / 15 / 18		1609260014	10	60	pc.
22 / 15 / 22		1609260046	10	50	pc.
22 / 18 / 22		1609260047	10	50	pc.
28 / 15 / 28		1609260048	5	30	pc.
28 / 18 / 28		1609260049	10	30	pc.
28 / 22 / 28		1609260050	5	30	pc.
35 / 15 / 35		1609260020	5	20	pc.
35 / 18 / 35		1609260021	5	20	pc.
35 / 22 / 35		1609260022	5	20	pc.
35 / 28 / 35		1609260051	5	20	pc.
42 / 22 / 42		1609260024	4	12	pc.
42 / 28 / 42		1609260052	4	12	pc.
42 / 35 / 42		1609260053	4	12	pc.
54 / 22 / 54		1609260054	2	8	pc.
54 / 28 / 54		1609260030	2	8	pc.
54 / 35 / 54		1609260055	2	8	pc.
54 / 42 / 54		1609260032	2	8	pc.
76,1 / 22 / 76,1		1609260035	2	12	pc.
76,1 / 28 / 76,1		1609260036	2	12	pc.
76,1 / 35 / 76,1		1609260037	2	6	pc.
76,1 / 42 / 76,1		1609260038	2	12	pc.
76,1 / 54 / 76,1		1609260039	2	10	pc.
88,9 / 22 / 88,9		1609260040	2	10	pc.
88,9 / 28 / 88,9		1609260041	2	8	pc.
88,9 / 35 / 88,9		1609260042	2	8	pc.
88,9 / 42 / 88,9		1609260043	2	8	pc.
88,9 / 54 / 88,9		1609260044	2	8	pc.
88,9 / 76,1 / 88,9		1609260045	2	6	pc.
108 / 22 / 108		1609260000	2	4	pc.
108 / 28 / 108		1609260001	2	6	pc.
108 / 35 / 108		1609260002	2	6	pc.
108 / 42 / 108		1609260003	2	-	pc.
108 / 54 / 108		1609260004	2	4	pc.
108 / 76,1 / 108		1609260005	2	4	pc.
108 / 88,9 / 108		1609260006	2	4	pc.
139,7 / 76,1 / 139,7	**	1609260008	1	-	pc.
139,7 / 88,9 / 139,7	**	1609260009	1	1	pc.
139,7 / 108 / 139,7	**	1609260007	1	1	pc.
168,3 / 76,1 / 168,3	**	1609260012	1	1	pc.
168,3 / 88,9 / 168,3	**	1609260013	1	1	pc.
168,3 / 108 / 168,3	**	1609260010	1	1	pc.
168,3 / 139,7 / 168,3	**	1609260011	1	1	pc.



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Plain end reducer

GROUP: G

Size [mm]	*	Code			UM
15 / 12	***	1609220000	10	200	pc.
18 / 15		1609221003	10	200	pc.
22 / 15		1609221023	10	140	pc.
22 / 18		1609221024	10	120	pc.
28 / 15		1609221025	10	70	pc.
28 / 18		1609221007	10	100	pc.
28 / 22		1609221026	10	80	pc.
35 / 15		1609221027	5	50	pc.
35 / 18		1609221028	5	50	pc.
35 / 22		1609221029	5	50	pc.
35 / 28		1609221030	5	60	pc.
42 / 15		1609221031	5	30	pc.
42 / 18		1609221032	5	30	pc.
42 / 22		1609221033	4	24	pc.
42 / 28		1609221034	4	24	pc.
42 / 35		1609221035	4	24	pc.
54 / 15		1609221036	4	16	pc.
54 / 18		1609221037	4	16	pc.
54 / 22		1609221015	4	16	pc.
54 / 28		1609221016	4	16	pc.
54 / 35		1609221038	4	16	pc.
54 / 42		1609221039	4	16	pc.
76,1 / 42		1609221019	4	12	pc.
76,1 / 54		1609221020	4	32	pc.
88,9 / 54		1609221021	4	24	pc.
88,9 / 76,1		1609221022	4	12	pc.
108 / 54		1609221000	2	2	pc.
108 / 76,1		1609221001	2	10	pc.
108 / 88,9		1609221002	2	10	pc.
139,7 / 88,9	**	1609221041	1	-	pc.
139,7 / 108	**	1609221040	1	1	pc.
168,3 / 88,9	**	1609221044	1	1	pc.
168,3 / 108	**	1609221042	1	1	pc.
168,3 / 139,7	**	1609221043	-	1	pc.



Female elbow 90°

GROUP: G

Size [mm]	*	Code			UM
15 Rp½"		1609068000	10	80	pc.
18 Rp½"		1609068001	10	90	pc.
22 Rp½"		1609068003	10	50	pc.
22 Rp¾"		1609068002	10	50	pc.
28 Rp½"		1609068009	5	30	pc.
28 Rp¾"		1609068005	5	30	pc.
28 Rp1"		1609068008	10	30	pc.
35 Rp½"		1609068011	5	10	pc.
35 Rp¾"		1609068007	5	10	pc.
35 Rp1"		1609068010	5	10	pc.
35 Rp1¼"		1609068012	5	10	pc.

 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Female elbow 90° with plain end

GROUP: G

Size [mm]	*	Code			UM
15 Rp½"		1609068013	10	40	pc.



Male elbow 90°



GROUP: G

Size [mm]	*	Code			UM
15 R½"		1609070000	10	80	pc.
18 R½"		1609070002	10	80	pc.
22 R¾"		1609070004	10	60	pc.
28 R1"		1609070005	10	30	pc.
35 R1¼"		1609070006	5	20	pc.
42 R1½"		1609070009	2	16	pc.
54 R2"		1609070010	2	8	pc.




Female tee

GROUP: G

Size [mm]	*	Code			UM
15 Rp½"		1609257014	10	70	pc.
18 Rp½"		1609257015	10	50	pc.
18 Rp¾"		1609257016	10	50	pc.
22 Rp½"		1609257017	10	40	pc.
22 Rp¾"		1609257018	10	40	pc.
28 Rp½"		1609257038	5	30	pc.
28 Rp¾"		1609257039	10	30	pc.
28 Rp1"		1609257019	5	30	pc.
35 Rp½"		1609257040	5	20	pc.
35 Rp¾"		1609257041	5	20	pc.
35 Rp1"		1609257022	5	20	pc.
42 Rp½"		1609257027	4	16	pc.
42 Rp¾"		1609257042	4	12	pc.
42 Rp1"		1609257026	4	12	pc.
54 Rp½"		1609257031	2	8	pc.
54 Rp¾"		1609257044	2	8	pc.
54 Rp1"		1609257030	2	8	pc.
54 Rp2"		1609257043	2	6	pc.
76,1 Rp¾"		1609257035	2	12	pc.
76,1 Rp2"		1609257034	2	10	pc.
88,9 Rp¾"		1609257037	2	8	pc.
88,9 Rp2"		1609257036	2	6	pc.
108 Rp¾"		1609257013	2	6	pc.
108 Rp2"		1609257012	2	6	pc.
N 139,7 Rp¾"	*	1609257063	-	1	pc.
N 139,7 Rp2"	*	1609257064	-	1	pc.






Female directly fixed wallplate elbow - L = 41 mm

GROUP: G

Size [mm]	*	Code							UM
15 Rp $\frac{1}{2}$ "		1609285009					10	90	pc.

Note:
B = 28 mm.




Female directly fixed wallplate elbow - L = 44 mm

GROUP: G

Size [mm]	*	Code							UM
18 Rp $\frac{1}{2}$ "		1609285002					10	80	pc.

Note:
B = 28 mm.




Female directly fixed wallplate elbow - L = 52 mm

GROUP: G

Size [mm]	*	Code							UM
22 Rp $\frac{3}{4}$ "		1609285003					10	50	pc.

Note:
B = 33 mm.




Female directly fixed wallplate elbow - L = 63 mm

GROUP: G

Size [mm]	*	Code							UM
15 Rp $\frac{1}{2}$ "		1609285004					20	40	pc.
18 Rp $\frac{1}{2}$ "		1609285007					20	40	pc.

Note:
1609285004: Size B = 28 mm.
1609285007: Size B = 28 mm.



Female directly fixed wallplate elbow - L = 64 mm

GROUP: G

Size [mm]	*	Code							UM
22 Rp $\frac{3}{4}$ "		1609285008					10	40	pc.

Note:
Size B = 33 mm.

Axial compensator with press connection

GROUP: G

Size [mm]	*	Code			UM
15		1609037002	10	60	pc.
18		1609037004	10	60	pc.
22		1609037005	5	30	pc.
28		1609037007	5	20	pc.
35		1609037008	4	16	pc.
42		1609037010	2	12	pc.
54		1609037011	2	4	pc.



Note:

The warranty is provided for 1000 cycles of operation when used as intended.
The axial compensator is suitable only for absorbing axial movements of the pipeline.



Axial compensator

GROUP: G

Size [mm]	*	Code			UM
76,1		1609037013	2	8	pc.
88,9		1609037014	2	4	pc.
108		1609037000	2	6	pc.


Note:

The warranty is provided for 1000 cycles of operation when used as intended.
The axial compensator is suitable only for absorbing axial movements of the pipeline.



Crossover



GROUP: G

Size [mm]	*	Code			UM
15		1609178000	10	80	pc.
18		1609178001	10	50	pc.
22		1609178002	10	50	pc.
28		1609178003	10	20	pc.



Bend 15°

GROUP: G

Size [mm]	*	Code			UM
28		1609011002	10	40	pc.
35		1609011003	5	15	pc.
42		1609011004	2	20	pc.
54		1609011005	2	6	pc.



Bend 30°

GROUP: G

Size [mm]	*	Code			UM
28		1609011009	10	40	pc.
35		1609011008	4	12	pc.
42		1609011010	2	20	pc.
54		1609011011	2	8	pc.



 coil  bar  pipes in tube  bag  carton box  pallet **N** new **i** available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Bend 60°

GROUP: G

Size [mm]	*	Code			UM
28		1609011014	5	30	pc.
35		1609011015	4	12	pc.
42		1609011016	5	20	pc.
54		1609011017	2	6	pc.



Bend 90°

GROUP: G

Size [mm]	*	Code			UM
15		1609011018	10	70	pc.
18		1609011019	10	50	pc.
22		1609011025	10	30	pc.
28		1609011026	5	20	pc.
35		1609011027	4	8	pc.
42		1609011028	2	4	pc.
54		1609011029	2	10	pc.



Stop end

GROUP: G

Size [mm]	*	Code			UM
15		1609250002	20	80	pc.
18		1609250004	20	300	pc.
22		1609250006	10	150	pc.
28		1609250020	10	130	pc.
35		1609250010	5	75	pc.
42		1609250012	4	48	pc.
54		1609250021	4	24	pc.
76,1		1609250016	2	4	pc.
88,9		1609250018	2	4	pc.
108		1609250000	2	4	pc.



Ball valve

GROUP: G

Size [mm]	*	Code			UM
N 15		1609278000	1	25	pc.
N 18		1609278001	1	25	pc.
N 22		1609278002	1	15	pc.
N 28		1609278003	1	10	pc.
N 35		1609278004	1	10	pc.
N 42		1609278005	1	7	pc.
N 54		1609278006	1	5	pc.

The ball is made of stainless steel 1.4401.
Max working pressure 16 bar.
Warranty for 5 years.

Ball valve with female half union with flat sealing

GROUP: G


Size [mm]	*	Code			UM
15 G¾"		1609278007	1	25	pc.
18 G¾"		1609278008	1	25	pc.
22 G¾"		1609278009	1	15	pc.
28 G1¼"		1609278010	1	10	pc.
35 G1½"		1609278011	1	10	pc.
42 G1¾"		1609278012	1	7	pc.
54 G2¼"		1609278013	1	5	pc.

The ball is made of stainless steel 1.4401.
Max working pressure 16 bar.
Warranty for 5 years.



Flange adapter


GROUP: G

Size [mm]	*	Code			UM
15 1⅝"		1609090001	20	100	pc.
15 1½"		1609090000	20	100	pc.
18 1¼"		1609090011	20	100	pc.
18 1½"		1609090010	20	100	pc.
22 1¼"		1609090005	20	80	pc.
22 1½"		1609090004	20	80	pc.
28 1½"		1609090006	20	80	pc.
35 2"		1609090007	10	30	pc.
42 2¼"		1609090008	10	30	pc.
54 2¾"		1609090012	5	20	pc.



 coil  bar  pipes in tube  bag  carton box  pallet **N** new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts




Flange PN16

GROUP: G

Size [mm]	*	Code			UM
15 DN15		1609091004	1	15	pc.
18 DN15		1609091005	1	15	pc.
22 DN20		1609091006	1	12	pc.
28 DN25		1609091007	1	12	pc.
35 DN32		1609091001	1	6	pc.
42 DN40		1609091008	1	4	pc.
54 DN50		1609091009	1	2	pc.
76,1 DN65		1609091002	1	2	pc.
88,9 DN80		1609091003	1	2	pc.
108 DN100		1609091000	1	2	pc.

Note:
Complete the flat gasket yourself.

Code	d1	l1	l2	z1	k2	D2	d2-2	n2
1609091004	15	43	13	23	65	95	14	4
1609091005	18	44	13	24	65	95	14	4
1609091006	22	45	14	24	75	105	14	4
1609091007	28	49	16	26	85	115	14	4
1609091001	35	51	17	26	100	140	18	4
1609091008	42	59	18	29	110	150	18	4
1609091009	54	69	18	34	125	165	18	4
1609091002	76,1	108	18	53	145	185	18	4
1609091003	88,9	127	20	64	160	200	18	8
1609091000	108	147	20	70	180	220	18	8



Flange PN16

GROUP: G

Size [mm]	*	Code		UM
139,7 DN125	**	1609091010	1	pc.
168,3 DN150	**	1609091011	1	pc.

Note:
Complete the flat gasket yourself.

Code	D	k	b	d2	h	z	n2
1609091010	250	210	22	18	138	41	8
1609091011	285	240	24	22	171	54	8

Accessories

Plastic plug for pipe transport



GROUP: I

Size [mm]	*	Code		UM
15		2141183000	2000	pc.
18		2141183001	2000	pc.
22		2141183002	2000	pc.
28		2141183003	2000	pc.
35		2141183004	2000	pc.
42		2141183005	1000	pc.
54		2141183006	500	pc.



O-Ring LBP EPDM Steel/Inox

GROUP: I

Size [mm]	*	Code			UM
12	*	1509182021	20	1000	pc.
15		1509182022	20	600	pc.
18		1509182023	20	500	pc.
22		1509182024	20	500	pc.
28		1509182025	20	400	pc.
35		1509182026	20	400	pc.
42		1509182027	20	300	pc.
54		1509182028	20	300	pc.



Note:

LBP EPDM O-Rings can be used in KAN-therm Steel and Inox systems.

O-Ring LBP FPM Viton Steel/Inox

GROUP: I

Size [mm]	*	Code			UM
15		1509182030	20	600	pc.
18		1509182029	20	500	pc.
22		1509182031	20	500	pc.
28		1509182032	20	400	pc.
35		1509182033	20	400	pc.
42		1509182034	20	300	pc.
54		1509182035	20	300	pc.



Note:

LBP FPM/Viton O-Rings can be used in KAN-therm Steel and Inox systems.
Do not use in hot water installations.

O-Ring EPDM Steel/Inox

GROUP: I

Size [mm]	*	Code			UM
76,1		1609182023	5	100	pc.
88,9		1609182024	5	100	pc.
108		1609182025	5	50	pc.
139,7		1609182016	-	1	pc.
168,3		1609182017	-	1	pc.




Note:

EPDM O-Rings 76,1-108 can be used in KAN-therm Steel and Inox systems.
O-Ring 66,7 is used for KAN-therm Steel fittings only.

 coil  bar  pipes in tube  bag  carton box  pallet  new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



O-Ring FPM Viton Steel/Inox

GROUP: I

Size [mm]	*	Code			UM
76,1		1609182020	5	100	pc.
88,9		1609182021	5	100	pc.
108		1609182022	5	50	pc.
139,7	**	1609182018	-	1	pc.
168,3	**	1609182019	-	1	pc.

Note:

LBP EPDM O-Rings 76,1-108 can be used in KAN-therm Steel and Inox systems.
 O-Ring 66,7 is only used for Steel connector.
 Do not use in hot water installations.



Flat gasket FPM Viton Steel/Inox

GROUP: I

Size [mm]	*	Code			UM
15-18		1509237000	20	500	pc.
22		1509237001	20	500	pc.
28		1509237002	20	400	pc.
35		1509237003	20	400	pc.
42		1509237004	20	300	pc.
54		1509237005	20	300	pc.


Note:

Gasket for unions and half unions of KAN-therm Steel and Inox systems.
 Do not use in hot water installations.

Tools

Roller cutter for pipes REMS RAS St

GROUP: K

Range [mm]	*	Code		UM
12-54		1948267025	1	pc.
35-108		1948267027	1	pc.



Cutting wheel for roller cutter REMS St

GROUP: K


Range [mm]	*	Code			UM
12-108		1941267037	1	10	pc.

Note:
Intended for roller cutters, codes: 1948267025, 1948267027.



Roller cutter for pipes REMS RAS Mini S

GROUP: K

Range [mm]	*	Code		UM
12-28		1900267003	1	pc.

Note:
The set includes a cutting wheel.



Roller cutter for pipes REMS RAS S

GROUP: K


Range [mm]	*	Code		UM
12-35		1900267001	1	pc.

Note:
The set includes a cutting wheel.



Cutting wheel for roller cutter REMS RAS

GROUP: K

Range [mm]	*	Code		UM
12-35		1900267002	1	pc.

Note:
Intended for roller cutters, codes: 1900267003, 1900267001.



Cordless pipe cutter REMS Akku-Nano

GROUP: K

Range [mm]	*	Code		UM
12-35		1948183003	1	pc.

Note:
The set includes a cutting wheel.



 coil  bar  pipes in tube  bag  carton box  pallet **N** new  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Cutting wheel for roller cutter REMS Nano

GROUP: K

Range [mm]	*	Code		UM
12-35		1978267000	1	pc.

Note:
Intended for cordless roller cutter code 1948183003.



Pipe cutting machine REMS Cento

GROUP: K

Range [mm]	*	Code		UM
22-108		1948183001	1	pc.

Note:
The set includes a cutting wheel.



Pipe cutting machine REMS DueCento

GROUP: K

Range [mm]	*	Code		UM
54-168,3		1948267034	1	pc.

Note:
The set does not include a cutting wheel.
In operating range 54-108, use additional guide rollers with code 1900267000.
Guide rollers must be purchased separately.



Cutting wheel for pipe cutting machine REMS Cento/DueCento

GROUP: K

Range [mm]	*	Code			UM
22-168,3		1941267041	1	50	pc.

Intended for pipe cutting machines, codes: 1948183001, 1948267034.



Guide roller insert for pipe cutting REMS DueCento

GROUP: K

Range [mm]	*	Code		UM
54-108		1900267000	1	pc.

Note:
Intended for pipe cutting machine, code: 1948267034.

Pipe support for cutting machine REMS Cento

GROUP: K

Range [mm]	*	Code		UM
12-54		1948267029	1	pc.



Deburrer for metal pipes REMS REG

GROUP: K

Range [mm]	*	Code		UM
12-54		1948267015	1	6 pc.



Tool set - deburrer and roller cutter

GROUP: K

Range [mm]	*	Code		UM
12-54	*	1948267023	1	set

Each set includes:

- 1948267025 - roller cutter for pipes 12-54 mm,
- 1948267015 - deburrer for pipes 12-54 mm,
- 1941267129 - case.



Tool set - KAN-therm Mini battery press tool + "M" profile jaws

GROUP: K

Range [mm]	*	Code		UM
15-28		1936055009	1	pc.

Each set includes:

- 1936055008 - KAN-therm Mini press tool - 1 pc.,
- 1936267278 - jaws SBM M15 - 1 pc.,
- 1936267279 - jaws SBM M18 - 1 pc.,
- 1936267280 - jaws SBM M22 - 1 pc.,
- 1936267282 - jaws SBM M28 - 1 pc.,
- 1967267051 - battery RAML1225 Li-Ion 10,8 V 2,5 Ah - 2 pcs.,
- 1967267024 - charger LGML1 ~230 V 35 W - 1 pc.,
- case - 1 pc.



KAN-therm AC 3000 electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-54		1936267239	1	pc.

Note:

The press tool is sold in a case.



KAN-therm DC 4000 battery press tool

GROUP: K

Range [mm]	*	Code		UM
12-54		1936267238	1	pc.

Note:

The press tool is sold with a battery, charger and case.



 coil  bar  pipes in tube  bag  carton box  pallet **N** new **i** available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Charger for KAN-therm DC 4000 battery press tool

GROUP: K

Version	*	Code			UM
10,8-36 V		1936267267	1	80	pc.



Battery for KAN-therm DC 4000 press tool

GROUP: K

Version	*	Code			UM
18 V / 4 Ah		1936267266	1	80	pc.



KAN-therm "M" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
N 15		1936267249	1	pc.
N 18		1936267250	1	pc.
N 22		1936267251	1	pc.
N 28		1936267252	1	pc.
N 35		1936267253	1	pc.

Note:

The jaws work with KAN-therm: AC 3000, DC 4000 drives.



KAN-therm "M" profile collar

GROUP: K

Size [mm]	*	Code		UM
42		1936267283	1	pc.
54		1936267284	1	pc.

Note:

Use KAN-therm "M" profile collar jaws with KAN-therm ZBS1 adapter for KAN-therm press tools, AC 3000, DC 4000.



ZBS1 adapter for KAN-therm "M" profile collar jaws

GROUP: K

Size [mm]	*	Code		UM
42 - 54		1936267285	1	pc.

Note:

Use KAN-therm "M" profile collar jaws with KAN-therm ZBS1 adapter for KAN-therm press tools: AC 3000, DC 4000.



REMS Power-Press ACC electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1936267219	1	pc.

Note:

The press tool is sold with a case.
The set does not include jaws.

coil bar pipes in tube bag carton box pallet **N** new available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

REMS Power-Press SE Basic Pack electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1936267160	1	pc.

Note:

The press tool is sold with a case.
The set does not include jaws.



REMS Akku Press battery press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1936267152	1	pc.

Note:

The press tool is sold with a battery, charger and case.
The set does not include jaws.



REMS "M" profile press jaws

GROUP: K

Size [mm]	*	Code		UM
12		1948267046	1	pc.
15		1948267048	1	pc.
18		1948267052	1	pc.
22		1948267056	1	pc.
28		1948267061	1	pc.
35		1948267065	1	pc.
42		1948267067	1	pc.
54		1948267069	1	pc.

Note:

The jaws work with Power-Press SE, Akku-Press, Power-Press ACC drives.



Set of REMS "M" profile press jaws

GROUP: K

Range [mm]	*	Code		UM
42-54		1948267130	1	set

Each set includes:

- 1948267067 - jaws "M" to diameter 42 mm,
- 1948267069 - jaws "M" to diameter 54 mm,
- case.

Jaws work with Power-Press SE, Akku-Press, Power-Press ACC drives.



REMS tool set - electric Power-Press SE press tool and "M" profile jaws

GROUP: K

Range [mm]	*	Code		UM
15-35		1948267033	1	set

Each set includes:

- 1936267160 - electric press tool REMS Power-Press SE,
- 1948267048 - jaws "M" to diameter 15 mm,
- 1948267052 - jaws "M" to diameter 18 mm,
- 1948267056 - jaws "M" to diameter 22 mm,
- 1948267061 - jaws "M" to diameter 28 mm,
- 1948267065 - jaws "M" to diameter 35 mm,
- case.





Novopress tool set - ACO103 BT battery press tool + "M" profile jaws

GROUP: K

Range [mm]	*	Code		UM
15-35	*	1948055008	1	pc.

Each set includes:

- battery press tool - 1 pc.,
- 1948267093 - jaws M15 for press tool - 1 pc.,
- 1948267095 - jaws M18 for press tool - 1 pc.,
- 1942121002 - jaws M22 for press tool - 1 pc.,
- 1948267097 - jaws M28 for press tool - 1 pc.,
- 1938267047 - charger - 1 pc.,
- 1938267002 - battery 2 Ah - 2 pcs.,
- case.



Novopress EFP203 electric press tool

GROUP: K

Range [mm]	*	Code		UM
12-63		1948267210	1	pc.

Note:

The press tool is sold with a plastic case.



Novopress ACO203XL BT press tool

GROUP: K

Range [mm]	*	Code		UM
12-108		1948267181	1	pc.

Each set includes:

- battery press tool - 1 pc.,
- battery 18 V / 5.0 Ah Li-Ion Milwaukee - 2 pcs.,
- charger - 1 pc.,
- lubricant - 1 pc.,
- plastic case.



Novopress PB2 "M" profile press jaws

GROUP: K


Size [mm]	*	Code		UM
12		1948267134	1	pc.
15		1948267135	1	pc.
18		1948267137	1	pc.
22		1948267139	1	pc.
28		1948267141	1	pc.
35		1948267143	1	pc.

Note:

The jaws work with EFP203 and ACO203XL drives.

Novopress "M" profile Snap On collar

GROUP: K

Size [mm]	*	Code		UM
42		1948267119	1	pc.
54		1948267121	1	pc.
66,7	*	1948267089	1	pc.
76,1		1948267145	1	pc.
88,9		1948267044	1	pc.
108		1948267038	1	pc.


Note:

Use jaws for diameters 42 and 54 mm with adapter ZB203 for ACO203XL.
 Use jaws for diameters 66,7, 76,1 and 88,9 mm with adapter ZB221 for ACO203XL.
 Use the jaw with a diameter of 66,7 mm with adapter ZB323 for ECO301.
 Use the jaw with a diameter of 108 mm with adapter ZB221 and ZB222 for ACO203XL.



HP Snap On collar for Novopress ECO301, ACO203XL, EFP203

GROUP: K

Size [mm]	*	Code		UM
35	*	1948267124	1	pc.
42	*	1948267126	1	pc.
54	*	1948267128	1	pc.

Note:

Jaws for diameters 35-54 mm with ECO301 press tool use with ZB303 adapter.
 Jaws for diameters 35-54 mm with ACO203XL and EFP203 crimping tool use with ZB203 adapter.
 Do not use jaw 54 mm with the ACO203XL and EFP203 crimper to join KAN-therm Inox system pipes (1.4404 and 1.4521) with a diameter of 54 mm.



Novopress ZB203 adapter

GROUP: K

Range [mm]	*	Code		UM
35-63		1948267000	1	pc.

Note:

Adapter for EFP203 and ACO203XL drives.
 ultraPRESS: 50-63 mm.
 Steel & Inox: 35-54 mm.
 Copper: 42-54 mm.



Novopress ZB221 Adapter

GROUP: K

Range [mm]	*	Code		UM
66,7-108		1948267005	1	pc.

Note:

Adapter for ACO203XL drive.
 For a diameter of 108 mm, adapter ZB221 is used to make the first crimp, and adapter ZB222 for the second crimp.



Novopress ZB222 Adpater

GROUP: K

Range [mm]	*	Code		UM
108		1948267007	1	pc.

Note:


Adapter for ACO203XL drive.
 For a diameter of 108 mm, adapter ZB221 is used to make the first crimp, and adapter ZB222 for the second crimp.





Novopress ACO403 battery press tool

GROUP: K

Range [mm]	*	Code		UM
76,1-168,3		1948267209	1	pc.

Each set includes:

- battery press tool - 1 pc.,
- battery 18 V / 5.0 Ah Li-Ion Milwaukee - 2 pcs.,
- charger - 1 pc.,
- lubricant - 1 pc.,
- plastic case.



Novopress "M" profile HP collar

GROUP: K

Size [mm]	*	Code		UM
76,1	*	1948267100	1	pc.
88,9	*	1948267102	1	pc.
108	*	1948267098	1	pc.
139,7		1948267071	1	pc.
168,3		1948267072	1	pc.

Note:

The jaws work with ACO401 and ACO403 drives.

Complete multipurpose installation system consisting of modern, mutually complementary technical solutions for pipe water distribution, heating and cooling installations, as well as technological and fire extinguishing ones.

ultra**LINE**

ultra**PRESS**

PP

Steel

Inox

Copper, Copper Gas

XPress Sprinkler

Football Stadium installations

Surface heating and cooling, automation

Cabinets and manifolds

