



**KAN-therm
MULTISYSTEM**

> 35 | years of experience
on the installation
market



KAN-therm
Steel

TRADITIONAL MATERIAL
IN MODERN TECHNOLOGY

Install the **future**

EN 26/05

Ø **12-108 mm**

Table of contents

SYSTEM **KAN-therm** Steel



| | |
|-------------------|----|
| Pipes | 3 |
| Connectors | 4 |
| Accessories | 18 |
| Tools | 20 |

SYSTEM KAN-therm Steel

Pipes

Carbon steel pipe - bar

GROUP: J

| Size [mm] | * | Code |  |  | UM |
|-----------|---|-------------------|---|---|----|
| 12x1,2 | * | 1530207027 | 6 | 624 | m |
| 15x1,2 | | 1530207028 | 6 | 1290 | m |
| 18x1,2 | | 1530207029 | 6 | 1524 | m |
| 22x1,5 | | 1530207030 | 6 | 1290 | m |
| 28x1,5 | | 1530207031 | 6 | 624 | m |
| 35x1,5 | | 1530207032 | 6 | 402 | m |
| 42x1,5 | | 1530207033 | 6 | 402 | m |
| 54x1,5 | | 1530207034 | 6 | 402 | m |
| 66,7x1,5 | | 1530207036 | 6 | 228 | m |
| 76,1x2,0 | | 1530207037 | 6 | 234 | m |
| 88,9x2,0 | | 1530207038 | 6 | 114 | m |
| 108x2,0 | | 1530207026 | 6 | 114 | m |



Note:

Operating pressure depends on the type of transported medium, diameter range and tools used to make connections:

- 12-54 mm up to 25 bar (Novopress tools with jaws and collars with HP profile) - only in installations filled with water,
- 12-108 mm up to 16 bar (tools with jaws with M profile). Not applicable to compressed air systems - refer to the "Designer and Contractor Guidebook" for operating conditions.

 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Connectors



Male connector

GROUP: I

| Size [mm] | * | Code | | | | | | | UM |
|-------------------------|---|------------|----|-----|-----|--|--|--|----|
| 12 R $\frac{3}{8}$ " | * | 1509045002 | 10 | 200 | pc. | | | | |
| 15 R $\frac{3}{8}$ " | | 1509045005 | 10 | 200 | pc. | | | | |
| 15 R $\frac{1}{2}$ " | | 1509045003 | 10 | 200 | pc. | | | | |
| 18 R $\frac{1}{2}$ " | | 1509045006 | 10 | 160 | pc. | | | | |
| 18 R $\frac{3}{4}$ " | | 1509045007 | 10 | 100 | pc. | | | | |
| 22 R $\frac{1}{2}$ " | | 1509045019 | 10 | 70 | pc. | | | | |
| 22 R $\frac{3}{4}$ " | | 1509045009 | 10 | 100 | pc. | | | | |
| 22 R1" | | 1509257031 | 10 | 60 | pc. | | | | |
| 28 R $\frac{3}{4}$ " | | 1509042021 | 10 | 60 | pc. | | | | |
| 28 R1" | | 1509045010 | 10 | 60 | pc. | | | | |
| 35 R1" | | 1509045020 | 10 | 40 | pc. | | | | |
| 35 R1 $\frac{1}{4}$ " | | 1509045012 | 5 | 40 | pc. | | | | |
| 42 R1 $\frac{1}{2}$ " | | 1509045013 | 4 | 24 | pc. | | | | |
| 54 R2" | | 1509045014 | 4 | 12 | pc. | | | | |
| 66,7 R2 $\frac{1}{2}$ " | | 1509042022 | 2 | 8 | pc. | | | | |
| 76,1 R2 $\frac{1}{2}$ " | | 1509045016 | 2 | 26 | pc. | | | | |
| 88,9 R3" | | 1509045017 | 2 | 20 | pc. | | | | |



Coupling Steel/Groove

GROUP: I

| Size [mm] | * | Code | | | | | | | UM |
|-----------|---|------------|----|----|-----|--|--|--|----|
| 28 / 33,7 | | 1509044019 | 10 | 30 | pc. | | | | |
| 35 / 42,4 | | 1509044023 | 10 | 30 | pc. | | | | |
| 42 / 48,3 | | 1509042024 | 5 | 20 | pc. | | | | |
| 54 / 60,3 | | 1509042025 | 5 | 15 | pc. | | | | |
| 76,1 | | 1509042026 | 2 | 6 | pc. | | | | |
| 88,9 | | 1509042027 | 2 | 2 | pc. | | | | |
| 108 / 114 | | 1509042023 | 2 | 2 | pc. | | | | |



Female slip connector

GROUP: I



| Size [mm] | * | Code | | | | | | | UM |
|-----------------------|-----|------------|----|----|-----|--|--|--|----|
| 22 Rp $\frac{1}{2}$ " | | 1509080013 | 10 | 60 | pc. | | | | |
| 22 Rp $\frac{3}{4}$ " | *** | 1509044020 | 10 | 60 | pc. | | | | |
| 28 Rp $\frac{1}{2}$ " | | 1509044021 | 10 | 40 | pc. | | | | |
| 28 Rp $\frac{3}{4}$ " | | 1509044022 | 10 | 40 | pc. | | | | |

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Female union



GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-------------|---|------------|---|---|-----|
| 15 Rp1/2" | | 1509050000 | 2 | 50 | pc. |
| 18 Rp1/2" | | 1509050004 | 2 | 60 | pc. |
| 22 Rp3/4" | | 1509050001 | 2 | 40 | pc. |
| 28 Rp1" | | 1509050002 | 2 | 30 | pc. |
| 35 Rp1 1/4" | | 1509050007 | 2 | 16 | pc. |
| 42 Rp1 1/2" | | 1509050008 | 2 | 12 | pc. |
| 54 Rp2" | | 1509050003 | 2 | 4 | pc. |



Male union

GROUP: I

| Size [mm] | * | Code |  |  | UM |
|------------|---|------------|---|---|-----|
| 15 R1/2" | | 1509272000 | 2 | 50 | pc. |
| 18 R1/2" | | 1509272006 | 2 | 60 | pc. |
| 22 R3/4" | | 1509272001 | 2 | 40 | pc. |
| 28 R1" | | 1509272002 | 2 | 30 | pc. |
| 35 R1 1/4" | | 1509272003 | 2 | 16 | pc. |
| 42 R1 1/2" | | 1509272004 | 2 | 12 | pc. |
| 54 R2" | | 1509272005 | 2 | 4 | pc. |



Female Eurocone adapter



GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-----------|---|------------|---|---|-----|
| 15 G3/4" | | 1509271000 | 10 | 100 | pc. |
| 18 G3/4" | | 1509271001 | 10 | 100 | pc. |



Female half union with flat sealing

GROUP: I

| Size [mm] | * | Code |  |  | UM |
|------------|---|------------|---|---|-----|
| 15 G3/4" | * | 1509106000 | 10 | 120 | pc. |
| 18 G3/4" | * | 1509106001 | 10 | 100 | pc. |
| 22 G1" | * | 1509106002 | 10 | 60 | pc. |
| 28 G1 1/4" | * | 1509106003 | 10 | 40 | pc. |
| 35 G1 1/2" | * | 1509106004 | 4 | 32 | pc. |
| 42 G1 3/4" | * | 1509106005 | 4 | 12 | pc. |
| 54 G2 3/8" | * | 1509106006 | 4 | 8 | pc. |



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Female connector

GROUP: I

| Size [mm] | * | Code | | | UM |
|-------------|---|------------|----|-----|-----|
| 12 Rp1/2" | * | 1509044001 | 10 | 130 | pc. |
| 15 Rp1/2" | | 1509044003 | 10 | 130 | pc. |
| 18 Rp1/2" | | 1509044005 | 10 | 120 | pc. |
| 18 Rp3/4" | | 1509044006 | 10 | 80 | pc. |
| 22 Rp1/2" | | 1509044008 | 10 | 100 | pc. |
| 22 Rp3/4" | | 1509044010 | 10 | 100 | pc. |
| 22 Rp1" | | 1509044007 | 10 | 40 | pc. |
| 28 Rp1/2" | | 1509044015 | 10 | 60 | pc. |
| 28 Rp3/4" | | 1509044014 | 10 | 60 | pc. |
| 28 Rp1" | | 1509044011 | 10 | 60 | pc. |
| 35 Rp1/2" | | 1509042002 | 10 | 40 | pc. |
| 35 Rp3/4" | | 1509044017 | 10 | 40 | pc. |
| 35 Rp1" | | 1509044000 | 10 | 40 | pc. |
| 35 Rp1 1/4" | | 1509044016 | 10 | 30 | pc. |
| 42 Rp1 1/2" | | 1509044012 | 4 | 24 | pc. |
| 54 Rp2" | | 1509044013 | 4 | 12 | pc. |



Female connector with plain end

GROUP: I

| Size [mm] | * | Code | | | UM |
|-----------|---|------------|----|-----|-----|
| 12 Rp3/8" | * | 1509076002 | 10 | 150 | pc. |
| 12 Rp1/2" | * | 1509076000 | 10 | 150 | pc. |
| 15 Rp1/2" | | 1509076003 | 10 | 150 | pc. |
| 18 Rp1/2" | | 1509076004 | 10 | 150 | pc. |
| 18 Rp3/4" | | 1509076005 | 10 | 100 | pc. |
| 22 Rp1/2" | | 1509076006 | 10 | 70 | pc. |
| 22 Rp3/4" | | 1509076007 | 10 | 100 | pc. |



Straight coupling

GROUP: I

| Size [mm] | * | Code | | | UM |
|-----------|---|------------|----|-----|-----|
| 12 | | 1509245002 | 10 | 140 | pc. |
| 15 | | 1509245003 | 10 | 140 | pc. |
| 18 | | 1509245004 | 10 | 140 | pc. |
| 22 | | 1509245006 | 10 | 80 | pc. |
| 28 | | 1509245007 | 10 | 60 | pc. |
| 35 | | 1509245008 | 5 | 40 | pc. |
| 42 | | 1509245009 | 4 | 24 | pc. |
| 54 | | 1509245010 | 4 | 16 | pc. |
| 66,7 | | 1509245000 | 2 | 4 | pc. |
| 76,1 | | 1509245011 | 4 | 24 | pc. |
| 88,9 | | 1509245012 | 4 | 16 | pc. |
| 108 | | 1509245001 | 2 | 10 | pc. |

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Reducing coupling



GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-----------|---|------------|---|---|-----|
| 22 / 15 | | 1509052000 | 10 | 140 | pc. |



Slip coupling



GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-----------|---|------------|---|---|-----|
| 12 | * | 1509080001 | 10 | 140 | pc. |
| 15 | | 1509080003 | 10 | 140 | pc. |
| 18 | | 1509080004 | 10 | 100 | pc. |
| 22 | | 1509080005 | 10 | 60 | pc. |
| 28 | | 1509080006 | 5 | 40 | pc. |
| 35 | | 1509080007 | 5 | 20 | pc. |
| 42 | | 1509080008 | 4 | 16 | pc. |
| 54 | | 1509080009 | 2 | 8 | pc. |
| 66,7 | | 1509080014 | 2 | 4 | pc. |
| 76,1 | | 1509080011 | 2 | 16 | pc. |
| 88,9 | | 1509080012 | 2 | 8 | pc. |
| 108 | | 1509080000 | 2 | 6 | pc. |



Elbow 90°

GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-----------|---|------------|---|---|-----|
| 12 | * | 1509068005 | 10 | 150 | pc. |
| 15 | | 1509068037 | 10 | 150 | pc. |
| 18 | | 1509068038 | 10 | 90 | pc. |
| 22 | | 1509068039 | 10 | 60 | pc. |
| 28 | | 1509068040 | 5 | 30 | pc. |
| 35 | | 1509068041 | 5 | 20 | pc. |
| 42 | | 1509068042 | 2 | 8 | pc. |
| 54 | | 1509068043 | 2 | 8 | pc. |
| 66,7 | | 1509068049 | 1 | 2 | pc. |
| 76,1 | | 1509068045 | 2 | 10 | pc. |
| 88,9 | | 1509068047 | 2 | 6 | pc. |
| 108 | | 1509068036 | 2 | 4 | pc. |



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Plain end elbow 90°

GROUP: I

| Size [mm] | * | Code | | | UM |
|-----------|---|------------|----|-----|-----|
| 12 | * | 1509068052 | 10 | 120 | pc. |
| 15 | | 1509068053 | 10 | 120 | pc. |
| 18 | | 1509068054 | 10 | 80 | pc. |
| 22 | | 1509068055 | 10 | 60 | pc. |
| 28 | | 1509068056 | 5 | 30 | pc. |
| 35 | | 1509068058 | 5 | 20 | pc. |
| 42 | | 1509068059 | 2 | 8 | pc. |
| 54 | | 1509068060 | 2 | 6 | pc. |
| 66,7 | | 1509068066 | 1 | 2 | pc. |
| 76,1 | | 1509068062 | 2 | 10 | pc. |
| 88,9 | | 1509068064 | 2 | 6 | pc. |
| 108 | | 1509068050 | 2 | 4 | pc. |



Elbow 45°

GROUP: I

| Size [mm] | * | Code | | | UM |
|-----------|---|------------|----|-----|-----|
| 15 | | 1509068006 | 10 | 150 | pc. |
| 18 | | 1509068007 | 10 | 120 | pc. |
| 22 | | 1509068008 | 10 | 70 | pc. |
| 28 | | 1509068009 | 10 | 40 | pc. |
| 35 | | 1509068010 | 5 | 25 | pc. |
| 42 | | 1509068011 | 4 | 16 | pc. |
| 54 | | 1509068012 | 2 | 8 | pc. |
| 66,7 | | 1509068018 | 1 | 2 | pc. |
| 76,1 | | 1509068014 | 2 | 16 | pc. |
| 88,9 | | 1509068016 | 2 | 8 | pc. |
| 108 | | 1509068004 | 2 | 6 | pc. |





Plain end elbow 45°

GROUP: I

| Size [mm] | * | Code | | | UM |
|-----------|---|------------|----|-----|-----|
| 15 | | 1509068023 | 10 | 150 | pc. |
| 18 | | 1509068024 | 10 | 120 | pc. |
| 22 | | 1509068025 | 10 | 60 | pc. |
| 28 | | 1509068026 | 10 | 40 | pc. |
| 35 | | 1509068027 | 5 | 25 | pc. |
| 42 | | 1509068028 | 4 | 16 | pc. |
| 54 | | 1509068029 | 2 | 8 | pc. |
| 66,7 | | 1509068019 | 1 | 2 | pc. |
| 76,1 | | 1509068031 | 2 | 14 | pc. |
| 88,9 | | 1509068033 | 2 | 10 | pc. |
| 108 | | 1509068021 | 2 | 6 | pc. |

Tee

GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-----------|---|-------------------|---|---|-----|
| 12 | * | 1509257009 | 10 | 100 | pc. |
| 15 | | 1509257010 | 10 | 80 | pc. |
| 18 | | 1509257011 | 10 | 40 | pc. |
| 22 | | 1509257012 | 10 | 40 | pc. |
| 28 | | 1509257013 | 5 | 25 | pc. |
| 35 | | 1509257014 | 5 | 15 | pc. |
| 42 | | 1509257015 | 4 | 8 | pc. |
| 54 | | 1509257016 | 2 | 6 | pc. |
| 66,7 | | 1509257025 | 1 | 2 | pc. |
| 76,1 | | 1509257018 | 2 | 8 | pc. |
| 88,9 | | 1509257019 | 2 | 6 | pc. |
| 108 | | 1509257008 | 2 | 2 | pc. |



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Reducing tee

GROUP: I

| Size [mm] | * | Code | | | | | | | UM |
|--------------------|---|------------|----|--|--|--|-----|--|-----|
| 12 / 15 / 12 | * | 1509260007 | 10 | | | | 100 | | pc. |
| 15 / 12 / 15 | * | 1509260009 | 10 | | | | 100 | | pc. |
| 15 / 18 / 15 | | 1509257027 | 10 | | | | 60 | | pc. |
| 15 / 22 / 15 | | 1509257028 | 10 | | | | 60 | | pc. |
| 18 / 12 / 18 | * | 1509260010 | 10 | | | | 70 | | pc. |
| 18 / 15 / 18 | | 1509260011 | 10 | | | | 60 | | pc. |
| 18 / 22 / 18 | | 1509257029 | 10 | | | | 50 | | pc. |
| 22 / 12 / 22 | * | 1509260012 | 10 | | | | 50 | | pc. |
| 22 / 15 / 22 | | 1509260014 | 10 | | | | 50 | | pc. |
| 22 / 18 / 22 | | 1509260015 | 10 | | | | 50 | | pc. |
| 22 / 28 / 22 | | 1509257030 | 5 | | | | 30 | | pc. |
| 28 / 15 / 28 | | 1509260017 | 5 | | | | 30 | | pc. |
| 28 / 18 / 28 | | 1509260018 | 5 | | | | 30 | | pc. |
| 28 / 22 / 28 | | 1509260020 | 5 | | | | 30 | | pc. |
| 35 / 15 / 35 | | 1509260021 | 5 | | | | 20 | | pc. |
| 35 / 18 / 35 | | 1509260022 | 5 | | | | 20 | | pc. |
| 35 / 22 / 35 | | 1509260024 | 5 | | | | 20 | | pc. |
| 35 / 28 / 35 | | 1509260025 | 5 | | | | 20 | | pc. |
| 42 / 22 / 42 | | 1509260026 | 4 | | | | 12 | | pc. |
| 42 / 28 / 42 | | 1509260027 | 4 | | | | 12 | | pc. |
| 42 / 35 / 42 | | 1509260028 | 4 | | | | 12 | | pc. |
| 54 / 22 / 54 | | 1509260029 | 2 | | | | 8 | | pc. |
| 54 / 28 / 54 | | 1509260030 | 2 | | | | 8 | | pc. |
| 54 / 35 / 54 | | 1509260031 | 2 | | | | 8 | | pc. |
| 54 / 42 / 54 | | 1509260032 | 2 | | | | 8 | | pc. |
| 66,7 / 28 / 66,7 | | 1509260054 | 1 | | | | 2 | | pc. |
| 66,7 / 35 / 66,7 | | 1509260037 | 1 | | | | 2 | | pc. |
| 66,7 / 42 / 66,7 | | 1509260055 | 1 | | | | 2 | | pc. |
| 66,7 / 54 / 66,7 | | 1509260056 | 1 | | | | 2 | | pc. |
| 76,1 / 22 / 76,1 | | 1509260038 | 2 | | | | 14 | | pc. |
| 76,1 / 28 / 76,1 | | 1509260039 | 2 | | | | 14 | | pc. |
| 76,1 / 35 / 76,1 | | 1509260040 | 2 | | | | 14 | | pc. |
| 76,1 / 42 / 76,1 | | 1509260041 | 2 | | | | 12 | | pc. |
| 76,1 / 54 / 76,1 | | 1509260044 | 2 | | | | 8 | | pc. |
| 76,1 / 66,7 / 76,1 | | 1509260057 | 1 | | | | 1 | | pc. |
| 88,9 / 22 / 88,9 | | 1509260045 | 2 | | | | 8 | | pc. |
| 88,9 / 28 / 88,9 | | 1509260046 | 2 | | | | 8 | | pc. |
| 88,9 / 35 / 88,9 | | 1509260047 | 2 | | | | 6 | | pc. |
| 88,9 / 42 / 88,9 | | 1509260048 | 2 | | | | 8 | | pc. |
| 88,9 / 54 / 88,9 | | 1509260049 | 2 | | | | 8 | | pc. |
| 88,9 / 66,7 / 88,9 | | 1509260058 | 1 | | | | 8 | | pc. |
| 88,9 / 76,1 / 88,9 | | 1509260052 | 2 | | | | 6 | | pc. |
| 108 / 22 / 108 | | 1509260000 | 2 | | | | 6 | | pc. |
| 108 / 28 / 108 | | 1509260001 | 2 | | | | 6 | | pc. |
| 108 / 35 / 108 | | 1509260002 | 2 | | | | 6 | | pc. |
| 108 / 42 / 108 | | 1509260003 | 2 | | | | 6 | | pc. |
| 108 / 54 / 108 | | 1509260004 | 2 | | | | 6 | | pc. |
| 108 / 76,1 / 108 | | 1509260005 | 2 | | | | 4 | | pc. |
| 108 / 88,9 / 108 | | 1509260006 | 2 | | | | 4 | | pc. |

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Reducing tee

GROUP: I

| Size [mm] | * | Code |  |  | UM |
|--------------|---|------------|---|---|-----|
| 22 / 15 / 15 | | 1509260013 | 10 | 50 | pc. |
| 22 / 22 / 15 | | 1509260016 | 10 | 50 | pc. |



Pass crossing



GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-----------|---|------------|---|---|-----|
| 15 | | 1509057002 | 5 | 40 | pc. |



Reducing pass crossing

GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-----------|---|------------|---|---|-----|
| 18 / 15 | | 1509057004 | 5 | 40 | pc. |
| 22 / 15 | | 1509057005 | 10 | 30 | pc. |
| 22 / 18 | | 1509057006 | 10 | 30 | pc. |
| 28 / 15 | | 1509057007 | 5 | 15 | pc. |
| 28 / 18 | | 1509057008 | 5 | 15 | pc. |
| 28 / 22 | | 1509057009 | 5 | 20 | pc. |



Crossing

GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-----------|---|------------|---|---|-----|
| 35 | * | 1509057025 | 2 | 8 | pc. |
| 42 | * | 1509057027 | 2 | 8 | pc. |
| 54 | * | 1509057029 | 2 | 4 | pc. |



Reducing crossing

GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-----------|---|------------|---|---|-----|
| 35 / 28 | * | 1509057024 | 2 | 14 | pc. |
| 42 / 28 | * | 1509057026 | 2 | 8 | pc. |
| 54 / 28 | * | 1509057028 | 2 | 4 | pc. |



Crossing pair single

GROUP: I

| Size [mm] | * | Code |  | UM |
|-----------|---|------------|---|-----|
| 15 | | 1509257003 | 10 | pc. |



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Reducing crossing pair single

GROUP: I

| Size (d1/d2) [mm] | * | Code | | UM |
|-------------------|---|-------------------|----|-----|
| 18 / 12 | * | 1509257000 | 10 | pc. |
| 18 / 15 | | 1509257004 | 10 | pc. |
| 22 / 12 | * | 1509257005 | 10 | pc. |
| 22 / 15 | | 1509257006 | 10 | pc. |
| 28 / 12 | * | 1509257002 | 8 | pc. |
| 28 / 15 | | 1509257007 | 8 | pc. |



Crossing pair double

GROUP: I

| Size [mm] | * | Code | | UM |
|-----------|---|-------------------|---|-----|
| 12 | * | 1509057013 | 8 | pc. |
| 15 | | 1509057017 | 8 | pc. |



Reducing crossing pair double

GROUP: I



| Size (d1/d2) [mm] | * | Code | | UM |
|-------------------|---|-------------------|---|-----|
| 15 / 12 | * | 1509057015 | 8 | pc. |
| 18 / 12 | * | 1509057000 | 8 | pc. |
| 18 / 15 | | 1509057019 | 8 | pc. |
| 22 / 15 | | 1509057021 | 6 | pc. |
| 28 / 12 | * | 1509057001 | 8 | pc. |
| 28 / 15 | | 1509057022 | 6 | pc. |
| 35 / 15 | | 1509057023 | 3 | pc. |

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 N new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Plain end reducer



GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-------------|---|------------|---|---|-----|
| 15 / 12 | * | 1509221019 | 10 | 200 | pc. |
| 18 / 12 | * | 1509221020 | 10 | 200 | pc. |
| 18 / 15 | | 1509221021 | 10 | 200 | pc. |
| 22 / 12 | * | 1509221022 | 10 | 150 | pc. |
| 22 / 15 | | 1509221023 | 10 | 140 | pc. |
| 22 / 18 | | 1509221024 | 10 | 120 | pc. |
| 28 / 15 | | 1509221025 | 10 | 70 | pc. |
| 28 / 18 | | 1509221026 | 10 | 100 | pc. |
| 28 / 22 | | 1509221027 | 10 | 80 | pc. |
| 35 / 22 | | 1509221028 | 5 | 50 | pc. |
| 35 / 28 | | 1509221029 | 5 | 60 | pc. |
| 42 / 22 | | 1509221039 | 4 | 24 | pc. |
| 42 / 28 | | 1509221040 | 4 | 24 | pc. |
| 42 / 35 | | 1509221030 | 4 | 24 | pc. |
| 54 / 18 | | 1509221031 | 4 | 16 | pc. |
| 54 / 22 | | 1509221032 | 4 | 16 | pc. |
| 54 / 28 | | 1509221033 | 4 | 16 | pc. |
| 54 / 35 | | 1509221041 | 4 | 16 | pc. |
| 54 / 42 | | 1509221034 | 4 | 16 | pc. |
| 66,7 / 28 | | 1509221010 | 2 | 4 | pc. |
| 66,7 / 35 | | 1509221011 | 2 | 4 | pc. |
| 66,7 / 42 | | 1509221012 | 2 | 4 | pc. |
| 66,7 / 54 | | 1509221013 | 2 | 4 | pc. |
| 76,1 / 42 | | 1509221035 | 4 | 32 | pc. |
| 76,1 / 54 | | 1509221036 | 4 | 40 | pc. |
| 76,1 / 66,7 | | 1509221016 | 2 | 4 | pc. |
| 88,9 / 54 | | 1509221037 | 4 | 32 | pc. |
| 88,9 / 66,7 | | 1509221014 | 2 | 4 | pc. |
| 88,9 / 76,1 | | 1509221038 | 4 | 16 | pc. |
| 108 / 66,7 | | 1509221015 | 2 | 4 | pc. |
| 108 / 76,1 | | 1509221017 | 2 | 10 | pc. |
| 108 / 88,9 | | 1509221018 | 2 | 10 | pc. |



Female elbow 90°

GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-------------------------------------|---|------------|---|---|-----|
| 15 Rp ³ / ₈ " | | 1509069005 | 10 | 150 | pc. |
| 15 Rp ¹ / ₂ " | | 1509069004 | 10 | 100 | pc. |
| 18 Rp ¹ / ₂ " | | 1509069006 | 10 | 60 | pc. |
| 22 Rp ¹ / ₂ " | | 1509068000 | 10 | 50 | pc. |
| 22 Rp ³ / ₄ " | | 1509068001 | 10 | 50 | pc. |
| 28 Rp ¹ / ₂ " | | 1509069007 | 5 | 30 | pc. |
| 28 Rp ³ / ₄ " | | 1509069008 | 5 | 30 | pc. |
| 28 Rp1" | | 1509069009 | 5 | 30 | pc. |
| 35 Rp ¹ / ₂ " | | 1509069010 | 5 | 10 | pc. |
| 35 Rp ³ / ₄ " | | 1509069011 | 5 | 10 | pc. |
| 35 Rp1" | | 1509068002 | 5 | 20 | pc. |



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Female elbow 90°, short

GROUP: I

| Size [mm] | * | Code | | | UM |
|-----------|---|------------|----|----|-----|
| 22 Rp1/2" | * | 1509069012 | 10 | 50 | pc. |
| 28 Rp1/2" | * | 1509069013 | 5 | 30 | pc. |
| 35 Rp1/2" | * | 1509069014 | 5 | 10 | pc. |



Male elbow 90°

GROUP: I

| Size [mm] | * | Code | | | UM |
|------------|---|------------|----|-----|-----|
| 12 R3/8" | * | 1509070000 | 10 | 150 | pc. |
| 15 R3/8" | | 1509070003 | 10 | 150 | pc. |
| 15 R1/2" | | 1509070002 | 10 | 100 | pc. |
| 18 R1/2" | | 1509070004 | 10 | 60 | pc. |
| 22 R3/4" | | 1509070005 | 10 | 50 | pc. |
| 28 R1" | | 1509070006 | 5 | 30 | pc. |
| 35 R1 1/4" | | 1509070007 | 5 | 10 | pc. |
| 42 R1 1/2" | | 1509070008 | 2 | 12 | pc. |
| 54 R2" | | 1509070009 | 2 | 8 | pc. |



Male elbow 90°, short

GROUP: I



| Size [mm] | * | Code | | | UM |
|-----------|---|------------|----|-----|-----|
| 12 R3/8" | * | 1509070010 | 10 | 100 | pc. |
| 15 R3/8" | | 1509070013 | 10 | 100 | pc. |
| 15 R1/2" | | 1509070012 | 10 | 80 | pc. |
| 18 R1/2" | | 1509070014 | 10 | 80 | pc. |
| 22 R3/4" | | 1509070015 | 10 | 60 | pc. |

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Female tee



GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-----------|---|------------|---|---|-----|
| 15 Rp½" | | 1509258004 | 10 | 70 | pc. |
| 18 Rp½" | | 1509258005 | 10 | 50 | pc. |
| 18 Rp¾" | | 1509258006 | 10 | 50 | pc. |
| 22 Rp½" | | 1509258008 | 10 | 50 | pc. |
| 22 Rp¾" | | 1509258007 | 10 | 40 | pc. |
| 28 Rp½" | | 1509258009 | 5 | 30 | pc. |
| 28 Rp¾" | | 1509258010 | 5 | 30 | pc. |
| 28 Rp1" | | 1509257021 | 5 | 30 | pc. |
| 35 Rp½" | | 1509258011 | 5 | 20 | pc. |
| 35 Rp¾" | | 1509258012 | 5 | 20 | pc. |
| 35 Rp1" | | 1509257022 | 5 | 20 | pc. |
| 42 Rp½" | | 1509258014 | 4 | 16 | pc. |
| 42 Rp¾" | | 1509258015 | 4 | 12 | pc. |
| 42 Rp1" | | 1509257023 | 4 | 12 | pc. |
| 54 Rp½" | | 1509258016 | 2 | 8 | pc. |
| 54 Rp¾" | | 1509258018 | 2 | 8 | pc. |
| 54 Rp1" | | 1509258000 | 2 | 8 | pc. |
| 66,7 Rp¾" | | 1509257024 | 1 | 2 | pc. |
| 76,1 Rp¾" | | 1509258020 | 2 | 12 | pc. |
| 88,9 Rp¾" | | 1509258021 | 2 | 8 | pc. |
| 108 Rp¾" | | 1509258001 | 2 | 6 | pc. |



Crossover



GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-----------|---|------------|---|---|-----|
| 12 | * | 1509178000 | 10 | 80 | pc. |
| 15 | | 1509022005 | 10 | 70 | pc. |
| 18 | | 1509022006 | 10 | 60 | pc. |
| 22 | | 1509022007 | 10 | 40 | pc. |
| 28 | | 1509022008 | 5 | 20 | pc. |



Bend 90°

GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-----------|---|------------|---|---|-----|
| 12 | * | 1509011000 | 10 | 80 | pc. |
| 15 | | 1509011002 | 10 | 70 | pc. |
| 18 | | 1509011003 | 10 | 50 | pc. |
| 22 | | 1509011004 | 10 | 30 | pc. |
| 28 | | 1509011005 | 5 | 20 | pc. |
| 35 | | 1509011007 | 2 | 8 | pc. |
| 42 | | 1509011008 | 2 | 4 | pc. |
| 54 | | 1509011009 | 2 | 10 | pc. |



 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



Stop end

GROUP: I

| Size [mm] | * | Code | | | UM |
|-----------|---|------------|----|-----|-----|
| 15 | | 1509250002 | 20 | 80 | pc. |
| 18 | | 1509250003 | 20 | 300 | pc. |
| 22 | | 1509250004 | 10 | 150 | pc. |
| 28 | | 1509250005 | 10 | 130 | pc. |
| 35 | | 1509250006 | 5 | 75 | pc. |
| 42 | | 1509250007 | 4 | 48 | pc. |
| 54 | | 1509250008 | 4 | 32 | pc. |
| 66,7 | | 1509250025 | 1 | 4 | pc. |
| 76,1 | | 1509250010 | 2 | 24 | pc. |
| 88,9 | | 1509250012 | 2 | 8 | pc. |
| 108 | | 1509250001 | 2 | 4 | pc. |



Ball valve

GROUP: I

| Size [mm] | * | Code | | | UM |
|-----------|---|------------|---|----|-----|
| 15 | | 1509278000 | 1 | 25 | pc. |
| 18 | | 1509278001 | 1 | 25 | pc. |
| 22 | | 1509278002 | 1 | 15 | pc. |
| 28 | | 1509278003 | 1 | 10 | pc. |
| 35 | | 1509278004 | 1 | 10 | pc. |
| 42 | | 1509278005 | 1 | 7 | pc. |
| 54 | | 1509278006 | 1 | 5 | pc. |

Ball made of brass CW617N.
Max operating pressure 16 bar.
5-year warranty.



Ball valve with half union with flat sealing



GROUP: I

| Size [mm] | * | Code | | | UM |
|-----------|---|------------|---|----|-----|
| 15 G¾" | | 1509278007 | 1 | 25 | pc. |
| 18 G¾" | | 1509278008 | 1 | 25 | pc. |
| 22 G¾" | | 1509278009 | 1 | 15 | pc. |
| 28 G1¼" | | 1509278010 | 1 | 10 | pc. |
| 35 G1½" | | 1509278011 | 1 | 10 | pc. |
| 42 G1¾" | | 1509278012 | 1 | 7 | pc. |
| 54 G2¼" | | 1509278013 | 1 | 5 | pc. |

Ball made of brass CW617N.
Max operating pressure 16 bar.
5-year warranty.

Flange PN16


GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-----------|---|------------|---|---|-----|
| 35 DN32 | | 1509091000 | 1 | 6 | pc. |
| 42 DN40 | | 1509091001 | 1 | 4 | pc. |
| 54 DN50 | | 1509091002 | 1 | 2 | pc. |
| 66,7 DN65 | | 1509091005 | 1 | 2 | pc. |
| 76,1 DN65 | | 1509091003 | 1 | 4 | pc. |
| 88,9 DN80 | | 1509091004 | 1 | 2 | pc. |
| 108 DN100 | | 1509091010 | 1 | 2 | pc. |

Note:

Complete the flat gasket yourself.

| Code | d1 | l1 | l2 | z1 | k2 | D2 | d2-2 | n2 |
|------------|------|----|----|----|-----|-----|------|----|
| 1509091000 | 35 | 52 | 18 | 26 | 100 | 140 | 18 | 4 |
| 1509091001 | 42 | 59 | 18 | 29 | 110 | 150 | 18 | 4 |
| 1509091002 | 54 | 69 | 18 | 34 | 125 | 165 | 18 | 4 |
| 1509091005 | 66,7 | 71 | 18 | 21 | 145 | 185 | 18 | 4 |
| 1509091003 | 76,1 | 94 | 18 | 39 | 145 | 185 | 18 | 4 |
| 1509091004 | 88,9 | 98 | 20 | 35 | 160 | 200 | 18 | 8 |
| 1509091010 | 108 | 94 | 20 | 17 | 180 | 220 | 18 | 8 |



Accessories



Plastic plug for pipe transport

GROUP: I

| Size [mm] | * | Code | | UM |
|-----------|---|------------|------|-----|
| 15 | | 2141183000 | 2000 | pc. |
| 18 | | 2141183001 | 2000 | pc. |
| 22 | | 2141183002 | 2000 | pc. |
| 28 | | 2141183003 | 2000 | pc. |
| 35 | | 2141183004 | 2000 | pc. |
| 42 | | 2141183005 | 1000 | pc. |
| 54 | | 2141183006 | 500 | pc. |



O-Ring LBP EPDM Steel/Inox

GROUP: I

| Size [mm] | * | Code | | | UM |
|-----------|---|------------|----|------|-----|
| 12 | * | 1509182021 | 20 | 1000 | pc. |
| 15 | | 1509182022 | 20 | 600 | pc. |
| 18 | | 1509182023 | 20 | 500 | pc. |
| 22 | | 1509182024 | 20 | 500 | pc. |
| 28 | | 1509182025 | 20 | 400 | pc. |
| 35 | | 1509182026 | 20 | 400 | pc. |
| 42 | | 1509182027 | 20 | 300 | pc. |
| 54 | | 1509182028 | 20 | 300 | pc. |

Note:

LBP EPDM O-Rings can be used in KAN-therm Steel and Inox systems.



O-Ring LBP FPM Viton Steel/Inox

GROUP: I

| Size [mm] | * | Code | | | UM |
|-----------|---|------------|----|-----|-----|
| 15 | | 1509182030 | 20 | 600 | pc. |
| 18 | | 1509182029 | 20 | 500 | pc. |
| 22 | | 1509182031 | 20 | 500 | pc. |
| 28 | | 1509182032 | 20 | 400 | pc. |
| 35 | | 1509182033 | 20 | 400 | pc. |
| 42 | | 1509182034 | 20 | 300 | pc. |
| 54 | | 1509182035 | 20 | 300 | pc. |

Note:

LBP FPM/Viton O-Rings can be used in KAN-therm Steel and Inox systems.
Do not use in hot water installations.



O-Ring EPDM Steel/Inox

GROUP: I

| Size [mm] | * | Code | | | UM |
|-----------|---|------------|---|-----|-----|
| 66,7 | | 1609182007 | 5 | 100 | pc. |
| 76,1 | | 1609182023 | 5 | 100 | pc. |
| 88,9 | | 1609182024 | 5 | 100 | pc. |
| 108 | | 1609182025 | 5 | 50 | pc. |

Note:

EPDM O-Rings 76,1-108 can be used in KAN-therm Steel and Inox systems.
O-Ring 66,7 is used for KAN-therm Steel fittings only.

coil bar pipes in tube bag carton box pallet new available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

O-Ring FPM Viton Steel/Inox

GROUP: I


| Size [mm] | * | Code |  |  | UM |
|-----------|---|-------------------|---|---|-----|
| 66,7 | | 1609182015 | 5 | 100 | pc. |
| 76,1 | | 1609182020 | 5 | 100 | pc. |
| 88,9 | | 1609182021 | 5 | 100 | pc. |
| 108 | | 1609182022 | 5 | 50 | pc. |

Note:

LBP EPDM O-Rings 76,1-108 can be used in KAN-therm Steel and Inox systems.



O-Ring 66,7 is only used for Steel connector.

Do not use in hot water installations.



Flat gasket FPM Viton Steel/Inox

GROUP: I

| Size [mm] | * | Code |  |  | UM |
|-----------|---|-------------------|---|---|-----|
| 15-18 | | 1509237000 | 20 | 500 | pc. |
| 22 | | 1509237001 | 20 | 500 | pc. |
| 28 | | 1509237002 | 20 | 400 | pc. |
| 35 | | 1509237003 | 20 | 400 | pc. |
| 42 | | 1509237004 | 20 | 300 | pc. |
| 54 | | 1509237005 | 20 | 300 | pc. |

Note:

Gasket for unions and half unions of KAN-therm Steel and Inox systems.

Do not use in hot water installations.



Tools



Roller cutter for pipes REMS RAS St

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| 12-54 | | 1948267025 | 1 | pc. |
| 35-108 | | 1948267027 | 1 | pc. |



Cutting wheel for roller cutter REMS St

GROUP: K

| Range [mm] | * | Code | | | UM |
|------------|---|------------|---|----|-----|
| 12-108 | | 1941267037 | 1 | 10 | pc. |

Note:
Intended for roller cutters, codes: 1948267025, 1948267027.



Roller cutter for pipes REMS RAS Mini S

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| 12-28 | | 1900267003 | 1 | pc. |

Note:
The set includes a cutting wheel.



Roller cutter for pipes REMS RAS S

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| 12-35 | | 1900267001 | 1 | pc. |

Note:
The set includes a cutting wheel.



Cutting wheel for roller cutter REMS RAS

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| 12-35 | | 1900267002 | 1 | pc. |

Note:
Intended for roller cutters, codes: 1900267003, 1900267001.



Cordless pipe cutter REMS Akku-Nano

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| 12-35 | | 1948183003 | 1 | pc. |

Note:
The set includes a cutting wheel.

coil bar pipes in tube bag carton box pallet **N** new available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Cutting wheel for roller cutter REMS Nano

GROUP: K

| Range [mm] | * | Code |  | UM |
|------------|---|------------|---|-----|
| 12-35 | | 1978267000 | 1 | pc. |

Note:

Intended for cordless roller cutter code 1948183003.



Pipe cutting machine REMS Cento

GROUP: K

| Range [mm] | * | Code |  | UM |
|------------|---|------------|---|-----|
| 22-108 | | 1948183001 | 1 | pc. |

Note:

The set includes a cutting wheel.



Pipe cutting machine REMS DueCento

GROUP: K

| Range [mm] | * | Code |  | UM |
|------------|---|------------|---|-----|
| 54-168,3 | | 1948267034 | 1 | pc. |

Note:

The set does not include a cutting wheel.

In operating range 54-108, use additional guide rollers with code 1900267000.

Guide rollers must be purchased separately.



Cutting wheel for pipe cutting machine REMS Cento/DueCento

GROUP: K

| Range [mm] | * | Code |  | UM |
|------------|---|------------|---|-----|
| 22-168,3 | | 1941267041 | 1 50 | pc. |

Intended for pipe cutting machines, codes: 1948183001, 1948267034.



Guide roller insert for pipe cutting REMS DueCento

GROUP: K

| Range [mm] | * | Code |  | UM |
|------------|---|------------|---|-----|
| 54-108 | | 1900267000 | 1 | pc. |

Note:

Intended for pipe cutting machine, code: 1948267034.





Pipe support for cutting machine REMS Cento

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| | | 1948267029 | 1 | pc. |



Deburrer for metal pipes REMS REG

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-------|
| 12-54 | | 1948267015 | 1 | 6 pc. |



Tool set - deburrer and roller cutter

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| 12-54 | * | 1948267023 | 1 | set |

Each set includes:

- 1948267025 - roller cutter for pipes 12-54 mm,
- 1948267015 - deburrer for pipes 12-54 mm,
- 1941267129 - case.



Tool set - KAN-therm Mini battery press tool + "M" profile jaws

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| 15-28 | | 1936055009 | 1 | pc. |

Each set includes:

- 1936055008 - KAN-therm Mini press tool - 1 pc.,
- 1936267278 - jaws SBM M15 - 1 pc.,
- 1936267279 - jaws SBM M18 - 1 pc.,
- 1936267280 - jaws SBM M22 - 1 pc.,
- 1936267282 - jaws SBM M28 - 1 pc.,
- 1967267051 - battery RAML1225 Li-Ion 10,8 V 2,5 Ah - 2 pcs.,
- 1967267024 - charger LGML1 ~230 V 35 W - 1 pc.,
- case - 1 pc.



KAN-therm AC 3000 electric press tool

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| 12-54 | | 1936267239 | 1 | pc. |

Note:

The press tool is sold in a case.



KAN-therm DC 4000 battery press tool

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| 12-54 | | 1936267238 | 1 | pc. |

Note:

The press tool is sold with a battery, charger and case.

Charger for KAN-therm DC 4000 battery press tool

GROUP: K

| Version | * | Code | | | UM |
|-----------|---|------------|---|----|-----|
| 10,8-36 V | | 1936267267 | 1 | 80 | pc. |



Battery for KAN-therm DC 4000 press tool

GROUP: K

| Version | * | Code | | | UM |
|-------------|---|------------|---|----|-----|
| 18 V / 4 Ah | | 1936267266 | 1 | 80 | pc. |



KAN-therm "M" profile press jaws

GROUP: K

| Size [mm] | * | Code | | | UM |
|-----------|---|------------|---|--|-----|
| 15 | | 1936267249 | 1 | | pc. |
| 18 | | 1936267250 | 1 | | pc. |
| 22 | | 1936267251 | 1 | | pc. |
| 28 | | 1936267252 | 1 | | pc. |
| 35 | | 1936267253 | 1 | | pc. |



Note:

The jaws work with KAN-therm: AC 3000, DC 4000 drives.

KAN-therm "M" profile collar

GROUP: K

| Size [mm] | * | Code | | | UM |
|-----------|---|------------|---|--|-----|
| 42 | | 1936267283 | 1 | | pc. |
| 54 | | 1936267284 | 1 | | pc. |



Note:

Use KAN-therm "M" profile collar jaws with KAN-therm ZBS1 adapter for KAN-therm press tools, AC 3000, DC 4000.

ZBS1 adapter for KAN-therm "M" profile collar jaws

GROUP: K

| Size [mm] | * | Code | | | UM |
|-----------|---|------------|---|--|-----|
| 42 - 54 | | 1936267285 | 1 | | pc. |



Note:

Use KAN-therm "M" profile collar jaws with KAN-therm ZBS1 adapter for KAN-therm press tools: AC 3000, DC 4000.

REMS Power-Press ACC electric press tool

GROUP: K

| Range [mm] | * | Code | | | UM |
|------------|---|------------|---|--|-----|
| 12-63 | | 1936267219 | 1 | | pc. |



Note:

The press tool is sold with a case.
The set does not include jaws.

coil
 bar
 pipes in tube
 bag
 carton box
 pallet
 new
 available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts



REMS Power-Press SE Basic Pack electric press tool

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| 12-63 | | 1936267160 | 1 | pc. |

Note:
The press tool is sold with a case.
The set does not include jaws.



REMS Akku Press battery press tool

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| 12-63 | | 1936267152 | 1 | pc. |

Note:
The press tool is sold with a battery, charger and case.
The set does not include jaws.



REMS "M" profile press jaws

GROUP: K

| Size [mm] | * | Code | | UM |
|-----------|---|------------|---|-----|
| 12 | | 1948267046 | 1 | pc. |
| 15 | | 1948267048 | 1 | pc. |
| 18 | | 1948267052 | 1 | pc. |
| 22 | | 1948267056 | 1 | pc. |
| 28 | | 1948267061 | 1 | pc. |
| 35 | | 1948267065 | 1 | pc. |
| 42 | | 1948267067 | 1 | pc. |
| 54 | | 1948267069 | 1 | pc. |

Note:
The jaws work with Power-Press SE, Akku-Press, Power-Press ACC drives.



Set of REMS "M" profile press jaws

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| 42-54 | | 1948267130 | 1 | set |

Each set includes:
 ■ 1948267067 - jaws "M" to diameter 42 mm,
 ■ 1948267069 - jaws "M" to diameter 54 mm,
 ■ case.

Jaws work with Power-Press SE, Akku-Press, Power-Press ACC drives.



REMS tool set - electric Power-Press SE press tool and "M" profile jaws

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| 15-35 | | 1948267033 | 1 | set |

Each set includes:
 ■ 1936267160 - electric press tool REMS Power-Press SE,
 ■ 1948267048 - jaws "M" to diameter 15 mm,
 ■ 1948267052 - jaws "M" to diameter 18 mm,
 ■ 1948267056 - jaws "M" to diameter 22 mm,
 ■ 1948267061 - jaws "M" to diameter 28 mm,
 ■ 1948267065 - jaws "M" to diameter 35 mm,
 ■ case.

Novopress tool set - ACO103 BT battery press tool + "M" profile jaws

GROUP: K

| Range [mm] | * | Code |  | UM |
|------------|---|------------|---|-----|
| 15-35 | * | 1948055008 | 1 | pc. |

Each set includes:

- battery press tool - 1 pc.,
- 1948267093 - jaws M15 for press tool - 1 pc.,
- 1948267095 - jaws M18 for press tool - 1 pc.,
- 1942121002 - jaws M22 for press tool - 1 pc.,
- 1948267097 - jaws M28 for press tool - 1 pc.,
- 1938267047 - charger - 1 pc.,
- 1938267002 - battery 2 Ah - 2 pcs.,
- case.



Novopress EFP203 electric press tool

GROUP: K

| Range [mm] | * | Code |  | UM |
|------------|---|------------|---|-----|
| 12-63 | | 1948267210 | 1 | pc. |

Note:

The press tool is sold with a plastic case.



Novopress ACO203XL BT press tool

GROUP: K

| Range [mm] | * | Code |  | UM |
|------------|---|------------|---|-----|
| 12-108 | | 1948267181 | 1 | pc. |


Each set includes:

- battery press tool - 1 pc.,
- battery 18 V / 5.0 Ah Li-Ion Milwaukee - 2 pcs.,
- charger - 1 pc.,
- lubricant - 1 pc.,
- plastic case.



Novopress PB2 "M" profile press jaws

GROUP: K

| Size [mm] | * | Code |  | UM |
|-----------|---|------------|---|-----|
| 12 | | 1948267134 | 1 | pc. |
| 15 | | 1948267135 | 1 | pc. |
| 18 | | 1948267137 | 1 | pc. |
| 22 | | 1948267139 | 1 | pc. |
| 28 | | 1948267141 | 1 | pc. |
| 35 | | 1948267143 | 1 | pc. |

Note:

The jaws work with EFP203 and ACO203XL drives.





Novopress "M" profile Snap On collar

GROUP: K

| Size [mm] | * | Code | | UM |
|-----------|---|------------|---|-----|
| 42 | | 1948267119 | 1 | pc. |
| 54 | | 1948267121 | 1 | pc. |
| 66,7 | * | 1948267089 | 1 | pc. |
| 76,1 | | 1948267145 | 1 | pc. |
| 88,9 | | 1948267044 | 1 | pc. |
| 108 | | 1948267038 | 1 | pc. |

Note:

Use jaws for diameters 42 and 54 mm with adapter ZB203 for ACO203XL.
 Use jaws for diameters 66,7, 76,1 and 88,9 mm with adapter ZB221 for ACO203XL.
 Use the jaw with a diameter of 66,7 mm with adapter ZB323 for ECO301.
 Use the jaw with a diameter of 108 mm with adapter ZB221 and ZB222 for ACO203XL.



HP Snap On collar for Novopress ECO301, ACO203XL, EFP203

GROUP: K

| Size [mm] | * | Code | | UM |
|-----------|---|------------|---|-----|
| 35 | * | 1948267124 | 1 | pc. |
| 42 | * | 1948267126 | 1 | pc. |
| 54 | * | 1948267128 | 1 | pc. |

Note:

Jaws for diameters 35-54 mm with ECO301 press tool use with ZB303 adapter.
 Jaws for diameters 35-54 mm with ACO203XL and EFP203 crimping tool use with ZB203 adapter.
 Do not use jaw 54 mm with the ACO203XL and EFP203 crimping tool to join KAN-therm Inox system pipes (1.4404 and 1.4521) with a diameter of 54 mm.



Novopress ZB203 adapter

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| 35-63 | | 1948267000 | 1 | pc. |

Note:

Adapter for EFP203 and ACO203XL drives.
 ultraPRESS: 50-63 mm.
 Steel & Inox: 35-54 mm.
 Copper: 42-54 mm.



Novopress ZB221 Adapter

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| 66,7-108 | | 1948267005 | 1 | pc. |

Note:

Adapter for ACO203XL drive.
 For a diameter of 108 mm, adapter ZB221 is used to make the first crimp, and adapter ZB222 for the second crimp.



Novopress ZB222 Adapter

GROUP: K

| Range [mm] | * | Code | | UM |
|------------|---|------------|---|-----|
| 108 | | 1948267007 | 1 | pc. |

Note:

Adapter for ACO203XL drive.
 For a diameter of 108 mm, adapter ZB221 is used to make the first crimp, and adapter ZB222 for the second crimp.

Novopress ACO403 battery press tool

GROUP: K

| Range [mm] | * | Code |  | UM |
|------------|---|------------|---|-----|
| 76,1-168,3 | | 1948267209 | 1 | pc. |




Each set includes:

- battery press tool - 1 pc.,
- battery 18 V / 5.0 Ah Li-Ion Milwaukee - 2 pcs.,
- charger - 1 pc.,
- lubricant - 1 pc.,
- plastic case.

Novopress "M" profile HP collar

GROUP: K

| Size [mm] | * | Code |  | UM |
|-----------|---|------------|---|-----|
| 76,1 | * | 1948267100 | 1 | pc. |
| 88,9 | * | 1948267102 | 1 | pc. |
| 108 | * | 1948267098 | 1 | pc. |



Note:

The jaws work with ACO401 and ACO403 drives.

 coil
  bar
  pipes in tube
  bag
  carton box
  pallet
  new
  available soon

* custom-made - lead time max 4 weeks | ** availability as agreed | *** while stock lasts

Complete multipurpose installation system consisting of modern, mutually complementary technical solutions for pipe water distribution, heating and cooling installations, as well as technological and fire extinguishing ones.

ultra**LINE**

ultra**PRESS**

PP

Steel

Inox

Copper, Copper Gas

XPress Sprinkler

Football Stadium installations

Surface heating and cooling, automation

Cabinets and manifolds

