

	<b>Declaration of conformity</b>	<b>Number: DZ-33/24E</b>
	KAN-therm System Steel pipes and fittings for compressed air	Strona 1 z 1

1. Manufacturer of the construction product:

KAN Sp. z o.o.  
 16-001 Kleosin, ul. Zdrojowa 51  
 Poland  
[www.kan-therm.com](http://www.kan-therm.com) e-mail: [kan@kan-therm.com](mailto:kan@kan-therm.com)

2. Name of the product:

System KAN-therm Steel pipes  
 System KAN-therm Steel fittings (marked VSH XPress galvanized)

Code, batch number, production date placed on the product label.

3. Purpose and scope of application of the product:

For use like a part of installation compressed air in accordance with the Installation Instructions and the Designer and Contractor's Guide and information contained in KAN-therm catalogs.

4. Declared technical characteristics of the construction product type:

Design pressure:

- up to 16 bar for diameters 15 – 54 mm
- up to 10 bar for diameters 66,7-108 mm

Dimensions, completion, material and function in accordance with the technical documentation and functional characteristics listed in the KAN catalog and the KAN-therm Designer and Contractor's Guide.

The above-mentioned products are part of compressed air installation and produced in accordance with the manufacturer's technical documentation.

5. Additional information:

The products are marked with an identification label placed on the collective packaging;  
 All products are quality controlled in accordance with the implemented ISO 9001 Quality Management System procedures, including final inspection before being transferred to the warehouse or shipped to the recipient.

This declaration is issued in accordance with PN-EN ISO / IEC 17050-1 under the sole responsibility of the manufacturer specified above.

Signed on behalf of the manufacturer by:

Janusz Żukowski - Quality Assurance Manager



Kleosin – 08.03.2024  
 (Place - date of issue)

.....  
 (signature)